

Description: magnetic buzzer

Date: 5/15/2008 Unit: mm

Page No: 1 of 5



Specifications

Rated voltage	5.0 V dc	
Operating voltage	4.0 ~ 7.0 V dc	
Current consumption	35 mA max.	
Sound pressure level	83 db min.	at 10 cm (A-weight free air)/ 5 V dc
Resonant frequency	2300 Hz ± 300	
Tone	Continuous	
Operating temperature	-30 ~ +70° C	
Storage temperature	-30 ~ +70° C	
Dimensions	ø12 x H9.5 mm	
Weight	1.6 g	
Material	PPO (Black)	
Terminal	Pin type (Au Plating)	
RoHS	yes	

Appearance Drawing

Tolerance: ±0.5

CEM-1205C
CUI G

Masking Label

(+)

(-)

Sound

Emission

Hole

Potting





Description: magnetic buzzer

Date: 5/15/2008

Unit: mm Page No: 2 of 5

Voltage: Sound Pressure Level / Voltage: Current Consumption





Measurement Method



Description: magnetic buzzer

Date: 5/15/2008

Unit: mm Page No: 3 of 5

Mechanical Characteristics

Item	Test Condition	Evaluation Standard
Solderability ¹	Lead terminals are immersed in rosin for	90% min. of the lead terminals
	5 seconds and then immersed in solder bath	will be wet with solder. (Except
	of 270 ±5°C for 3 ±1 seconds.	the edge of the terminal)
Soldering Heat Resistance	Lead terminals are immersed up to 1.5mm from	
	buzzer's body in solder bath of 260 ±5°C for	No interference in operation.
	3 ±1 seconds.	·
Terminal Mechanical Strength	For 10 seconds, the force of 9.8N (1.0kg) is	No damage or cutting off.
•	applied to each terminal in axial direction.	
Vibration	The buzzer should be measured after applying	After the test, the part should
	a vibration amplitude of 1.5 mm with 10 to	meet specification without any
	55 Hz band of vibration frequency to each of	damage in appearance. The SPL
	the 3 perpendicular directions for 2 hours.	should be within ±10 dBA
Drop Test	The part should be dropped from a height of	compared with the initial
	75 cm onto a 40 mm thick wooden board 3	measurement.
	times in 3 axes (X, Y, Z) for a total of 9 drops.	

Notes: 1. Not recommended for wave soldering

Environment Test

Item	Test Condition	Evaluation Standard
High temp. test	After being placed in a chamber at +70°C for	
	96 hours.	_
Low temp. test	After being placed in a chamber at -30°C for	
	96 hours.	
Thermal Shock	The part shall be subjected to 10 cycles. One	
	cycle will consist of:	
	+70°C	
	-30°C	
	30 min. 30 min.	After the test, the part should
	60 min	meet specification without any damage in appearance and
	60 min.	performance, except for the SPL.
		After being placed at +25°C for 4 hours. The SPL should be within
Temp./Humidity cycle test	The part shall be subjected to 10 cycles. One	±10 dBA when compared with the initial measurement.
	cycle will be 24 hours and consist of:	
	+70℃ a,b:90~98%RH c:80~98%RH	
	+25°C A b	
	24hours	



Description: magnetic buzzer

Date: 5/15/2008 Unit: mm

Page No: 4 of 5

Reliability Tests

Item	Test Condition	Evaluation Standard
Operating (Life Test)	Continuous life test:	After the test, the part should
	The part will be subjected to 72 at +45°C with	meet specification without any
	5 V dc applied.	damage in appearance and
		performance, except for the SPL.
	2. Intermittent life test:	After being placed at +25°C for 4
	A duty cycle of 1 minute on, 1 minute off, a	hours. The SPL should be within
	minimum of 10,000 times at room temp	±10 dBA when compared with the
	(+25 ±2°C) with 5 V dc applied.	initial measurement.

Test Conditions

Standard Test Condition	a) Tempurature: +5 ~ +35°C	b) Humidity: 45 - 85%	c) Pressure: 860-1060 mbar
Judgement Test Condition	a) Tempurature: +25 ±2°C	b) Humidity: 60 - 70%	c) Pressure: 860-1060 mbar




Description: magnetic buzzer

Date: 5/15/2008

Unit: mm

Page No: 5 of 5

Packaging



AMEYA360 Components Supply Platform

Authorized Distribution Brand:

























Website:

Welcome to visit www.ameya360.com

Contact Us:

> Address:

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd Minhang District, Shanghai , China

> Sales:

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

Customer Service :

Email service@ameya360.com

Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com