

On or Off?

2 Position LED | 12V and 24V



Heavy Duty Applications

Solenoids | Valves | Sensors | Electronic Controls | Manifolds | Coils | Diagnostics

Highly-visible LED for "On"

- Field Serviceable Cost-effective
- Quick diagnosis reduces troubleshooting time
- Environmentally-sealed for harsh environments
- Plug and Play assembled the same as a standard connector





12V: "OFF"

12V: "ON"



Old Design



NEW Design



24V: "OFF"



24V: "ON"

	Part Number	Description	
	AT06-2S-LED1201	AT Series™, 2-Way, Plug, LED, 12V , Clear Endcap, Grey Body (Requires Wedgelock P/N: AW2S-LED)	
Con the second	AT06-2S-LED2401	AT Series™, 2-Way, Plug, LED, 24V , Clear Endcap, Black Body (Requires Wedgelock P/N: AW2S-LED)	
	AW2S-LED	AT Series™, 2-Way, Wedgelock (Required for both AT06-2S-LED1201 and AT06-2S-LED2401)	


For more information, contact:

Don Hunsucker, Project Manager | Phone: +1 586 913 8638 | donh@sineco.com Eric Schwegman, Market Manager | Phone: +1 937 242 6212 | eschwegman@sineco.com



2 Position LED | Features & Benefits

- Integral PCB Board/LED, Front and Rear Seals, and AT-SR01 End Cap Strain Reliefs come factory assembled on the Plug.
- Simply crimp the contact style of your choice...Insert...Snap the wedgelock into place.
- NO ADDITIONAL ASSEMBLY REQUIRED.



Standard AT Series™ Contacts

Stamped & Formed - Sockets and Pins

Size	AWG	Туре	Part Number	Description				
16	14-16	S & F	AT62-14-0122	Female Contact - Socket, Nickel-plated				
16	14-16	S & F	AT62-14-0144	Female Contact - Socket, Gold-plated				
16	16-18	S & F	AT62-16-0122	Female Contact - Socket, Nickel-plated				
16	16-18	S & F	AT62-16-0144	Female Contact - Socket, Gold-plated				
16	18-20	S & F	AT62-16-0622	Female Contact - Socket, Nickel-plated				
16	18-20	S & F	AT62-16-0644	Female Contact - Socket, Gold-plated				
16	14-16	S & F	AT60-14-0122	Male Contact - Pin, Nickel-plated				
16	14-16	S & F	AT60-14-0144	Male Contact - Pin, Gold-plated				
16	16-18	S & F	AT60-16-0122	Male Contact - Pin, Nickel-plated				
16	16-18	S & F	AT60-16-0144	Male Contact - Pin, Gold-plated				
16	18-20	S & F	AT60-16-0622	Male Contact - Pin, Nickel-plated				
16	18-20	S & F	AT60-16-0644	Male Contact - Pin, Gold-plated				

*Yellow LED color and glowing effect used for illustration purposes only.

Solid - Sockets and Pins

Size	AWG	Туре	Part Number	Description		
16	14	Solid	AT62-209-1631	Female Contact - Socket, Gold-plated		
16	14	Solid	AT62-209-16141	Female Contact - Socket, Nickel-plated		
16	16-20	Solid	AT62-201-1631	Female Contact - Socket, Gold-plated		
16	16-20	Solid	AT62-201-16141	Female Contact - Socket, Nickel-plated		
16	14	Solid	AT60-215-1631	Male Contact - Pin, Gold-plated		
16	14	Solid	AT60-215-16141	Male Contact - Pin, Nickel-plated		
16	16-20	Solid	AT60-202-1631	Male Contact - Pin, Gold-plated		
16	16-20	Solid	AT60-202-16141	Male Contact - Pin, Nickel-plated		

© 2013 Amphenol Sine Systems Corporation. Every effort has been made to ensure that the information contained in this document is accurate at the time of publication. Specifications or information stated in this document are subject to change without notice.

AMEYA360 Components Supply Platform

Authorized Distribution Brand:

























Website:

Welcome to visit www.ameya360.com

Contact Us:

Address:

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd Minhang District, Shanghai , China

> Sales:

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

Customer Service :

Email service@ameya360.com

Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com