

TECHNICAL CHARACTERISTICS

MATERIAL
 INSULATOR: NYLON 66
 FLAMABILITY RATING: UL94-V0
 COLOR: WHITE
 PITCH: 4.20MM

ENVIRONMENTAL
 OPERATING TEMPERATURE: -40 UP TO 105°C
 COMPLIANCE: LEAD FREE AND ROHS

ELECTRICAL
 CURRENT RATING: 8 TO 9A



| | | |
|-------------|-----|-----|
| NB CIRCUITS | 2-3 | 4-5 |
| AMPERES | 9 | 8 |

WORKING VOLTAGE: 600V AC
 INSULATOR RESISTANCE: >1000 MOHM
 DIELECTRIC WITHSTANDING VOLTAGE: 1500V AC/MN

STANDARD
 CERTIFIED: E323964 / MODEL NUMBER 649-0133

PACKAGING
 TRAY

DIMENSION
 A = 4.20 x (NB. PIN - 1)
 B = 4.20 x (NB. PIN) + 1.20

| | | | | | | | | |
|----------------|-----------|---------|----|---|--|--|--|-----------------------|
| RoHS Compliant | | | | <div>PROJECTION:</div> <div></div> | <div>GENERAL TOLERANCE</div> <div>.X = \pm 0.2</div> <div>.XX = \pm 0.15</div> | <div></div> | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| J | 26-SEP-14 | DRAWING | AS | APPROVAL: RJ | UNIT: MM | DESCRIPTION: 4.20MM FEMALE SINGLE ROW RECEPTACLE | | SIZE <div>A4</div> |
| I | 12-MAR-14 | TPK | QL | | SCALE: | | | |
| H | 08-NOV-11 | DRAWING | GG | | SHEET: 1/2 | WERI PART NO: 649 0xx 013 322 | | |
| REV | DATE | FILE | BY | | DRAW: AS | | | |

1

2

3

4

5

A

B

C

D



Note:

1.Dimension:


Carton Size:40*28*28(cm)

2.Quantity:


| Pin. | Pcs/Bag | Pcs/Carton |
|------|---------|------------|
| 2 | 200 | 12000 |
| 3 | 200 | 9000 |
| 4 | 200 | 8000 |
| 5 | 100 | 7000 |





Inner Carton



Carton



| RoHS Compliant | | | | | | | |
|----------------|------|------|----|--|---|---|-------------------|
| G | | | | PROJECTION:  | GENERAL TOLERANCE .X = +/- 0.2 .XX = +/- 0.15 |  | |
| F | | | | | | | |
| E | | | | | | | |
| D | | | | | | | |
| C | | | | APPROVAL: BBu | UNIT: MM | DESCRIPTION: 4.20MM FEMALE SINGLE ROW RECEPTACLE | |
| B | | | | | SCALE: | | |
| A | | | | | SHEET: 2/3 | WERI PART NO: 6490 xx 013322_TPK | |
| REV | DATE | FILE | BY | | DRAW: AS | | |
| | | | | | | | SIZE A4 |

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com