DBF60G

ON Semiconductor®

6.0A Single-Phase Bridge Rectifier

http://onsemi.com

Features

· Glass passivation for high reliability

· Plastic molded structure

Peak reverse voltage : VRM=600VAverage output current : IO=6.0A

Specifications

Absolute Maximum Ratings at Ta=25°C

•				
Parameter	Symbol	Conditions	Value	Unit
Peak Reverse Voltage	VRM		600	V
Average Output Current	Io	Tc=110°C,with 125×125×1.5mm³ Al fin	6.0	Α
		Ta=25°C,without fin	2.8	Α
Surge Forward Current	IFSM	50Hz sine wave, 1cycle	120	А
Junction Temperature	Tj		150	°C
Storage Temperature	Tstg		-40 to +150	°C

Stresses exceeding those listed in the Maximum Ratings table may damage the device. If any of these limits are exceeded, device functionality should not be assumed, damage may occur and reliability may be affected.


Electrical Characteristics at Ta=25°C

Parameter	Symbol	Conditions	Value			Unit
			min	typ	max	
Forward Voltage	VF	IF=2.5A			1.05	V
Reverse Current	IR	V _R =V _{RM}			10	μΑ
Thremal Resistance(Junction-Ambient)	Rth(j-a)	Without fin			26	°C / W
Thremal Resistance(Junction-Case)	Rth(j-c)	With Al fin			3.4	°C / W


Product parametric performance is indicated in the Electrical Characteristics for the listed test conditions, unless otherwise noted. Product performance may not be indicated by the Electrical Characteristics if operated under different conditions.

Package Dimensions

unit:mm(typ.)




Electrical Connection



Ordering Information

Device	Shipping	memo		
DBF60G	250 pcs./box	Pb-Free		



ON Semiconductor and the ON logo are registered trademarks of Semiconductor Components Industries, LLC (SCILLC). SCILLC owns the rights to a number of patents, trademarks, copyrights, trade secrets, and other intellectual property. A listing of SCILLC's product/patent coverage may be accessed at www.onsemi.com/site/pdf/Patent-Marking.pdf. SCILLC reserves the right to make changes without further notice to any products herein. SCILLC makes no warranty, representation or guarantee regarding the suitability of its products for any particular purpose, nor does SCILLC assume any liability arising out of the application or use of any product or circuit, and specifically disclaims any and all liability, including without limitation special, consequential or incidental damages. "Typical" parameters which may be provided in SCILLC data sheets and/or specifications can and do vary in different applications and actual performance may vary over time. All operating parameters, including "Typicals" must be validated for each customer application by customer's technical experts. SCILLC does not convey any license under its patent rights nor the rights of others. SCILLC products are not designed, intended, or authorized for use as components in systems intended for surgical implant into the body, or other applications intended to support or sustain life, or for any other application in which the failure of the SCILLC product could create a situation where personal injury or death may occur. Should Buyer purchase or use SCILLC products for any such unintended or unauthorized application, Buyer shall indemnify and hold SCILLC and its officers, employees, subsidiaries, affiliates, and distributors harmless against all claims, costs, damages, and expenses, and reasonable attorney fees arising out of, directly or indirectly, any claim of personal injury or death associated with such unintended or unauthorized use, even if such claim alleges that SCILLC was negligent regarding the design or manufacture of the part. SCILLC is an Equa

AMEYA360 Components Supply Platform

Authorized Distribution Brand:

























Website:

Welcome to visit www.ameya360.com

Contact Us:

> Address:

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd Minhang District, Shanghai , China

> Sales:

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

Customer Service :

Email service@ameya360.com

Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com