# MODULE KITS: 5.7" and 3.8" Monochrome Display Modules



#### PRODUCTION-READY DISPLAY MODULES WITH TOUCH

Amulet's monochrome display modules are the fastest route to production. All the parts to drive the LCD are built in, including Amulet's revolutionary Graphical OS Chip™. A fully integrated, drop-in solution is ideal for OEMs when time to market is crucial and/or in-house design resources are limited. The Amulet Modules are perfect for applications

in markets such as Test & Measurement, Industrial Controls, Building Automation and Home Automation.

#### **Production-Ready Modules Provide:**

- .: 5.7" or 3.8" QVGA Monochrome Display
- .: Integrated Touch Panel

Amulet

- .: Integrated Digital Backlight & Contrast Control
- .: Royalty-FREE Operating System

#### **Built-In GUI Operating System**

Amulet's Graphical OS Chip™ is a single chip that includes all of the hardware and software required to turn an LCD and touch panel into a user interface. Embedded in the Graphical OS Chip™ is a complete graphical operating system that executes GUI applications built in dynamic HTML. The graphical OS was designed specifically for embedded applications that require dynamic and responsive user interfaces that are equally robust and crash proof.





#### 5.7" Amulet OnBoard™ Modules



MK-AOB3202405B (STN Negative, Blue, Transmissive)



MK-AOB3202405N (FSTN Negative, Transmissive)



MK-AOB3202405T (FSTN Negative, Transflective)

Amulet OnBoard™ (AOB) modules are fully integrated display solutions ready for production. The Graphical OS Chip™ and all the other parts to drive the LCD are mounted directly to the back of the display. AOB modules are available in three display types, as shown above.

#### Amulet 3.8" Modules





The Amulet 3.8" modules are ready for production with the Graphical OS Chip™ and all other parts to drive the LCD mounted to a custom Amulet PCB integrated with the display.

#### Module Specifications:

5.7" Graphic Monochrome LCD 320 x 240 (QVGA)	3.8" Graphic Monochrome LCD 320 x 240 (QVGA)
320 x 240 (QVGA)	320 × 240 (OVGA)
	020 x 240 (QVGA)
Yes	Yes
Ultrabright White LED	White LED
Digital Potentiometer	Digital Potentiometer
Digital Potentiometer	Digital Potentiometer
6 o'clock	6 o'clock
-20°C to 70°C	-20°C to 70°C
Yes	Yes
5Vdc (±.25v) @ 250mA	5Vdc +/- 10% @ 250mA
8 Megabit	4 Megabit
Amulet Protocol via UART1	Amulet Protocol via RS232 or UART
9,600/19,200/57,600/ 115,200 bps	9,600/19,200/57,600/ 115,200 bps
	Yes Ultrabright White LED Digital Potentiometer Digital Potentiometer 6 o'clock -20°C to 70°C Yes 5Vdc (±.25v) @ 250mA 8 Megabit Amulet Protocol via UART1 9,600/19,200/57,600/

Notes: 1. Production ready RS-232 interface boards available



www.amulettechnologies.com

Want More Information?

Call or email us today! Also visit us on the Web at www.AmuletTechnologies.com for the latest data sheets, programmer's guide, software updates and more.

Amulet Display Modules are available through Amulet franchised distributors. Visit our Web site for direct "order now" links.

Campbell, California, USA Sales@AmuletTechnologies.com (408) 374-4956

Europe

Info@AmuletTechnologies.com

+33 (0)6 3356 1179

# AMEYA360 Components Supply Platform

## **Authorized Distribution Brand:**

























## Website:

Welcome to visit www.ameya360.com

#### Contact Us:

## Address:

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd Minhang District, Shanghai , China

#### > Sales:

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

## Customer Service :

Email service@ameya360.com

## Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com