

719 MHz MediaFLO Ceramic Chip Antenna

Ground cleared under antenna, clearance area **10.60 x 10.25 mm**

Pulse Part Number: W3024



Features

- Omnidirectional radiation
- Low profile
- Compact size W x L x H (10 x 3.2 x 4 mm)
- Low weight (600 mg)
- Fully SMD compatible
- Lead free soldering compatible
- Tape and reel packing
- RoHS compliant

Applications

- MediaFlo Receivers
- 716–722 MHz

Engineering samples available Q3/2006

Electrical specifications @ +25 °C

Note: Electrical characteristics depend on test board (GP) size and antenna positioning on GP and Ground Clearance area size.

MediaFLO 716–722 MHz

Typical performance (test board size 100 x 37 mm, PWB ground clearance area 10.60 x 10.25 mm)

Frequency Range [MHz]	Linear Max Gain [dBi]	Efficiency [%] / [dB]	Return Loss min. [dB]	Impedance [Ω]	Operating Temperature [°C]
716 – 722	2 (peak) 1.5 (band edges)	75 / -1.25 (peak) 70 / -1.55 (band edges)	-8	50	-40 to +85

Pulse Antennas

Takatie 6
90440 Kempele, Finland
Tel: +358 207 935 500
Fax: +358 207 935 501
www.pulseeng.com/antennas

719 MHz MediaFLO Ceramic Chip Antenna

Ground cleared under antenna, clearance area **10.60 x 10.25 mm**

Typical Electrical Characteristics (T=25 °C)

Measured on 100 x 37 mm test board

Typical Return Loss S11/ impedance, measured on the test board


MediaFLO

5 Sep 2006 13:51:40

CH1 S11&MLOG 5 dB/REF 0 dB

CH1Markers

- | | | |
|----|------------|-------------|
| 1. | -8.7588 dB | 716.000 MHz |
| 2. | 19.380 dB | 719.000 MHz |
| 3. | -9.0314 dB | 722.000 MHz |




MediaFLO

5 Sep 2006 13:21:46

CH1Markers


- | | | | |
|----|-----------------|------------------|-------------|
| 1. | 29.077 Ω | 21.121 Ω | 716.000 MHz |
| 2. | 39.131 Ω | 1.3691 Ω | 303.07 pH |
| 3. | 26.601 Ω | -14.185 Ω | 722.000 MHz |

CH1 S11 & M1 U FS
PRm
Del
Cor




Free space efficiency and maximum gain

MediaFLO



MediaFLO



Pulse Antennas

Takatie 6

90440 Kempele, Finland

Tel: +358 207 935 500





Fax: +358 207 935 501

www.pulseeng.com/antennas

719 MHz MediaFLO Ceramic Chip Antenna

Ground cleared under antenna, clearance area 10.60 mm x 10.25 mm.

Typical Free Space Radiation Patterns



Pulse Antennas

Takatie 6

90440 Kempele, Finland

Tel: +358 207 935 500

Fax: +358 207 935 501

www.pulseeng.com/antennas

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com