

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG ,2006.

© COPYRIGHT

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD







C

REVISED (ECR-13-003844)

04JUN13

JL

WK



NOTE:

- MATERIAL:
HOUSING: THERMOPLASTIC(LCP),
UL 94V-0, COLOR: NATURE.
ACTUATOR: THERMOPLASTIC, UL 94 V-0,
COLOR: IVORY.
HOLD DOWN: PHOSPHOR BRONZE.
CONTACT: PHOSPHOR BRONZE.
- FINISH:
CONTACT: GOLD FLASH OVER ALL,
50u" MIN. NICKEL UNDERPLATED ALL OVER.
HOLD DOWN: 100u" MIN. BRIGHT TIN PLATING OVER,
50u" MIN. NICKEL UNDERPLATED ALL OVER.
WITHOUT AMP LOGO FOR 12 POSITION UNDER

24.50	25.60	30.43	50	5-1734592-0
24.00	25.10	29.93	49	4-1734592-9
23.50	24.60	29.43	48	4-1734592-8
23.00	24.10	28.93	47	4-1734592-7
22.50	23.60	28.43	46	4-1734592-6
22.00	23.10	27.63	45	4-1734592-5
21.50	22.60	27.43	44	4-1734592-4
21.00	22.10	26.93	43	4-1734592-3
20.50	21.60	26.43	42	4-1734592-2
20.00	21.10	25.93	41	4-1734592-1
19.50	20.60	25.43	40	4-1734592-0
19.00	20.10	24.93	39	3-1734592-9
18.50	19.60	24.43	38	3-1734592-8
18.00	19.10	23.93	37	3-1734592-7
17.50	18.60	23.43	36	3-1734592-6
17.00	18.10	22.93	35	3-1734592-5
16.50	17.60	22.43	34	3-1734592-4
16.00	17.10	21.93	33	3-1734592-3
15.50	16.60	21.43	32	3-1734592-2
15.00	16.10	20.93	31	3-1734592-1
14.50	15.60	20.43	30	3-1734592-0
14.00	15.10	19.93	29	2-1734592-9
13.50	14.60	19.43	28	2-1734592-8
13.00	14.10	18.93	27	2-1734592-7
12.50	13.60	18.43	26	2-1734592-6
12.00	13.10	17.93	25	2-1734592-5
11.50	12.60	17.43	24	2-1734592-4
11.00	12.10	16.93	23	2-1734592-3
10.50	11.60	16.43	22	2-1734592-2
10.00	11.10	15.93	21	2-1734592-1
9.50	10.60	15.43	20	2-1734592-0
9.00	10.10	14.93	19	1-1734592-9
8.50	9.60	14.43	18	1-1734592-8
8.00	9.10	13.93	17	1-1734592-7
7.50	8.60	13.43	16	1-1734592-6
7.00	8.10	12.93	15	1-1734592-5
6.50	7.60	12.43	14	1-1734592-4
6.00	7.10	11.93	13	1-1734592-3
5.50	6.60	11.43	12	1-1734592-2
5.00	6.10	10.93	11	1-1734592-1
4.50	5.60	10.43	10	1-1734592-0
4.00	5.10	9.93	09	0-1734592-9
3.50	4.60	9.43	08	0-1734592-8
3.00	4.10	8.93	07	0-1734592-7
2.50	3.60	8.43	06	0-1734592-6
2.00	3.10	7.93	05	0-1734592-5
C	B	A	POS.	PART NUMBER
DIMENSIONS				

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

15APR2009

CHK

J. LAI

15APR2009

APVD

S. CHIEN

15APR2009

PRODUCT SPEC

W. KODAMA

QUALIFICATION TEST REPORT

108-57523

WEIGHT

501-57598

CUSTOMER DRAWING

- GRAMS

NAME

FPC CONNECTOR, 0.5mm PITCH, BOTTOM CONTACT, SMT TYPE.

SIZE

A3

CAGE CODE

00779

DRAWING NO

C=1734592

RESTRICTED TO

-

SCALE

-

SHEET

1 OF 3

REV

C

DIMENSIONS:

MM



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± -
1 PLC	± 0.35
2 PLC	± 0.25
3 PLC	± -
4 PLC	± -
ANGLES	± 3°


MATERIAL

SEE NOTE

FINISH


SEE NOTE

P	LTR	DESCRIPTION	DATE	DWN	APV
		SEE SHEET 1.			



RECOMMENDED PCB DIMENSIONS DIAGRAM

TOLERANCE ± 0.05



TOLERANCE ± 0.05

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN		 TE Connectivity			
		CHK					
DIMENSIONS: MM		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME			
		0 PLC ± — 1 PLC ± 0.35 2 PLC ± 0.25 3 PLC ± — 4 PLC ± — ANGLES ± 3°		FPC CONNECTOR, 0.5mm PITCH, BOTTOM CONTACT, SMT TYPE.			
		PRODUCT SPEC —		APPLICATION SPEC —			
MATERIAL		FINISH		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
—		—		A3	00779	G=1734592	—
CUSTOMER DRAWING						SCALE	SHEET
						—	2 OF 3
							REV C

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG ,2006.

C

COPYRIGHT

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR



DESCRIPTION

DATE

DWN


APVD

SEE SHEET 1.



NOTE :

1. TAPE REEL:
DIAMETER: 13", THICKNESS : 0.35±0.05mm.
2. CARTON:
SIZE: 350mm(L)X 350mm(W)X 340mm(H).



CARTON

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

MM



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± -
1 PLC	± -
2 PLC	± -
3 PLC	± -
4 PLC	± -
ANGLES	± -

FINISH

MATERIAL

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

STE

TE Connectivity

NAME

FPC CONNECTOR, 0.5mm PITCH, BOTTOM CONTACT, SMT TYPE.

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

00779

C=1734592

SCALE

SHEET

3 OF 3

REV C

12000

16000

20000

2000

44.00	26.70	30.55	31.50	50
44.00	26.20	30.05	31.00	49
44.00	25.70	29.55	30.50	48
44.00	25.20	29.05	30.00	47
44.00	24.70	28.55	29.50	46
44.00	24.20	28.05	29.00	45
44.00	23.70	27.55	28.50	44
44.00	23.20	27.05	28.00	43
44.00	22.70	26.55	27.50	42
44.00	22.20	26.05	27.00	41
44.00	21.70	25.55	26.50	40
44.00	21.20	25.05	26.00	39
44.00	20.70	24.55	25.50	38
44.00	20.20	24.05	25.00	37
44.00	19.70	23.55	24.50	36
44.00	19.20	23.05	24.00	35
44.00	18.70	22.55	23.50	34
44.00	18.20	22.05	23.00	33
44.00	17.70	21.55	22.50	32
44.00	17.20	21.05	22.00	31
32.00	16.70	20.55	21.50	30
32.00	16.20	20.05	21.00	29
32.00	15.70	19.55	20.50	28
32.00	15.20	19.05	20.00	27
32.00	14.70	18.55	19.50	26
32.00	14.20	18.05	19.00	25
32.00	13.70	17.55	18.50	24
32.00	13.20	17.05	18.00	23
32.00	12.70	16.55	17.50	22
32.00	12.20	16.05	17.00	21
24.00	11.70	15.55	16.50	20
24.00	11.20	15.05	16.00	19
24.00	10.70	14.55	15.50	18
24.00	10.20	14.05	15.00	17
24.00	9.70	13.55	14.50	16
24.00	9.20	13.05	14.00	15
24.00	8.70	12.55	13.50	14
24.00	8.20	12.05	13.00	13
24.00	7.70	11.55	12.50	12
24.00	7.20	11.05	12.00	11
24.00	6.70	10.55	11.50	10
24.00	6.20	10.05	11.00	09
24.00	5.70	9.55	10.50	08
24.00	5.20	9.05	10.00	07
24.00	4.70	8.55	9.50	06
24.00	4.20	8.05	9.00	05

APQ
(PCS/CARTON)PPQ
(PCS/REEL)

D

C

B

A

POS.

DIMENSIONS

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com