




SEC.A-A



SEC.B-B



SEC.C-C



TECHNICAL CHARACTERISTICS

MATERIAL

CONTACT MATERIAL: COPPER ALLOY
CONTACT TYPE: STAMPED
CONTACT PLATING: TIN
QUALITY CLASS: 25 MATING CYCLES
PITCH: 2.00MM

ENVIRONMENTAL

OPERATING TEMPERATURE: -25 UP TO 85°C
COMPLIANCE: LEAD FREE AND ROHS

ELECTRICAL

CURRENT RATING: 3A
WORKING VOLTAGE: 250V AC
CONTACT RESISTANCE: 20 mOHM MAX

WIRE DIMENSION


AWG: AWG 22 - 28

PACKAGING

BULK/LOOSE DELIVERY IN A BAG
EACH TERMINAL SEPARATED FROM EACH OTHER
NOT ON A REEL
100PCS/PER BAG. MULTIPLE OF 100PCS ONLY
1PC OF 62400113722DEC =1 CRIMP TERMINAL
SO 1 BAG MEANS 100 PCS OF 62400113722DEC

RoHS Compliant

PROJECTION:



GENERAL TOLERANCE

.X = ± 0.3

.XX = ± 0.2



WÜRTH ELEKTRONIK

APPROVAL: RJ

UNIT: MM

SCALE:

SHEET: 1/2


DRAW: MIKE


DESCRIPTION: 2.00 MM DUAL ROW FEMALE CRIMP TERMINAL

WERI PART NO: 62400113722DEC

SIZE

A4



RoHS Compliant				PROJECTION: 	GENERAL TOLERANCE .X = +/- 0.2 .XX = +/- 0.15	 WÜRTH ELEKTRONIK	DESCRIPTION: 2.00MM DUAL ROW FEMALE CRIMP CONTACT TERMINAL	SIZE A4
G								
F								
E								
D				APPROVAL: RJ	UNIT: MM	WERI PART NO: 624 001 137 22 DEC		
C								
B								
A								
REV	DATE	FILE	BY		DRAW: MIKE			

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com