










THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TE CONNECTIVITY. IT IS NOT TO BE DISCLOSED TO ANY OTHER PARTY WITHOUT THE WRITTEN AUTHORIZATION OF TE CONNECTIVITY. ANY REPRODUCTION OR TRANSMISSION OF THIS INFORMATION WITHOUT THE WRITTEN AUTHORIZATION OF TE CONNECTIVITY IS PROHIBITED.



THIS DRAWING IS A CONTROLLED DOCUMENT. DRAW NO. 1583004

USED ON —												
TOOL NUMBER 	WIRE SIZE mm ² [AWG] 	INSULATION DIAMETER mm [in.] 	INSUL. ADJ. 	FLIP LOCATOR 	STRIP LENGTH mm [in.] 	CRIMP HEIGHT mm [in.] 	CONTACT PART NUMBERS 				CONTACT DESCRIPTION (loose piece color code)	APPLIC. SPECIF.
							LOOSE PIECE 		STRIP FORM 			
91564-1 91564-3	0.20-0.56 [24-20]	1.02-2.03 [.040-.080]	NO	NO	3.55-4.75 [.140-.187]	1.00 ± 0.05 [.039 ± .002]	66103-[] 66593-[] 66596-[] 66105-[] 170246-[] 66594-[]	66102-[] 66583-[] 66586-[] 66104-[] 170245-[] 66584-[]	Type III+ (yellow)	114-10004		
	0.05-0.15 [30-26]	1.02-1.52 [.040-.060]				66429-[] 170248-[] 66595-[] 66428-[]	66425-[] 170247-[] 66585-[] 66424-[]					
	0.12-0.22 [26-24]	0.89-1.40 [.035-.055]				0.79 ± 0.04 [.031 ± .002]	66107-[] 66237-[] 170252-[] 66109-[] 170250-[]	66106-[] 170249-[] 66108-[] 170251-[]	(red)			

1. LIST OF APPLIED CONTACT PART NUMBERS MAY NOT BE COMPLETE AND IS SUBJECT TO CHANGE. FOR CURRENT INFORMATION ON TERMINAL PART NUMBERS, CONTACT THE TOOLING ASSISTANCE CENTER : 1-800-722-1111.
2. AMP and CERTI-CRIMP are trademarks.
3. -1 IS A CERTICRIMP II HAND TOOL ASSEMBLY.
-3 IS A CERTICRIMP II HEAD SUB-ASSEMBLY.
4. THE HAND TOOL INSTRUCTION SHEET, ALSO KNOWN AS AN "IS", FOR MOST CERTI-CRIMP II TOOLS USE IS 408-8547. IF THE TOOL HAS A FLIP LOCATOR USE IS 408-10414.

CERTI-CRIMP II DATA SHEET

LOC
A
DIST
00

P	LTR	REVISION RECORD	DATE	DWN	APVD	DIMENSIONS: mm 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± -	DWN M. YOUNGER 21FEB2012	CHK B.A.WOLFE 22FEB2012	APVD B.A. WOLFE 22FEB2012	MATERIAL -	HEAT TREAT -									
						ANGLES ± -	SURFACE TEXTURE 	SCALE -		SIZE A1	DRAWING NO 1583004		SHEET 2 of 2	REV C							

 TE Connectivity

CERTI-CRIMP II TOOL DATA SHEET
MULTIMATE CONTACT FAMILY OPEN BARREL

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :
401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :
Direct +86 (21) 6401-6692
Email amall@ameya360.com
QQ 800077892
Skype ameyasales1 ameyasales2

➤ Customer Service :
Email service@ameya360.com

➤ Partnership :
Tel +86 (21) 64016692-8333
Email mkt@ameya360.com