





10 9 8 7 6 5 4 3 2 1

NOTES:

1. CONNECTOR DESIGN BASED ON EXPRESSCARD STANDARD;
2. COMPONENTS:
HEADER: SHEET 2
EJECTOR: SHEET 3
3. PCB LAYOUT PLEASE REFER TO SHEET 4;
4. TAIL COMPLANARITY OF HEADER TO BE 0.10 MAXIMUM, TRUE POSITION IS 0.15 MAXIMUM BETWEEN SOLDER TAILS;
5. NON REFLOW PROCESS FOR EJECTOR.
6. SCREW FASTENING TORQUE: 1.0 KGF-CM;
7. PRODUCT SPECIFICATION PLEASE REFER TO PS-47277-001.
8. 47322-0001 COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV DIRECTIVE 2000/53/EC.



EC NO: SH2007-0352	2006/11/17	2006/11/22	2006/11/28
DRWN: CHEN	CHKD: HARVEY	APPR: JCHEN	
A1	REV	DESCRIPTION	


QUALITY SYMBOLS
$\nabla = 0$
$\nabla \text{C} = 0$




GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	INCH
4 PLACES	± 0.25	± 0.010
3 PLACES	± 0.25	± 0.010
2 PLACES	± 0.25	± 0.010
1 PLACE	± 0.30	± 0.012
ANGULAR $\pm 3^\circ$		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

DIMENSION STYLE	
MM ONLY	
DRAWN BY	DATE
R.BIAN	2005/05/20
CHECKED BY	DATE
HARVEY	2006/04/18
APPROVED BY	DATE
JENNY	2006/04/18
MATERIAL NO.	
47322-0001	
SIZE	
A3	

SCALE NTS	DESIGN UNITS METRIC		THIRD ANGLE PROJECTION
TITLE			
EXPRESSCARD 34MM BOTTOM MOUNT PUSH-PUSH TYPE			
 MOLEX INCORPORATED			
DOCUMENT NO. SD-47322-001			SHEET NO. 1 OF 4
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

9 8 7 6 5 4 3 2 1





NOTES:

1. CONNECTOR DESIGN BASED ON EXPRESSCARD STANDARD;
2. THIS SLOT CAN ACCEPT ONLY 34MM EXPRESSCARD;
3. WHEN DELIVERING, THE CAM SLIDER MUST KEEP RELEASE STATUS;
4. PRODUCT SPEC PLEASE REFER TO PS-47277-001;
5. MATERIAL:

COIL SPRING: PIANO STEEL
EJECTOR HOUSING: NYLON 46
HOUSING SLOT: NYLON 46
SHELL: STAINLESS STEEL
CAM PIN: STAINLESS STEEL

6. 47322-0003 COMPLIANT TO RoHS DIRECTIVE
2002/95/EC AND ELV DIRECTIVE 2000/53/EC.

EC NO: SH2007-0352	2006/11/17
DRWN: CHEN	2006/11/22
CHKD: HARVEY	2006/11/28
APPR: JCHEN	2006/11/28
A1	REV

QUALITY SYMBOLS
$\nabla=0$
$\nabla=0$

GENERAL TOLERANCES (UNLESS SPECIFIED)		
	mm	INCH
4 PLACES	$\pm$ ---	$\pm$ ---
3 PLACES	$\pm$ ---	$\pm$ ---
2 PLACES	$\pm$ 0.25	$\pm$ ---
1 PLACE	$\pm$ 0.30	$\pm$ ---
ANGULAR $\pm$ 3 °		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		

DIMENSION STYLE	
MM ONLY	
DRAWN BY	DATE
R. BIAN	2005/05/20
CHECKED BY	DATE
HARVEY	2006/04/18
APPROVED BY	DATE
JENNY	2006/04/18
MATERIAL NO.	
47322-0003	
SIZE	A3

SCALE NTS	DESIGN UNITS METRIC		THIRD ANGLE PROJECTION
TITLE EXPRESSCARD 34MM BOTTOM MOUNT PUSH-PUSH TYPE			
 MOLEX INCORPORATED			
DOCUMENT NO. SD-47322-001			SHEET NO. 3 OF 4
THIS INFORMATION THAT IS PROPRIETARY TO MOLEX SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com