


REV -	DESCRIP -	DATE -	APPRVD
A -	UPDATED NOTES -	2006/06/16 -	YK.
B -	CHG SOLDER TAILS -	2006/07/19 -	YK.
C -	UPDATED MATERIALS -	2006/08/18 -	YK.
D -	STAKING ADDED: NOT APPROVED BY CUSTOMER -	JUNE 16,07	
E -	O RING SIZE CHANGED -	SEPT 28,07 -	A.G.
F	TIGHTENING TORQUE ADDED -	OCT23,07-A.G.	




NOTES:

- MATERIAL:
 - SHELL: ZINC ALLOY 50 MICRO INCH MINIMUM NICKEL PLATING.
 - CONTACTS: COPPER ALLOY 30 MICRO INCH GOLD OVER 50 MICRO INCH NICKEL PLATING.
 - INSULATOR: THERMOPLASTIC POLYESTER RESIN (DSM) 94V-0 FLAMMABILITY RATING.
 - GASKETS: SILICONE RUBBER S7001R, 70 DUROMETER.
 - SEALING COMPOUND: STYCAST 2651 WITH CATALYST 11
- FEATURES: SEALED CONNECTOR IN THE MATED AND UNMATED CONDITIONS.
- OPERATING TEMPERATURE: -40°C TO +105°C.
- ENVIRONMENT PERFORMANCE: IP67.
- PART IS RoHS COMPLIANT.
- REAR SEAL TO WITHSTAND TEMPERATURE EXPOSURE OF SOLDER BATH 265°C FOR 8 SEC & SOLDER PREHEAT 150°C FOR 180.
- SEALED TO WITH PRESSURE UP TO 5 PSI AFTER HIGH TEMPERATURE EXPOSURE.
- RECOMMENDED TORQUE FOR SCREW TIGHTENING:
 - STEEL SCREW WITH MORE THAN.090" OF THREAD ENGAGEMENT: 4.0 TO 5.75 IN-LBS
 - BRASS SCREW : 3.1 TO 4.5 IN-LBS


AMPHENOL PART NUMBER: MDB-E09PE-860



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETER TOLERANCES ARE:		APPROVALS	DATE	Amphenol Canada Corp.		
DECIMALS	ANGLES	DRAWN		TITLE 09 PIN CONNECTOR		
.XX ± .10	± 1°	Y.KUZYK	2006/07/24			
.X ± .25		DESIGNED S.SEMENOV	2006/07/24			
MATERIAL AND FINISH		CHECKED				
REF.		QA APP'D				
CODE IDENT. NO.		IE APP'D				
		DWG APP'D	2006/07/24			
				SIZE C	DWG. NO. P-MDB-E09PE-860	REV. F
				SCALE 3:1	PROJECT MDB	SHEET 1 OF 2



PCB LAYOUT



EXISTING PANEL CUTOUT



UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN MILLIMETER
TOLERANCES ARE:

DECIMALS
.XX ± .10
.X ± .25

ANGLES
± 1°

MATERIAL AND FINISH

REF.

CODE IDENT. NO.

APPROVALS

DATE

DRAWN
Y.KUZYK

2006/07/24

DESIGNED
S.SEMENOV

2006/07/24

CHECKED

QA APP'D

IE APP'D

DWG APP'D

SIZE
C

SCALE
4:1

DWG. NO.
P-MDB-E09PE-860

PROJECT
MDB

Amphenol Canada Corp.

TITLE
09 PIN CONNECTOR

REV.
F

SHEET
2 OF 2

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692
Email amall@ameya360.com
QQ 800077892
Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333
Email mkt@ameya360.com