
ProtoBox-1590B Kit (PCB+Box)



A Hammond 1590B rugged die-cast enclosure packaged with a matching ProtoBoard 2-hole per strip PCB.



ProtoBoard-1590B - for Hammond 1590B Boxes



A prototyping board designed for the Hammond 1590B die-cast aluminum enclosure.

Features

ProtoBoard saves time! The PCB is designed specifically for the Hammond 1590B box. No cutting is required.

Mounting holes are provided with adhesive standoff to attach the PCB to the inside of the box without drilling. The PCB may be attached to the bottom or the cover.

The convenient 2-hole ProtoBoard pattern provides an easy way to connect parts while maximizing usable board area.


Lead free etched copper PCB with an anti-tarnish coating for easy soldering.


PCB Specifications

- High-quality FR4 glass epoxy board.
- PCB fits in the bottom of box or the top lid.
- Two 1/8" PCB mounting holes sized for 4-40 screws.
- Two adhesive standoffs provided.
- Single sided, 1oz/ft² copper PCB
- 0.042" holes drilled on 0.1" centers
- PCB Size 4.05 x 2.05 in. (103 x 53mm)

Order Part# PR1590B (for PCB only)

Board Layout (actual size)






PR1590B Prototyping Board shown with the Hammond 1590BBK box (box not included).

To purchase the PCB + Box together, order BPS part# KIT-1590B-BK

PCB Mechanical Dimensions



- 1. PCB is symmetrical in the X and Y directions.
- 2. All solder pads and mounting holes are located on a 0.100" grid.
- PCB Design Copyright 2005 BusBoard Prototype Systems Ltd.

Hammond 1590B Hand Held Case Features

Note: The box is **NOT** included with BPS part# PR1590B.

The box is included with part# KIT-1590B (bare metal box) or KIT-1590B-BK (black box).

Rugged diecast aluminum alloy electronic instrument enclosure.

Tough - yet easy to machine.

Lap joint construction provides protection from dust and splashing water and also provides for improved EMI/RFI shielding. Designed to meet IP54 dust and water protection standard.

Unpainted box is vibra finished for a smooth surface with no sharp edges.

Four 6-32 x 1/2" machine screws (included) secure lid into factory tapped holes.

Box Size 4.39 x 2.34 x 1.06 in. (112 x 60 x 27 mm)

To order the box by itself order Hammond part# 1590B (unfinished) or 1590BBK (black).

Blue, Green, Gray, Orange, Purple, Red, and Yellow colors also available.


See http://www.hammondmfg.com/dwg.htm SBVer.htm






© 2013 BusBoard Prototype Systems Ltd.








SECTION B-B Side View of Assembly 2.00 [.079] [1.220] [1.063] (Inner Box Height) 106.95 [4.211] (Inner Box Length)


Top View Looking Inside Box




Enclosures can be Factory Modified (Milling, Drilling, Printing etc.)
Contact Factory mjm@hammondmfg.com for quotes
Solid models of this enclosure available in STEP or IGES.

NOTE

Purchased assembly includes box, lid and 4 cover screws. Box and lid are made from Diecast Aluminum Alloy (alloy type 380) Silicone Gasket Loctite #5950 PART NUMBERS Unfinished 1590B Grey Textured Polyester Powder Paint - RAL 7038 1590BGY Black Textured Polyester Powder Paint - RAL 9011 1590BBK Black Textured Powder Paint 1590WBBK Recommended Torque: 75 ozf.in / 55 cN.m Black Textured Cover Screws (Pkg 50) 1590W MS100BK [6-32 x 1/2" SS Type 304] Unfinshed Cover Screws (Pkg 100) 1590W MS100 [6-32 x 1/2" Nickel Plated Screws] Standard Cover Screws Unfinshed Cover Screws (Pkg 100) 1590MS100 [6-32 x 1/2" Nickel Plated Screws] Black Textured Cover Screws (Pkg 50) 1590MS100BK [6-32 x 1/2" SS Type 304]





Black Textured Cover Screws (Pkg 50)

[6-32 x 1/2" SS Type 304]

HAMMOND

MANUFACTURING TM

1590B

www.hammondmfg.com

2

AMEYA360 Components Supply Platform

Authorized Distribution Brand:

























Website:

Welcome to visit www.ameya360.com

Contact Us:

> Address:

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd Minhang District, Shanghai , China

> Sales:

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

Customer Service :

Email service@ameya360.com

Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com