



2016

Like Us On
facebook

wiha 
Tools that work for you

Professional Screwdrivers & Nut Drivers



Screwdrivers & Nut Drivers



Wiha SoftFinish® CushionGrip Screwdrivers

Description	Page
SoftFinish® Slotted/Phillips Drivers	4-7
Stubby Slotted/Phillips Drivers	7
SoftFinish® Square Drivers	7
SoftFinish® Pozidriv® Drivers	8
SoftFinish® Spanner Drivers	8
Torx®/TR Torx® Screwdrivers	9-10
SoftFinish® TorxPlus® Drivers	11
SoftFinish® MagicSpring Drivers	9
SoftFinish® MagicRing Drivers	12-13
Measuring Scale Screwdrivers	8

Wiha Screw Holding Screwdrivers

Description	Page
Screw Holding Screwdrivers	9

Wiha ACR® Screwdrivers

Description	Page
ACR® Slotted/Phillips Drivers	15

Wiha 3K Series Screwdrivers

Description	Page
3K Series Slotted/Phillips	15-16
3K Series Torx Drivers	17
3K Series Pozidriv® Drivers	17
3K Series Bit Holders	15
3K Series Hex Inch & Metric	18

Wiha Drive-Loc VI Tools

Description	Page
Drive-Loc VI Handles	19
Drive-Loc VI Blades	19-20

Wiha Drive-Loc VI Sets

Description	Page
Drive-Loc VI Blade Sets	20-21

Wiha MicroFinish Non-Slip Grip Drivers

Description	Page
MicroFinish Slotted Drivers	21-22
MicroFinish Phillips Drivers	21-22
MicroFinish Torx Drivers	22
MicroFinish Bit Holder	21

Wiha Powerhandle Screwdrivers

Description	Page
Powerhandle Torx® Drivers	23

Wiha Protorn Screwdrivers

Description	Page
Protorn Torx® Drivers	23

Wiha Dynamic Screwdrivers

Description	Page
Dynamic Slotted/Phillips Drivers	14

Wiha Square Handle Screwdrivers

Description	Page
Slotted & Phillips Drivers	24

Wiha Offset Screwdrivers

Description	Page
Slotted & Phillips Offset Drivers	24
TORX Offset Screwdrivers	24

Wiha Power Blades & Sets

Description	Page
CentroFix Blade Holder	25
90mm Power Blades	25-26
Power Blade Sets	26

Wiha Magnetizer/Demagnetizer



Description	Page
Magnetizer/Demagnetizer	33

Wiha Precision Screwdrivers


Description	Page
-------------	------



Precision Slotted Drivers	27-28
Precision Phillips Drivers	27-28
Precision Pozidriv® Drivers	28
Precision Hex Drivers	28
Precision Ball End Drivers	29
Precision Torx® Drivers	29
Precision Pentalobe Drivers	30



Precision Chip Lifters	27
------------------------	----



Precision Screwdriver Sets	30
----------------------------	----

Wiha Precision PicoFinish Drivers

Description	Page
-------------	------



PicoFinish Screwdrivers	31-32
Slotted, Phillips, Torx, TorxPlus, Hex, MagicSpring, Ball End Hex, Chip Lifter	

Wiha Protturn Precision Screwdrivers

Description	Page
-------------	------



Protturn Precision Screwdrivers	33
Slotted & Phillips	
Protturn Precision Blade Sets	33

Wiha ESD Safe Precision Handles/Blades

Description	Page
-------------	------



SYSTEM 4 Handles/Blades	34-35
SYSTEM 4 Sets	36-37

Wiha ESD Safe Precision Handle & Blades

Description	Page
-------------	------



SYSTEM 4 Drive-Loc Handle & Blades	35
------------------------------------	----



SYSTEM 4 Drive-Loc Set	35
------------------------	----

Wiha Nut Drivers


Description	Page
-------------	------



SoftFinish® Nut Drivers	38-39
-------------------------	-------



Hollow Shaft Nut Drivers	40
--------------------------	----



T-handle Nut Drivers	41
----------------------	----



Drive-Loc VI Nut Drivers	42
--------------------------	----



Precision Nut Drivers	43
-----------------------	----



PicoFinish® Nut Drivers	42
-------------------------	----



SYS 4 Nut Driver Blades/Sets	44
------------------------------	----

Wiha Insulated Screwdrivers



Insulated Slotted
 Insulated Phillips
 Insulated Terminal Block Xeno
 Insulated Square Drivers
 Insulated Hex Metric Drivers
 Insulated Torx® Drivers
 Insulated Nut Drivers
 Insulated Torque Drivers
 Insulated SlimLine Drivers

Wiha ESD Safe Screwdrivers

ESD Safe SoftFinish® Drivers
 Slotted/Phillips/Torx

ESD Safe Precision Drivers
 Slotted/Phillips/Torx®/
 TorxPlus®/Hex/Nut Drivers/
 Chip Lifter

ESD Safe Ceramic Drivers

ESD Safe SYSTEM 4
 Handles/Blades/Sets

ESD Safe Drive-Loc VI
 Handles/Blades/Sets



Wiha SoftFinish® Handle - Ergonomic Cushion Grip

The Wiha SoftFinish® Handle: Featuring advanced technology dual material molding. A remarkable improvement in handle design, comfort and performance. The SoftFinish® ergonomic shape allows maximum torque and user comfort.

Handle is molded directly onto the blade for a permanent bond. Large optimized handle diameter allows higher torque with less user hand fatigue


All blades are made of Wiha's exclusive formula chrome-vanadium-molybdenum tool steel, super hardened & hard chrome finish for unmatched durability



Wiha tips are precision machined to exact tolerances for a perfect fit every time

Wiha exclusive "SoftFinish® Zone" features solid molded core with soft outer cushion grip. Requires less force, yet achieves 40% more torque than conventional handles

Wiha SoftFinish® Extra Heavy Duty



[SHOP](#)

530 Slotted Screwdriver, With Wiha-SoftFinish® Handle & Solid Metal Cap

Hex blade extending through handle manufactured from high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component. Hex bolster for additional torque.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
53010*	3.5	.139	75	3.0	0.6	.024	4.0	5/32	186	7.3	30	1.18	.16	10
53015*	4.5	.177	90	3.5	0.8	.031	4.0	5/32	201	7.9	30	1.18	.17	10
53020	5.5	.196	100	3.9	1.0	.039	5.0	13/64	213	8.4	36	1.42	.23	10
53025	6.5	.255	125	5.0	1.2	.047	6.0	1/4	238	9.4	36	1.42	.33	10
53027	8.0	.315	150	5.9	1.2	.047	8.0	5/16	268	10.6	41	1.61	.56	10
53035	10.0	.393	175	7.0	1.6	.063	8.0	5/16	293	11.6	41	1.61	.58	10
53040	12.0	.472	200	8.0	2.0	.079	10.0	25/64	318	12.5	41	1.61	.76	10

*No Hex Bolster



[SHOP](#)

531 Phillips Screwdriver, With Wiha-SoftFinish® Handle & Solid Metal Cap

Hex blade extending through handle manufactured from high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component. Hex bolster for additional torque.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
53110	1	80	3.1	5.0	13/64	186	7.3	30	1.18	.20	10
53115	2	100	3.9	6.0	1/4	213	8.4	36	1.42	.32	10
53120	3	150	5.9	8.0	5/16	268	10.6	41	1.61	.56	10



[SHOP](#)



53090 5 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted:	lbs.
53090	5.5, 6.5, 8.0mm	1.85



[SHOP](#)



53075 5 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted:	lbs.
53075	4.5, 5.5, 6.5mm	1.59



[SHOP](#)



53096 6 Piece Slotted & Phillips Set - Extra Heavy Duty

Item No.	Slotted:	lbs.
53096	3.5, 4.5, 5.5, 6.5mm	1.69

SoftFinish® Extra Heavy Duty



53097 7 Pc. Slotted & Phillips Set - Extra Heavy Duty

Item	Slotted:	
No.	5.5, 6.5, 8.0, 10.0mm	lbs.
53097	Phillips: #1, 2, 3	3.15



53099 10 Piece Slotted & Phillips Set - Extra Heavy Duty

Item	Slotted: 3.5, 4.5, 5.5,	
No.	6.5, 8.0, 10.0, 12.0mm	lbs.
53099	Phillips: #1, 2, 3	4.20

SoftFinish® Slotted & Phillips



30276 7 Pc. Slotted & Phillips Set CVM

steel, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item No. 30276					
	Tip Size	Blade	Tip Style		lbs
30816	1/4"	4" Hex	Keystone		1.87
30825	5/16"	6" Hex	Keystone		
30218	3/16"	3" Round	Cabinet		
30219	3/16"	6" Round	Cabinet		
30222	1/4"	4" Round	Cabinet		
31110	#1	3" Round	Phillips		
31115	#2	4" Round	Phillips		

Wiha SoftFinish® Heavy Duty Screwdriver



308 Slotted Screwdriver, Wiha-SoftFinish® Cushion Grip Handle

Hex blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Hex bolster for additional torque (No Bolster 30813 & 30814)

Item														
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
30813	3.5	.137	75	2.9	0.6	.023	186	7.3	4.0	5/32	30	1.18	.16	10
30814	4.5	.177	90	3.5	0.8	.032	201	7.9	4.0	5/32	30	1.18	.17	10
30815	5.5	.216	100	3.9	1.0	.039	213	8.4	5.0	13/64	36	1.42	.19	10
30816	6.5	.216	100	3.9	1.2	.047	213	8.4	6.0	1/4	36	1.42	.22	10
30817	6.5	.255	125	5.0	1.2	.047	238	9.4	6.0	1/4	36	1.42	.23	10
30820	7.0	.275	125	5.0	1.1	.043	238	9.4	6.0	1/4	36	1.42	.23	10
30825	8.0	.315	150	5.9	1.2	.047	271	10.7	8.0	5/16	41	1.61	.37	10
30830	10.0	.393	175	7.0	1.6	.063	296	11.7	8.0	5/16	41	1.61	.40	10
30835	12.0	.472	200	8.0	2.0	.079	321	12.6	10.0	25/64	41	1.61	.58	10



312 Phillips Screwdriver, Wiha-SoftFinish® Cushion Grip Handle

Hex blade high alloy CVM steel, hardened, hard chromed.

Wiha-Chromtop finish on tips. Hex bolster for additional torque.

Item											
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
31201	1	80	3.1	5.0	3/16	186	7.3	30	1.18	.13	10
31202	2	100	3.9	6.0	7/32	213	8.4	36	1.42	.21	10
31203	3	150	5.9	8.0	5/16	271	10.7	41	1.61	.37	10



30892 5 Piece Slotted & Phillips Set

Item	Slotted:	
No.	5.5, 7.0, 8.0mm	lbs.
30892	Phillips: #1, 2	1.33



30898 8 Piece Slotted & Phillips Set

Item	Slotted: 5.5, 6.5,	
No.	7.0, 8.0, 10.0mm	lbs.
30898	Phillips: #1, 2, 3	2.52



30896 6 Piece Slotted & Phillips Set

Item	Slotted: 3.5, 4.5,	
No.	5.5, 7.0mm	lbs.
30896	Phillips: #1, 2	1.34

Wiha SoftFinish® Handle - Standard Series



SHOP

302 Slotted Screwdriver, With Wiha-SoftFinish® Handle Round blade, high alloy CVM, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
30202*	2.0	.079	65	2.6	0.4	.016	169	6.7	23	.91	.05	10
30203*	2.5	.098	75	3.0	0.4	.016	179	7.0	23	.91	.05	10
30204*	3.0	.118	80	3.1	0.5	.020	184	7.2	23	.91	.06	10
30205*	3.0	.118	100	3.9	0.5	.020	204	8.0	23	.91	.06	10
30206*	3.0	.118	150	5.9	0.5	.020	254	10.0	23	.91	.07	10
30208*	3.0	.118	200	8.0	0.5	.020	304	12.0	23	.91	.07	10
30210*	3.5	.139	100	3.9	0.6	.024	204	8.0	23	.91	.07	10
30212*	3.5	.139	200	8.0	0.6	.024	304	12.0	23	.91	.09	10
30215*	4.0	.157	100	3.9	0.8	.031	211	8.3	30	1.18	.11	10
30217*	4.0	.157	150	5.9	0.8	.031	261	10.3	30	1.18	.12	10
30216*	4.0	.157	200	8.0	0.8	.031	311	12.2	30	1.18	.14	10
30218*	4.5	.187	80	3.1	0.8	.031	191	7.5	30	1.18	.11	10
30211*	4.5	.187	125	5.0	0.8	.031	236	9.3	30	1.18	.12	10
30219*	4.5	.187	150	5.9	0.8	.031	261	10.2	30	1.18	.12	10
30220*	5.5	.216	125	5.0	1.0	.039	236	9.3	30	1.18	.15	10
30238*	5.5	.216	300	11.8	1.0	.039	411	16.1	30	1.18	.24	10
30221*	5.5	.216	200	8.0	1.0	.039	311	12.2	30	1.18	.20	10
30222	6.0	.250	100	3.9	1.2	.047	218	8.6	36	1.42	.17	10
30223	6.5	.255	100	3.9	1.0	.039	218	8.6	36	1.42	.20	10
30225	6.5	.255	150	5.9	1.2	.047	268	10.6	36	1.42	.22	10
30226	6.5	.255	200	8.0	1.2	.047	318	12.5	36	1.42	.22	10
30227	8.0	.315	150	5.9	1.2	.047	274	10.8	41	1.61	.29	10
30230	8.0	.315	175	7.0	1.2	.047	299	11.8	41	1.61	.30	10
30232	8.0	.315	300	11.8	1.2	.047	424	16.7	41	1.61	.36	10
30235	10.0	.393	200	8.0	1.6	.063	324	12.8	41	1.61	.36	10
30236	12.0	.472	250	9.8	2.0	.078	374	14.7	41	1.61	.52	10

*Cabinet Tips



SHOP

311 Phillips Screwdriver, With Wiha-SoftFinish® Handle Round blade, high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop tips. Handle, multi-component, cushion grip.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
31105	0	60	2.4	3.0	.118	164	6.5	23	.91	.06	10
31110	1	80	3.1	4.5	.177	191	7.5	30	1.18	.11	10
31112	1	200	8.0	4.5	.177	311	12.3	30	1.18	.15	10
31114	1	300	12.0	4.5	.177	411	16.2	30	1.18	.18	10
31115	2	100	3.9	6.0	.236	218	8.6	36	1.42	.20	10
31117	2	200	8.0	6.0	.236	318	12.5	36	1.42	.25	10
31118	2	300	12.0	6.0	.236	418	16.5	36	1.42	.30	10
31120	3	150	5.9	8.0	.315	274	10.8	41	1.61	.33	10
31125	4	200	8.0	10.0	.393	323	12.7	41	1.61	.51	10



SHOP

30294 6 Pc. Slotted/Phillips Screwdriver Set

Item No.	mm	mm	Size	mm	lbs.
30294	4.0	100	1	80	1.29
	6.5	150	2	100	
	8.0	150			
	4.0*	25			

*Stubby screwdriver with Wiha SoftFinish® handle



SHOP

30298 8 Pc. Slotted/Phillips Screwdriver Set

Item No.	mm	mm	Size	mm	lbs.
30298	3.0	100	1	80	1.87
	4.0	100	2	100	
	5.5	125	3	150	
	6.5	150			
	8.0	175			



SHOP

30297 12 Piece Slotted & Phillips Screwdriver Set

Item No.	mm	mm	Size	mm	lbs.
30297	3.0	100	0	60	2.48
	4.0	100	1	80	
	5.5	125	2*	25	
	6.5	150	2	100	
	6.5*	25	3	150	
	8.0	175			
	10	200			

*Stubby screwdriver with Wiha SoftFinish® handle

Wiha SoftFinish® Handle - Stubby Screwdrivers


[SHOP](#)

302 Stubby Slotted Screwdriver, With Wiha-SoftFinish® Handle

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
30239	4.0	.157	25	1.0	0.8	.031	75	2.95	34	1.34	.09	10
30255	5.5	.216	25	1.0	1.0	.039	75	2.95	34	1.34	.09	10
30265	6.5	.255	25	1.0	1.2	.047	75	2.95	34	1.34	.10	10


[SHOP](#)

311 Stubby Phillips Screwdriver, With Wiha-SoftFinish® Handle

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
31135	1	25	1.0	4.5	.177	75	3.0	34	1.34	.09	10
31140	2	25	1.0	6.0	.236	75	3.0	34	1.34	.10	10


[SHOP](#)

[SHOP](#)

31193 2 Pc. Slotted Stubby Screwdriver Set

Item No.	mm	mm	mm	mm	lbs.
31193	4.0	25	6.5	25	.24

31192 2 Pc. Phillips Stubby Screwdriver Set

Item No.	Size	mm	Size	mm	lbs.
31192	1	25	2	25	.24


[SHOP](#)


31190 2 Piece Slotted & Phillips Stubby Screwdriver Set

Item No.	mm	mm	Size	mm	lbs.
31190	4.0	25	1	25	.24


[SHOP](#)


31191 2 Piece Slotted & Phillips Stubby Screwdriver Set

Item No.	mm	mm	Size	mm	lbs.
31191	6.5	25	2	25	.24

Wiha SoftFinish® Handle - Square Drivers


[SHOP](#)

358 Square Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
35800	0	80	3.1	4.0	5/32	191	7.5	30	1.18	.11	10
35801	1	100	3.9	4.5	5/32	210	8.2	30	1.18	.12	10
35802	2	150	5.9	6.0	1/4	268	10.5	36	1.42	.19	10
35803	3	150	5.9	6.0	1/4	268	10.5	36	1.42	.22	10


[SHOP](#)


35894 4 Pc. SoftFinish® Square Tip Screwdriver Set Round blade high alloy CVM steel, hardened, hard chromed.

Item No.	Size	mm	Size	mm	lbs.
35894	0	80	2	150	.77
	1	100	3	150	


[SHOP](#)

30290 10 Piece Slotted, Phillips & Square Cushion Grip Drivers

Item No.	Slotted: 3.0, 3.5, 4.5, 6.5mm	lbs.
30290	Phillips: 0, 1, 2	
	Square: 1, 2, 3	1.54


[SHOP](#)

30291 6 Piece Slotted, Phillips & Square Cushion Grip Drivers

Item No.	Slotted: 4.5, 6.5mm	lbs.
30291	Phillips: 1, 2	
	Square: 1, 2	1.00

Wiha SoftFinish® Pozidriv®



SHOP

313 Pozidriv® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed.

Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
31305	0	60	2.4	3.0	.118	164	6.5	23	.91	.06	10
31310	1	80	3.1	4.5	.177	191	7.5	30	1.18	.11	10
31312	1	200	8.0	4.5	.177	311	12.3	30	1.18	.15	10
31315	2	100	3.9	6.0	.236	218	8.6	36	1.42	.20	10
31320	3	150	5.9	8.0	.315	274	10.8	41	1.61	.33	10

Wiha SoftFinish® Slotted Spanner Nut Drivers



SHOP

305 Slotted Spanner Nut Drivers, With Wiha-SoftFinish® Handle


Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed.

Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	mm	mm	Inch	mm	Inch	pkg.
30517	M1.7	80	3.1	0.5	4.0	184	7.2	23	.91	1
30520	M2	80	3.5	1.0	4.5	184	7.2	23	.91	1
30523	M2.3	90	3.5	1.0	5.0	201	7.9	30	1.18	1
30526	M2.6	100	3.9	1.2	5.5	201	7.9	30	1.18	1
30530	M3	100	3.9	1.2	6.0	211	8.3	30	1.18	1
30535	M3.5	100	3.9	1.4	7.0	218	8.6	36	1.42	1
30540	M4	100	3.9	1.4	8.0	218	8.6	36	1.42	1
30550	M5	125	4.9	2.0	10.0	243	9.6	36	1.42	1
30560	M6	125	4.9	2.5	11.0	243	9.6	36	1.42	1
30580	M8	150	5.9	3.0	14.0	274	10.8	41	1.61	1


Wiha SoftFinish® CushionGrip Drivers

With Inch & MM Scale on Blades



Inch and Metric

- Perfect for measuring small parts on the go
- Quickly check drilled hole depths & diameters
- Patented design with permanent laser marking
- Chrome-vanadium-molybdenum tool steel shafts
- Hardened & tempered for long life performance
- Precision machined exact fit tips
- Hard chrome surfaces for incredible wear resistance



SHOP

31194 2 Pc Slotted & Phillips Measuring Scale Screwdriver Set

Item No.	mm	mm	Size	mm	lbs.
31194	5.5	125	2	100	.37

Inch & Metric scales



SHOP



302 Measuring Scale Slotted Screwdriver, With Wiha-SoftFinish® Cushion Grip Handle

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	Scale	lbs.	pkg.
30237	5.5	7/32	125	5.0	1.0	.039	236	9.3	30	1.18	30-110	.16	10

Inch & Metric scales



SHOP



311 Measuring Scale Phillips Screwdriver, With Wiha-SoftFinish® Cushion Grip Handle

31137 - mounting base - 1/4" x 1/4" x 1/4" -													
--	--	--	--	--	--	--	--	--	--	--	--	--	--


Wiha SoftFinish® Handle - Standard Series Sets



SHOP

30299 20 Piece Slotted, Phillips, TORX®, Square & Pozidriv® Set

Item No.	Slotted: 3.0, 4.0, 5.5, 6.5, 8.0mm	lbs.
30299	Phillips: 0, 1, 2 TORX®: T6, T8, T10, T15, T20, T25, T30 Square: 1, 2, 3 Pozidriv®: 1, 2	3.27



Perfect for measuring small parts on the go

SHOP

30295 5 Piece Slotted & Phillips Screwdriver Set

Item No.	mm	mm	Size	mm	lbs.
30295	3.0	100	1	80	1.02
	4.0	100	2*	100	
	6.5	150			

Wiha Screw Holding Screwdrivers



Clamping sleeve
to hold screw

[SHOP](#)

398 Slotted Screw Holding Screwdriver, With Wiha-SoftFinish® Handle Blade CVM steel, hardened, black finish. Clamping sleeve polyamide. SoftFinish® handle cushion grip, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
39825	2.5	.10	75	3.0	160	6.3	30	1.18	.09 10
39830	3.0	.12	100	3.9	195	7.6	30	1.18	.19 10
39840	4.0	.16	125	5.0	230	9.0	36	1.42	.27 10
39850	5.0	.20	150	5.9	265	10.4	36	1.42	.27 10
39860	6.0	.24	175	6.9	290	11.4	36	1.42	.32 10




Clamping sleeve
to hold screw

[SHOP](#)

397 Phillips Screw Holding Screwdriver, With Wiha-SoftFinish® Handle Blade CVM steel, hardened, black finish. Clamping sleeve polyamide. SoftFinish® handle cushion grip, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
39700	0	100	3.9	195	7.6	30	1.18	.13	10
39701	1	125	5.0	230	9.0	36	1.42	.27	10
39702	2	175	7.0	290	11.4	36	1.42	.32	10

Wiha Screw Holding TORX® Tools



Screw
Holding
TORX®

Laser Welded
MagicSpring Assembly

- Laser welded assembly
- Holds screws securely
- Won't damage screws
- Doesn't weaken tool
- Exact fit tips
- Hardened tool steel blades
- Holds standard Torx screws*
- Stainless rotary spring

[SHOP](#)

362 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36202	T6	60	2.4	3.5	.139	164	6.5	23	.91 .07 10
36203	T7	60	2.4	3.5	.139	164	6.5	23	.91 .07 10
36207	T8	60	2.4	3.5	.139	164	6.5	23	.91 .07 10
36234	T9	60	2.4	4.0	.157	171	6.7	30	1.18 .11 10
36244	T10	80	3.1	4.0	.157	191	7.5	30	1.18 .11 10
36249	T15	80	3.1	4.0	.157	191	7.5	30	1.18 .11 10
36254	T20	100	3.9	4.0	.157	211	8.3	36	1.42 .16 10
36256	T25	100	3.9	4.5	.177	211	8.3	36	1.42 .17 10
36257	T27	115	4.5	5.5	.216	233	9.2	36	1.42 .20 10
36258	T30	115	4.5	6.0	.236	233	9.2	36	1.42 .21 10



39892 5 Piece Screw Holding Slotted & Phillips Screwdriver Set

Item No.	Slotted: 2.5x75mm,	lbs.
39892	3.0x100mm, 4.0x125mm	1.36
	Phillips: 0x100mm, 1x125mm	



39896 8 Piece Screw Holding Slotted & Phillips Screwdriver Set

Item No.	Slotted: 2.5x75mm,	lbs.
39896	3.0x100mm, 4.0x125mm,	
	5.0x150mm, 6.0x175mm	
	Phillips: 0x100mm, 1x125mm,	
	2x175mm	1.80



36290 Set 6 Pcs. MagicSpring Screw Holding TORX® SoftFinish Screwdrivers

Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips. Molded on.

Item No.	Size	mm	Size	mm	lbs.
36290	T8	60	T20	100	.98
	T10	80	T25	100	
	T15	80	T30	115	

*MagicSpring tools will hold Torx® screws made to CamCar Textron Torx® specifications

Wiha TORX® SoftFinish® Screwdrivers




SHOP

362 TORX® Screwdriver, With Wiha-SoftFinish® Handle

Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36264	T5	60	2.4	2.5	.098	164	6.5	23	.91	.05	10
36266	T6	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36268	T7	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36270	T8	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36272	T9	60	2.4	4.0	.157	171	6.7	30	1.18	.10	10
36274	T10	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36276	T15	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36278	T20	100	3.9	4.0	.157	211	8.3	36	1.42	.11	10
36280	T25	100	3.9	4.5	.177	211	8.3	36	1.42	.12	10
36282	T27	115	4.5	5.5	.216	233	9.2	36	1.42	.19	10
36284	T30	115	4.5	6.0	.236	233	9.2	36	1.42	.20	10
36286	T40	130	5.1	7.0	.275	254	10.0	41	1.61	.27	10
36288	T45	130	5.1	8.0	.315	254	10.0	41	1.61	.31	10



SHOP

36294 8 Piece TORX® Set

Item No.	TORX®:	lbs.
36294	T6, T8, T10, T15, T20, T25, T27, T30	1.24



SHOP

36267 12 Piece TORX® Set

Item No.	TORX®:	lbs.
36267	T5, T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	2.03



#36291



SHOP

36291 6 Piece TORX® SoftFinish® -

Cusion Grip Set Round blade high alloy CVM steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
36291	T6	60	T9	60	.77
	T7	60	T10	80	
	T8	60	T15	80	

36201 Set 6 Pcs. TORX®

Item No.	Size	mm	Size	mm	lbs.
36201	T6	60	T15	80	.83
	T8	60	T20	100	
	T10	80	T25	100	

Wiha Security TORX® Drivers



SHOP

36298 Set 7 Pcs. Security

Item No.	Security TORX®:	lbs.
36298	T7s, T8s, T9s, T10s, T15s, T20s, T25s	.95



SHOP

362 Security TORX® Screwdriver With Wiha-SoftFinish® Handle Round blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-Chromtop finish on tips. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36269	T7s	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36271	T8s	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36273	T9s	60	2.4	4.0	.157	171	6.7	23	.91	.10	10
36275	T10s	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36277	T15s	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36279	T20s	100	3.9	4.0	.157	211	8.3	30	1.18	.11	10
36281	T25s	100	3.9	4.5	.177	211	8.3	30	1.18	.11	10
36283	T27s	115	4.5	5.5	.216	233	9.2	36	1.42	.19	10
36285	T30s	115	4.5	6.0	.236	233	9.2	36	1.42	.20	10
36287	T40s	130	5.1	7.0	.275	254	10.0	41	1.61	.28	10



SHOP

36259 Set 10 Pcs. Security TORX®

Item No.	Security TORX®:	lbs.
36259	T7s, T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s	1.5

Wiha TORXPlus® Cushion Grip Drivers



Not for use in standard Torx fasteners

[SHOP](#)

362 TORXPlus® Screwdriver With Wiha SoftFinish® Handle

Round blade high alloy Chrome-vanadium-molybdenum tool steel, hardened, hard chromed. Wiha-Chromtop finish on tips.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36211	IP6	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36223	IP7	60	2.4	3.5	.139	164	6.5	23	.91	.06	10
36228	IP8	60	2.4	4.0	.157	171	6.7	23	.91	.10	10
36229	IP9	60	2.4	4.0	.157	171	6.7	30	1.18	.11	10
36233	IP10	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36238	IP15	80	3.1	4.0	.157	191	7.5	30	1.18	.11	10
36239	IP20	100	3.9	4.5	.177	211	8.3	36	1.42	.11	10
36243	IP25	100	3.9	5.5	.216	211	8.3	36	1.42	.19	10
36248	IP27	115	4.5	6.0	.236	233	9.2	36	1.42	.20	10
36253	IP30	115	4.5	7.0	.275	233	9.2	36	1.42	.28	10
36255	IP40	130	5.1	7.0	.275	254	10.0	41	1.61	.28	10



[SHOP](#)

36299 Set 7 Pcs. TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
36299	IP8	60	IP25	100	1.36
	IP10	80	IP30	115	
	IP15	80	IP40	130	
	IP20	100			



[SHOP](#)

36296 Set 6 Pcs. TORXPlus® Blade high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component.

Item No.	Size	mm	Size	mm	lbs.
36296	IP6	60	IP9	60	.72
	IP7	60	IP10	80	
	IP8	60	IP15	80	

Soft Grip BiCut SuperCut & Screwdriver Set



[SHOP](#)

32644 7 Pcs. Soft Grip BiCut SuperCut & Screwdriver Set  lbs. 1.78

Item No.	BiCut SuperCut:
32644	8.0"/200mm BiCut SuperCut
	Screwdrivers: Phillips: #0, #1, #2
	Slotted: 3.0, 4.0, 6.5mm

Industrial BiCut SuperCut & Screwdriver Set



[SHOP](#)

30942 7 Pcs. Industrial BiCut SuperCut & Screwdriver Set  lbs. 1.86

Item No.	BiCut SuperCut:
30942	8.0"/200mm BiCut SuperCut
	Screwdrivers: Phillips: #0, #1, #2
	Slotted: 3.0, 4.0, 6.5mm

Wiha Magnetizer/Demagnetizer

Magnetize or Demagnetize tools and small parts instantly

Shatterproof Box is made from high quality plastic

Uses 2 C8 industrial permanent magnets



(+) to Magnetize

(-) to Demagnetize

40010 Magnetizer and Demagnetizer

To magnetize and demagnetize steel screwdriver blades, tweezers and similar tools. Box high quality plastic, shock-resistant, green, cadmium free.

[SHOP](#)

Application:


To magnetize, lead tool slowly through the (+) opening, to demagnetize guide tool slowly through the (-) opening.

Item No.	Dimensions	lbs.
40010	2.1" x 2.0" x 1.1"	.30

(Parts under 1" Length or 1/8" Diameter may not demagnetize)

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools



Don't Drop That Screw!
Save Valuable Time!
Improve Productivity!
Make The Job Easy!



Hard Chrome Finish

[SHOP](#)

367 MagicRing Ball End Hex-Driver Inch, With Wiha-SoftFinish® Handle Hex blade, high alloy CVM steel, hardened, hard chromed. SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.
36710*	.050	3.1	80	179	7.0	23	.91	.06	10
36713*	1/16	3.1	80	204	8.0	23	.91	.06	10
36716*	5/64	3.9	100	204	8.0	23	.91	.07	10
36719*	3/32	3.9	100	204	8.0	23	.91	.07	10
36723*	7/64	3.9	100	211	8.3	23	.91	.07	10

With MagicRing

36726	1/8	3.9	100	243	9.6	30	1.18	.12	10
36728	9/64	3.9	100	243	9.6	30	1.18	.12	10
36732	5/32	5.0	125	271	10.7	30	1.18	.12	10
36734	3/16	6.0	150	271	10.7	30	1.18	.16	10
36736	7/32	6.0	150	271	10.7	36	1.42	.23	10
36738	1/4	6.0	150	271	10.7	36	1.42	.25	10
36742	5/16	8.0	200	271	10.7	36	1.42	.37	10
36744	3/8	8.0	200	271	10.7	41	1.61	.54	10

* Standard Ball - No Ring



[SHOP](#)

36791 13 Piece MagicRing Inch Ball End Screwdriver Set Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Inch	mm	mm	lbs.
36791	.050*	3.0	5/32	5.0	2.58
	1/16*	3.0	3/16	6.0	
	5/64*	4.0	7/32	6.0	
	3/32*	4.0	1/4	6.0	
	7/64*	4.0	5/16	8.0	
	1/8	4.0	3/8	8.0	
	9/64	4.0			

* Standard Ball - No Ring



[SHOP](#)

36793 8 Piece MagicRing Inch Ball End Screwdriver Set Hex blade CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Inch	mm	mm	lbs.
36793	1/8	4.0	7/32	6.0	2.25
	9/64	4.0	1/4	6.0	
	5/32	5.0	5/16	8.0	
	3/16	6.0	3/8	8.0	




[SHOP](#)

36794 6 Piece MagicRing Inch Ball End Screwdriver Set Hex blade CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	Hex	Inch	mm	mm	lbs.
36794	1/8	4.0	3/16	6.0	1.34
	9/64	4.0	7/32	6.0	
	5/32	5.0	1/4	6.0	

Wiha MagicRing SoftFinish® Hex Drivers

Screw Holding Hex Tools



SHOP

Don't Drop That Screw!
Save Valuable Time!
Improve Productivity!
Make The Job Easy!



367 MagicRing Ball End Hex Driver Metric, With Wiha-SoftFinish® Handle Hex blade, high alloy CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36715*	1.5	75	3.0	179	7.0	23	.91	.06	10
36720*	2.0	100	3.9	204	8.0	23	.91	.07	10
36725*	2.5	100	3.9	204	8.0	23	.91	.07	10
With MagicRing									
36730	3.0	100	3.9	204	8.0	23	.91	.07	10
36740	4.0	125	5.0	211	8.3	30	1.18	.12	10
36750	5.0	150	5.0	243	9.6	30	1.18	.16	10
36760	6.0	150	5.0	243	9.6	36	1.42	.23	10
36780	8.0	200	8.0	268	10.6	36	1.42	.37	10
36786	10.0	200	8.0	271	10.7	41	1.61	.54	10

* Standard Ball - No Ring

36790 9 Piece MagicRing Metric Ball End Hex Screwdriver Set Hex blade CVM steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	mm	lbs.
36790	1.5*	75	5.0	150	2.06
	2.0*	100	6.0	150	
	2.5*	100	8.0	200	
	3.0	100	10.0	200	
	4.0	125			

* Standard Ball - No Ring



36792 6 Piece MagicRing Metric Ball End Hex Screwdriver Set Hex blade chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-SoftFinish® handle, multi-component, cushion grip.

Item No.	mm	mm	mm	mm	lbs.
36792	3.0	100	6.0	150	1.86
	4.0	125	8.0	200	
	5.0	150	10.0	200	

Hardened spring steel retaining ring holds screws on

Hard chrome super durable corrosion resistant finish

Precision machined for exact fit

Made from Wiha exclusive CVM hardened tool steel

Wiha SoftFinish® Bit Holders

Magnetic



Retainer out of stainless steel [SHOP](#)

384 1/4" Magnetic Bit Holding Drivers, With Wiha SoftFinish® Handle Ergonomic cushion grip, magnetic, holds bit and screw. Shaft CVM steel, nickel-plated. Pkg. 1

Item						
No.	Size	mm	Inch	mm	Inch	lbs.
38450	1/4"	125	5.0	240	9.46	.23
38460	1/4"	300	11.8	400	15.69	.37



For working in confined spaces

28103 Magnetic 1/4" Bit Holder With Wiha SoftFinish® Stubby Handle Stainless steel with strong magnet. Wiha-SoftFinish® handle multi-component, cushion grips. [SHOP](#)

Item						
No.	Inch	mm	Inch	lbs.	pkg.	
28103	1/4"	57	2.2	.11	1	



Stainless steel with retaining ring

38600 Bit Holder 1/4" with Retaining Ring With Flexible Shaft Wiha-SoftFinish® handle multi-component, cushion grips. [SHOP](#)

Item						
No.	Inch	mm	Inch	mm	Inch	lbs.
38600	1/4"	150	5.9	268	10.6	.30

Adjustable Blade Length
Magnetic Bit Holder



28489 Drive-Loc VI Bit Holder High alloy CVM steel, through hardened, hard chrome finish. Wiha-SoftFinish® handle multi-component, cushion grips. [SHOP](#)

Item						
No.	Inch	Extends		lbs.	pkg.	
28489	1/4"	1-3/4" to 4-7/8"		.36	1	

Wiha Interchangeable Tools Magnetize & Demagnetize



48190 4 Piece Slotted & Phillips Interchangeable Blade Set, In Durable Pouch Set includes Magnetizer/Demagnetizer handle & 3 interchangeable blades. [SHOP](#)

Item		
No. 48190	lbs.	.62
Slotted: 3.0, 4.0, 6.0mm Phillips: 0, 1, 2		
Wiha Magnetizer/Demagnetizer Handle		

Dynamic Series Drivers Slotted & Phillips




Rotating cap prevents user discomfort and blisters - even at high pressure and high torque

Allows rapid rotation

Ergonomic Handle shape for user comfort




Blade CVM steel, hardened, hard chromed



51099 11 Piece Slotted & Phillips Set, Wiha-Dynamic Handle [SHOP](#)

Item	Slotted: 2.0, 2.5, 3.0,	
No.	3.5, 4.0, 5.5, 6.5, 8.0mm	lbs.
51099	Phillips: 0, 1, 2	1.3

Switch Cabinet Keys



21103 Switch Cabinet Key For applications with all common switch cabinets and locking systems. Diecast Zinc

Item No.	mm	Inch	Pkg.	lbs.
21103	76	3.0"	1	.22




21105 Pen Style Control Cabinet Key For applications with all common switch cabinets and locking systems. Diecast Zinc, polished finish. Includes: Square 5, 6, 7, 8mm, Triangular 9mm, Double Bit Key 5mm/Internal & 9mm/External, Universal 1/4" Bit Adapter, Magnetic Bit Holder & 2 Double Insert Bits: Slotted 7mm / Phillips #2 / TORX T20/T25


Item No.	mm	Inch	Pkg.	lbs.
21105	140	5.5"	1	.30

Wiha ACR® Slotted & Phillips Screwdrivers

ACR® Anti-Cam-Out Ribs



Precision
Black Tips



Anti-Cam-Out ribs give maximum grip in the screw head
Dual material handle has molded in soft grip panels & hang hole
Precision machined exact fit slotted tips ACR® ribs
3K overdrive maximum comfort molded on ergonomic handle
Round blade made CVM special tool steel



[SHOP](#)




469 ACR® Slotted Screwdriver, With Wiha-3K Series Handle

Blade chrome-vanadium-molybdenum steel, hardened, chrome nickel-plated.

Wiha-3K Ergo handle, cushion grip. Precision black tips.

Item	Slotted	Slotted	Slotted	Slotted	Slotted	Slotted	Slotted	Slotted	Slotted	Slotted
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
46912*	4.5	.177	80	3.1	1.3	.050	186	7.3	.13	10
46915	4.5	.177	150	5.9	1.3	.050	256	10.0	.16	10
46921	6.0	.236	100	3.9	1.5	.058	218	8.5	.21	10
46924	6.0	.236	150	5.9	1.5	.058	269	10.5	.23	10
46933	8.0	.315	150	5.9	2.0	.078	269	10.5	.27	10

* Cabinet Tip



[SHOP](#)

46991 Set 6 Pcs. Slotted & Phillips 3K

ACR® Soft Grip Set Blade chrome-vanadium-molybdenum steel, hardened, chrome nickel-plated. Wiha-3K Ergo handle, cushion grip. Precision black tips.

Item	Slotted	Slotted	Slotted	Slotted	Slotted
No.	mm	mm	Size	mm	lbs.
46991	4.5	80	1	80	1.49
	6.0	100	1	150	
	8.0	150	2	100	



468 ACR® Phillips Screwdriver, With Wiha-3K Series Handle

Blade chrome-vanadium-molybdenum steel, hardened, chrome nickel-plated.

Wiha-3K Ergo handle, cushion grip. Precision black tips.

Item	Phillips	Phillips	Phillips	Phillips	Phillips	Phillips
No.	Size	mm	Inch	mm	Inch	lbs.
46803	1	80	3.1	186	7.3	.13
46806	1	150	5.9	257	10.1	.15
46812	2	100	3.9	218	8.5	.21
46815	2	150	5.9	269	10.6	.23



[SHOP](#)

Wiha 3K Series Screwdrivers and Sets

Dual material handle has molded soft grip panels
Blades made of CVM tool steel, chromed shaft
Exact fit precision machined black tips



[SHOP](#)

46099 40 Piece Slotted, Phillips, TORX®, Pozidriv®, Bit Holder & Folding Ruler

Item	Slotted:
No.	2.5, 3.0, 3.5, 4.0, 4.5x100,
46099	4.5x150, 4.5x200, 5.5, 6.0x100,
	6.0x150, 6.0x200, 6.5x40,
lbs.	6.5x150, 8.0, 10mm
10.4	Phillips: 0x60, 1x80, 1x200,
	2x100, 2x150, 2x200, 2x40, 3x150
	TORX®: T6, T7, T8, T9, T10, T15,
	T20, T25, T27, T30, T40, T45, T50
	Pozidriv®: 1x80, 2x100
	3K 1/4" Magnetic Bit Holder
	61601 Folding Ruler

Wiha 3K Series Bit Holder



[SHOP](#)

48401 1/4" Bit holding Screwdriver, With Wiha-Ergo 3K Handle

Item	Bit	Bit	Bit	Bit	Bit	Bit
No.	Size	mm	Inch	mm	Inch	lbs.
48401	1/4"	125	5.0	211	8.3	.24

Wiha 3K Series Screwdrivers and Sets

3K Ergonomic Series Screwdrivers & Sets

Hole in handle for hanging

Blades made of CVM tool steel, chromed shaft

Exact fit precision machined black tips

Dual material handle has molded soft grip panels



[SHOP](#)

450 Slotted Screwdriver, With Wiha-3K Series Handle Blade chrome-vanadium-molybdenum steel, chrome nickel-plated. Wiha-3K Ergo handle, cushion grip. Precision black tips.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	Pkg.
45040**	2.5	.10	75	3.0	0.4	.02	161	6.3	.06	10
45050**	3.0	.12	100	3.9	0.5	.02	185	7.3	.07	10
45052**	3.5	.14	100	3.9	0.6	.02	197	7.7	.09	10
45054**	4.0	.16	100	3.9	0.8	.03	206	8.1	.12	10
45055	4.5	.18	100	3.9	1.0	.04	207	8.1	.13	10
45056	4.5	.18	150	5.9	1.0	.04	257	10.1	.14	10
45057	4.5	.18	200	8.0	1.0	.04	306	12.0	.15	10
45058	5.5	.22	125	5.0	1.0	.04	243	9.5	.19	10
45060	6.0	.24	100	3.9	0.9	.04	218	8.5	.20	10
45061	6.0	.24	150	5.9	0.9	.04	268	10.5	.23	10
45062	6.0	.24	200	8.0	0.9	.04	318	12.5	.25	10
45064*	6.5	.24	40	1.6	1.2	.05	90	3.5	.08	10
45065	6.5	.24	150	5.9	1.2	.05	268	10.5	.23	10
45067	8.0	.32	150	5.9	1.2	.05	268	10.5	.26	10
45069	10.0	.39	200	8.0	1.6	.06	318	12.5	.35	10

* Stubby screwdriver with Wiha Powerhandle - 45064

** Cabinet Tip



[SHOP](#)

451 Phillips Screwdriver, With Wiha-3K Series Handle

Item No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
45135	0	60	2.4	145	5.7	.06	10
45137	1	80	3.1	187	7.3	.13	10
45140	1	200	8.0	307	12.0	.16	10
45142	2	100	3.9	218	8.5	.21	10
45144	2	150	5.9	268	10.5	.23	10
45147	2	200	8.0	318	12.5	.25	10
45150*	2	40	1.6	90	3.5	.08	10
45152	3	150	5.9	268	10.5	.31	10

* Stubby screwdriver with Wiha Powerhandle - 45150



[SHOP](#)

46098 4 Pc. Slotted/Phillips 3K Driver Set Blade CVM, chrome nickel-plated. Wiha-3K Ergo handle, cushion grip. Precision black tips.

Item No.	Slotted:	lbs.
46098	4.5, 6.0mm	.83
46098	Phillips: #1, 2	



[SHOP](#)

46095 5 Pc. Slotted/Phillips 3K Driver Set

Item No.	Slotted:	lbs.
46095	4.5, 6.0mm	
46095	Phillips: #0, 1, 2	1.04



[SHOP](#)

46094 6 Pc. Slotted/Phillips 3K Driver Set

Item No.	Slotted:	lbs.
46094	3.0, 4.5, 5.5, 6.5mm	
46094	Phillips: #1, 2	.91



[SHOP](#)

46097 8 Pc. Slotted/Phillips 3K Driver Set

Item No.	Slotted:	lbs.
46097	3.0, 4.5, 6.0, 8.0mm	
46097	Phillips: #1, 2, 3	1.70
	Stubby Phillips: #2	

Wiha TORX® 3K Series Drivers and Sets


[SHOP](#)

455 TORX® Screwdriver, With Wiha-3K Series Handle Blade high alloy CVM steel, hardened, precision black tip. Molded on ergonomic Wiha-3K Series handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
45504	T6	60	2.4	3.2	9/64	145	5.7	.06	10
45507	T7	60	2.4	3.5	9/64	129	5.1	.05	10
45508	T8	60	2.4	3.5	9/64	139	5.5	.06	10
45509	T9	60	2.4	4.0	5/32	149	5.8	.08	10
45510	T10	80	3.1	4.0	5/32	170	6.7	.10	10
45515	T15	80	3.1	4.0	5/32	190	7.5	.11	10
45520	T20	100	3.9	5.5	7/32	215	8.4	.11	10
45525	T25	100	3.9	6.0	1/4	215	8.4	.20	10
45527	T27	115	4.5	7.0	9/32	240	9.4	.28	10
45530	T30	115	4.5	6.0	1/4	233	9.1	.21	10
45540	T40	130	5.1	7.0	9/32	248	9.7	.25	10
45545	T45	130	5.1	8.0	5/16	249	9.8	.30	10
45550	T50	130	5.1	9.0	3/8	249	9.8	.33	10


[SHOP](#)

45593 5 Pc. TORX® Set Blade CVM steel, hardened, precision black tip. Wiha-3k Ergo handle, cushion grip.

Item No.	TORX® :	lbs.
45593	T8, T10, T15, T20, T25	.86


[SHOP](#)

45598 6 Pc. TORX® Screwdriver Set

Item No.	TORX® :	lbs.
45598	T6, T7, T8, T9, T10, T15	.88


[SHOP](#)

45595 8 Pc. TORX® Screwdriver Set

Item No.	TORX® :	lbs.
45595	T8, T9, T10, T15, T20, T25, T27, T30	1.36


[SHOP](#)

45597 11 Pc. TORX® Screwdriver Set

Item No.	TORX® :	lbs.
45597	T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40	1.88

Wiha 3K Series Pozidriv® Screwdrivers


[SHOP](#)

452 Pozidriv® Screwdriver, With Wiha-3K Series Handle

Blade CVM steel, hard chromed shaft. Wiha-3k Ergo handle, cushion grip. Black tip.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
45205	0	60	2.4	146	5.7	.06	10
45207	0	100	3.9	186	7.3	.07	10
45215	1	80	3.1	187	7.3	.13	10
45220	1	100	3.9	207	8.1	.14	10
45225	2	100	3.9	219	8.6	.21	10
45230	2	150	5.9	269	10.6	.23	10
45235	3	150	5.9	269	10.6	.31	10

Wiha 3K Series Square Tip Screwdrivers


[SHOP](#)

458 Square Tip Screwdriver, With

Wiha-3K Series Handle Blade CVM steel, hard chromed shaft. Wiha-3k Ergo handle, cushion grip. Black tip. Pkg. 1

Item No.	Size	mm	Inch	mm	Inch	lbs.
45831	1	80	3.1	187	7.3	.14
45832	2	100	3.9	210	8.3	.16
45833	3	150	5.9	271	10.7	.24



[SHOP](#)

45891 3 Pc. Square Tip 3K Driver Set

Blade CVM, chrome nickel-plated. Wiha-3k Ergo handle, cushion grip. Precision black tips.

Item No.	Slotted:	lbs.
45891	#1, 2, 3	.52

Wiha Ball End 3K Series Screwdrivers & Sets



Fast angle entry

- Soft panel grip
- Convenient hang hole
- Hardened CVM tool steel
- Exact fit precision machined tips

Yellow = Inch
Red = Metric



[SHOP](#)

467 Ball End Hex Metric Screwdriver, With Wiha-3K Ergo Handle

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

Item							
No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
46715	1.5	75	3.0	161	6.3	.07	10
46720	2.0	100	3.9	186	7.3	.07	10
46725	2.5	100	3.9	186	7.3	.07	10
46730	3.0	100	3.9	186	7.3	.07	10
46740	4.0	100	3.9	197	7.8	.11	10
46750	5.0	100	3.9	197	7.8	.13	10
46760	6.0	150	5.9	257	10.1	.21	10
46780	8.0	200	8.0	307	12.1	.34	10
46786	10.0	200	8.0	319	12.6	.52	10




[SHOP](#)

467 Ball End Hex Inch Drivers, With 3K Ergo Soft Grip Handles

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

Item							
No.	Inch	Inch	mm	Inch	mm	lbs.	pkg.
46702	.050	2.9	75	6.3	160	.07	10
46704	1/16	2.9	75	6.3	160	.07	10
46706	5/64	3.9	100	7.3	185	.07	10
46708	3/32	3.9	100	7.3	185	.07	10
46710	7/64	3.9	100	7.3	185	.07	10
46712	1/8	3.9	100	7.7	196	.09	10
46714	9/64	3.9	100	7.7	196	.10	10
46716	5/32	3.9	100	7.7	196	.11	10
46718	3/16	3.9	100	7.7	196	.12	10
46722	7/32	5.9	150	10.0	254	.19	10
46724	1/4	5.9	150	10.0	254	.22	10
46726	5/16	7.9	200	12.0	305	.34	10
46728	3/8	7.9	200	12.5	318	.48	10




46797 13 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Blades of CVM special steel, hardened, black finish. Molded on Wiha-3K Ergo soft grip handles.

Item	Hex Inch: .050,	
No.	1/16, 5/64, 3/32, 7/64	lbs.
46797	1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"	2.40


[SHOP](#)



[SHOP](#)

46796 7 Piece Metric Ball End Hex Screwdriver Set


Item	Metric Hex:	
No.	1.5, 2.0, 2.5, 3.0,	lbs.
46796	4.0, 5.0, 6.0mm	1.15



[SHOP](#)

46799 9 Piece Metric Ball End Hex Screwdriver Set

Item	Hex Metric:	
No.	1.5, 2.0, 2.5, 3.0, 4.0,	lbs.
46799	5.0, 6.0, 8.0, 10.0mm	1.93



[SHOP](#)

46793 8 Piece 3K Ergo Inch Ball End Hex Screwdriver Set

Item	Hex Inch:	
No.	.050, 1/16, 5/64, 3/32,	lbs.
46793	7/64, 1/8, 9/64, 5/32"	1.19



[SHOP](#)

46794 6 Piece 3K Ergo Inch Ball End Hex Screwdriver set

Item	Hex Inch:	
No.	1/8, 9/64, 5/32,	lbs.
46794	3/16, 7/32, 1/4"	.97

Wiha Drive-Loc VI Handles & Blades

For Adjustable Length Locking Blades

Ergonomic handles in ESD Safe, cushioned & non-slip grip



See Drive-Loc VI Nut drivers on Page 42

Locking mechanism in SoftFinish cushion grip ergonomic handle. Blade length can be adjusted from 1.7 to 4.7" in 1/8" increments

Blades high quality CVM steel, hard chrome finish

Drive-Loc mechanism guarantees a secure hold & rapid blade exchange

Adjust interchangeable blades from 40 to 120mm



[SHOP](#)

28488 Drive-Loc VI Cushion Grip Handle

Wiha-SoftFinish® impact resistant, with roll off protection. **Advantages:** Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange.

Item					
No.	mm	mm	Inch	mm	Inch lbs.
28488	6.0	115	4.5	36.0	1.41 .26



[SHOP](#)

10810 Drive-Loc VI Standard Narrow

Profile Tech Handle Dynamic non-locking, impact resistant, friction hold. Fits all Drive-Loc blades. Does not have locking feature.

Item					
No.	mm	mm	Inch	mm	Inch lbs.
10810	6.0	135	5.3	15.2	.60 .16



[SHOP](#)

28486 ESD Safe Drive-Loc VI Cushion Grip Handle Wiha-SoftFinish® impact resistant, with roll off protection. **Advantages:** Ergonomic cushion grip, Drive-Loc mechanism guarantees a secure hold and rapid blade exchange. Static Dissipative.

Item					
No.	mm	mm	Inch	mm	Inch lbs.
28486	6.0	115	4.5	36.0	1.41 .21



[SHOP](#)

28105 ESD Safe Drive-Loc VI Cushion

Grip Handle Wiha-SoftFinish® impact resistant, friction hold. **Advantages:** Static Dissipative, ideal for use on static sensitive electronic components and equipment. Fits all Drive-Loc blades.

Item					
No.	mm	mm	Inch	mm	Inch lbs.
28105	6.0	122	4.8	36.0	1.41 .22



[SHOP](#)

28487 Drive-Loc VI MicroFinish Non-Slip

Grip Handle Wiha-MicroFinish handle, won't peel, crack or deteriorate when exposed to petroleum solvents. Ideal for Hex, TORX® & Nut Drivers. **Advantages:** Ergonomic handle shape for maximum comfort, Drive-Loc mechanism guarantees a secure hold & rapid blade exchange.

Item					
No.	mm	mm	Inch	mm	Inch lbs.
28487	6.0	115	4.5	36.0	1.41 .20



[SHOP](#)

281 Slotted Drive-Loc VI Interchangeable

Blade High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm + mm	lbs.	pkg.	
28106	3.5 4.5	.10	1	
28108	5.5 6.5	.10	1	



[SHOP](#)

281 Slotted & Phillips Drive-Loc VI

Interchangeable Blade High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	mm + Size	lbs.	pkg.	
28107	3.0 0	.10	1	
28109	4.0 1	.10	1	
28110	6.0 2	.10	1	



[SHOP](#)

28112 Phillips Drive-Loc VI Interchangeable

Blade High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size + Size	lbs.	pkg.	
28112	1 2	.10	1	



[SHOP](#)

28137 Square Drive-Loc VI Interchangeable

Blade High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size + Size	lbs.	pkg.	
28137	1 2	.10	1	



[SHOP](#)

28114 Pozidriv® Drive-Loc VI Interchangeable

Blade High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size + Size	lbs.	pkg.	
28114	1 2	.10	1	



[SHOP](#)

281 Tri-wing® Drive-Loc VI Interchangeable

Blade High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item				
No.	Size + Size	lbs.	pkg.	
28138	0 1	.10	1	
28139	2 3	.10	1	
28140	4 5	.10	1	

Wiha Drive-Loc VI Blades



281 Torq Set® Drive-Loc VI Interchangeable Blade High alloy CVM steel, through hardened, hard chrome finish. OAL 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item	+	+	+	+
No.	Size	+	Size	lbs. pkg.
28142	2	4	.08	1
28143	6	8	.10	1



281 TORX® Drive-Loc VI Interchangeable Blade OAL 150mm/5.9"

Item	+	+	+	+
No.	Size	+	Size	lbs. pkg.
28126	T6	T8	.10	1
28127	T7	T9	.10	1
28128	T10	T15	.10	1
28129	T20	T25	.10	1
28130	T30	T40	.10	1



281 Security TORX® Drive-Loc VI Interchangeable Blade OAL 150mm/5.9"

Item	+	+	+	+
No.	Size	+	Size	lbs. pkg.
28132	T6s	T8s	.10	1
28133	T7s	T9s	.10	1
28134	T10s	T15s	.10	1
28135	T20s	T25s	.10	1
28136	T30s	T40s	.10	1



281 Ball End Hex & Hex Metric Drive-Loc VI Interchangeable Blade Ball end enables the user to work at angles up to 25°. OAL 150mm/5.9". Fits all Drive-Loc VI handles.

Item	+	+	+	+
No.	mm	+	mm	lbs. pkg.
28116	2.5	2.5	.10	1
28117	3	3	.10	1
28118	4	4	.10	1
28119	5	5	.10	1
28120	6	6	.10	1



281 Hex Metric Drive-Loc VI Interchangeable Blade OAL 150mm/5.9"

Item	+	+	+	+
No.	mm	+	mm	lbs. pkg.
28149	2.0	2.5	.09	1
28150	3.0	4.0	.10	1
28151	5.0	6.0	.10	1



281 Hex Inch Drive-Loc VI Interchangeable Blade OAL 150mm/5.9"

Item	+	+	+	+
No.	Inch	+	Inch	lbs. pkg.
28122	3/32	7/64	.10	1
28123	1/8	9/64	.10	1
28124	5/32	3/16	.10	1

Drive-Loc VI Interchangeable Blade Sets



28188 32 Pc. Drive-Loc VI Interchangeable Blade Set, In Canvas Pouch Set includes Drive-Loc VI handle & 31 Drive-Loc VI blades.

Item No. 28188	lbs. 3.66
Slotted: 3.5+4.5, 5.5+6.5mm	Square: 1+2
Slotted/Phillips: 3.0+0, 4.0+1, 6.0+2	
Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s	
Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16	
Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0	
Nut Drivers In: 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"	
Nut Drivers MM: 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0mm	
Wiha SoftFinish® Cushion Grip	



28187 32 Pc. ESD Safe Drive-Loc VI Interchangeable Blade Set, In Canvas Pouch Set includes Drive-Loc VI handle & 31 interchangeable blades.

Item No. 28187	lbs. 3.66
Slotted: 3.5+4.5, 5.5+6.5mm	Square: 1+2
Slotted/Phillips: 3.0+0, 4.0+1, 6.0+2	
Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s	
Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16	
Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0	
Nut Drivers In: 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"	
Nut Drivers MM: 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0mm	
Wiha ESD Safe SoftFinish® Cushion Grip	



28194 5 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 4 interchangeable blades.

Item	lbs.
No. 28194	.80
Slotted: 3.5+4.5, 5.5+6.5	
Phillips: 1+2 Square: 1+2	
SoftFinish® Cushion Grip Blade Lock Handle	



28197 6 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 5 interchangeable blades.

Item	lbs.
No. 28197	.83
Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s	
SoftFinish® Cushion Grip Blade Lock Handle	



28199 10 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 9 interchangeable blades.

Item No. 28199	lbs.
Slot/Ph: 4.0+1, 6.0+2	1.11
TORX®: T6+T8, T7+T9, T10+T15, T20+T25	
Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16"	
SoftFinish® Cushion Grip Blade Lock Handle	



28189 15 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch Set includes Drive-Loc VI handle & 14 interchangeable blades.

Item No. 28189	lbs. 1.40
Slotted: 3.5+4.5, 5.5+6.5	Phillips: 1+2
Security TORX®: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s	
Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16	
Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0mm	
SoftFinish® Cushion Grip Blade Lock Handle	

Drive-Loc VI Interchangeable Blade Set In Tool Box Tray



Tool box set in blow molded tray

[SHOP](#)

28191 33 Pc. Drive-Loc VI

Interchangeable Blade Set, In Tool Box Tray

Set includes Drive-Loc VI handles & 31 interchangeable blades.

Item No. 28191  lbs. 3.48

Slotted: 3.5+4.5, 5.5+6.5mm Square: 1+2

Slotted/Phillips: 3.0+0, 4.0+1, 6.0+2

Security **TORX**: T6s+T8s, T7s+T9s, T10s+T15s, T20s+T25s, T30s+T40s

Hex Inch: 3/32+7/64, 1/8+9/64, 5/32+3/16

Hex Metric: 2.0+2.5, 3.0+4.0, 5.0+6.0

Nut Drivers In: 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2"

Nut Drivers MM: 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0mm

Wiha SoftFinish® Cushion Grip &

MicroFinish Non-Slip Grip Handles



[SHOP](#)

52090 5 Piece Slotted & Phillips

Screwdriver Set Blade CVM steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose acetate, impact resistant, non-slip, oil and grease resistant.

Item No.	Slotted: 4.0x100, 5.5x125, 8.0x150mm	 lbs.
52090	Phillips: 1x80, 2x100mm	1.23



[SHOP](#)

52097 7 Pc. Slotted/Phillips Screwdriver Set

Item No.	Slotted: 4.0x100, 5.5x125, 8.0x150mm	 lbs.
52097	Phillips: #1x80, #1x200, #2x100, #2x200mm	1.35

Wiha MicroFinish Handle - Non-Slip Grip

Wiha MicroFinish handle has a patented non-slip surface - It won't peel, crack or deteriorate when exposed to petroleum solvents. Oil and moisture flow away from the handle surface for a powerful, non-slip grip. Get maximum force & comfort with dry, oily or wet hands.

Safe, high density material, eliminates risk of sharp objects becoming embedded in the handle

Through hardened blades & hard chrome finish

Exact fit precision ground tips

CVM, hardened & tempered tool steel blade, gives exceptional tool life, wear resistance & high torque performance

Hex bolster & steel strike cap on 533 & 534 series



520 Slotted Screwdriver, With Wiha-MicroFinish Handle

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item No.														
	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.		
52005*	4.0	.157	100	3.9	0.8	.031	211	8.3	30	1.18	.16	10		
52010*	4.0	.157	150	5.9	0.8	.031	261	10.3	30	1.18	.17	10		
52020*	5.5	.216	125	5.0	1.0	.039	236	9.3	30	1.18	.20	10		
52025*	5.5	.216	150	5.9	1.0	.039	261	10.3	30	1.18	.21	10		
52035	6.5	.255	150	5.9	1.2	.047	268	10.6	36	1.42	.28	10		
52040	8.0	.315	150	5.9	1.2	.047	274	10.8	41	1.61	.37	10		
52050	10.0	.393	200	8.0	1.6	.063	324	12.8	41	1.61	.50	10		

*Cabinet Tips



521 Phillips Screwdriver, With Wiha-MicroFinish Handle

Item No.														
	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.					
52105	1	80	3.1	191	7.5	30	1.18	.15	10					
52110	1	200	8.0	311	12.2	30	1.18	.21	10					
52115	2	100	3.9	218	8.6	36	1.42	.26	10					
52120	2	200	8.0	318	12.5	36	1.42	.34	10					
52125	3	150	5.9	274	10.8	41	1.61	.41	10					



[SHOP](#)

52099 12 Piece MicroFinish® Slotted & Phillips Screwdriver Set

Item No.	Slotted: 4.0x100, 4.0x150, 5.5x125, 5.5x150, 6.5x150, 8.0x150, 10.0x200mm	 lbs.
52099	Phillips: 1x80, 1x200, 2x100, 2x200, 3x150mm	4.20



[SHOP](#)

52098 8 Pc. Slotted/Phillips Screwdriver Set

Item No.	Slotted: 4.0x100, 5.5x125, 6.5, 8.0x150, 10.0x200mm	 lbs.
52098	Phillips: 1x80, 2x100, 3x150mm	2.58



[SHOP](#)

52650 1/4" Bit holding Screwdriver, With Wiha-MicroFinish Handle Magnetic, holds bit and screw. Retainer out of stainless steel. Shaft chrome-vanadium steel, nickel-plated.

Item No.							
	Size	mm	Inch	mm	Inch	lbs.	pkg.
52650	1/4	125	5.0	244	9.6	.24	10

Wiha MicroFinish Extra Heavy Duty Non-Slip Grip Handle



SHOP

533 Heavy Duty Slotted Screwdriver, Wiha-MicroFinish Handle & Steel Striking Cap

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with striking plate. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item												
No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
53310*	4.5	.177	90	3.6	1.0	.039	201	7.9	30	1.18	.20	10
53315	5.5	.216	100	3.9	1.0	.039	213	8.4	36	1.42	.33	10
53320	6.5	.255	125	5.0	1.2	.047	238	9.4	36	1.42	.38	10
53325	8.0	.315	150	5.9	1.2	.047	271	10.7	41	1.61	.61	10
53330	10.0	.393	175	7.0	1.6	.063	296	11.7	41	1.61	.65	10

*No hex bolster



SHOP

534 Heavy Duty Phillips Screwdriver, Wiha-MicroFinish Handle & Steel Striking Cap

Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Hex blade extending through handle with striking plate. Hex bolster for additional torque. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant.

Item									
No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
53405	1	80	3.1	186	7.3	30	1.18	.22	10
53410	2	100	3.9	213	8.4	36	1.42	.37	10
53425	3	150	5.9	268	10.6	41	1.61	.71	10

Wiha TORX® MicroFinish Handle Non-Slip Grip



SHOP

527 TORX® Screwdriver, With Wiha-MicroFinish Handle Blade high alloy chrome-vanadium-molybdenum steel, hardened, hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil and grease resistant. Round blades.

Item											
No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
52711	T9	60	2.4	4.0	.157	171	6.7	30	1.18	.15	10
52713	T10	80	3.1	4.0	.157	191	7.5	30	1.18	.15	10
52716	T15	80	3.1	4.0	.157	191	7.5	30	1.18	.15	10
52719	T20	100	3.9	4.0	.157	211	8.3	30	1.18	.15	10
52722	T25	100	3.9	4.5	.177	211	8.3	30	1.18	.16	10
52726	T27	115	4.5	5.5	.216	233	9.2	36	1.42	.25	10
52729	T30	115	4.5	6.0	.236	233	9.2	36	1.42	.27	10
52732	T40	130	5.1	7.0	.275	254	10.0	41	1.61	.40	10



53390 5 Pc. Slotted/Phillips, Heavy Duty Set

Blade CVM steel, hardened, hard chromed. Hex blade extending through handle with steel striking cap. Hex bolster for additional torque.

Item	Slotted:	+
No.	5.5, 6.5, 8.0mm	lbs.
53390	Phillips: #1, 2	2.1

SHOP



53398 8 Pc. Slotted/Phillips, Heavy Duty Set

Blade CVM steel, hardened, hard chromed. Hex blade extending through handle with steel striking cap. Hex bolster for additional torque.

Item	Slotted: 4.5*, 5.5,	+
No.	6.5, 8.0, 10.0mm	lbs.
53398	Phillips: #1, 2, 3	3.7

*No hex bolster



52790 Set 5 Pcs. TORX® Blade CVM steel,

hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil & grease resistant.

Item	TORX®	+
No.	T10, T15, T20,	lbs.
52790	T25, T30	1.0



52791 Set 5 Pcs. TORX® Blade CVM steel,

hardened, round blades hard chromed. Wiha-MicroFinish handle, cellulose-acetate, impact resistant, non-slip, oil & grease resistant.

Item	TORX® : T9, T10,	+
No.	T15, T20, T25,	lbs.
52791	T27, T30, T40	1.89

SHOP

Wiha Powerhandle TORX® Made in Germany



SHOP

362 TORX® Screwdriver, With Wiha-Powerhandle CVM steel blade, hardened, hard chromed. Wiha-powerhandle cellulose-acetate.


Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
36205	T5	50	2.0	2.5	.098	110	4.3	.03	10
36210	T6	50	2.0	3.5	.139	125	4.9	.06	10
36212	T7	50	2.0	3.5	.139	125	4.9	.06	10
36215	T8	60	2.4	3.5	.139	135	5.3	.06	10
36220	T9	60	2.4	4.0	.157	140	5.5	.09	10
36225	T10	80	3.1	4.0	.157	170	6.7	.13	10
36230	T15	80	3.1	4.0	.157	170	6.7	.13	10
36235	T20	100	3.9	4.0	.157	200	7.9	.17	10
36240	T25	100	3.9	4.5	.177	200	7.9	.18	10
36245	T27	115	4.5	5.5	.216	215	8.5	.20	10
36250	T30	115	4.5	6.0	.236	225	8.9	.28	10



SHOP

36292 8 Pc. Set TORX® Blade high alloy CVM steel, hardened, hard chromed. Wiha-powerhandle cellulose-acetate, impact resistant.

Item No.	T6, T8, T10, T15, lbs.
36292	T20, T25, T27, T30 1.45



SHOP

36293 6 Pc. Set TORX®

Item No.	T6, T7, T8, T9, lbs.
36293	T10, T15 .78

Wiha TORX® Protturn Screwdrivers

protturn
TORX®

Through hardened for optimum wear resistance

Molded on ergonomic handle proportioned to blade sizes

High performance tool steel
Black finish blades

SHOP



45589 Set 14 Pcs. TORX®


Item No.	TORX® :
45589	T6, T7x50mm, T8, T9x60mm, T10, T15x80mm, T10x275mm, T20, T25x100mm, T27, T30x115mm, T40, T45, T50x130mm



SHOP

45591 Set 6 Pcs. TORX®

Item No.	TORX® :	lbs.
45591	T7, T8, T9, T10, T15, T20	.72



SHOP

45592 Set 8 Pcs. TORX®

Item No.	T8, T9, T10, T15, lbs.
45592	T20, T25, T27, T30 1.10



SHOP

455 TORX® Screwdriver, With Wiha-Protturn Handle Blade high alloy CVM steel, hardened, black finish. Molded on ergonomic Wiha-Protturn handle, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
45505	T6	50	2.0	3.5	.139	129	5.1	.05	10
45506	T7	50	2.0	3.5	.139	129	5.1	.05	10
45511	T8	60	2.4	3.5	.139	139	5.5	.06	10
45516	T9	60	2.4	4.0	.157	149	5.8	.08	10
45521	T10	80	3.1	4.0	.157	170	6.7	.10	10
45522	T10	275	10.8	4.0	.157	363	14.2	.13	10
45526	T15	80	3.1	4.0	.157	170	6.7	.10	10
45531	T20	100	3.9	4.0	.157	190	7.5	.11	10
45536	T25	100	3.9	4.5	.177	190	7.5	.11	10
45541	T27	115	4.5	5.5	.216	215	8.4	.11	10
45546	T30	115	4.5	6.0	.236	215	8.4	.20	10
45551	T40	130	5.1	7.0	.275	240	9.4	.28	10
45556	T45	130	5.1	8.0	.315	240	9.4	.27	10
45561	T50	130	5.1	9.0	.354	240	9.4	.31	10



SHOP

48400 1/4" Bit Holding Screwdriver, With Wiha Protturn Handle Magnetic, holds bit and screw. Shaft CVM steel, nickel-plated. Handle, molded on, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
48400	1/4	125	5.0	243	9.6	.24	10

Wiha Cabinet Tip Slotted & Phillips Screwdrivers



SHOP

186 Slotted Cabinet Tip Screwdriver, With Wiha-Square Handle Blade CVM steel, hardened, nickel-plated. Tip parallel to shaft. Series includes extra long dimensions for screws in difficult to reach locations. Wiha-square handle cellulose-acetate, impact resistant.

Item No.	mm	Inch	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
18601	2.0	.08	40	1.6	0.40	.02	100	4.0	14	.55	.02	10
18603	2.5	.10	50	2.0	0.40	.02	110	4.3	14	.55	.02	10
18606	3.0	.12	75	3.0	0.50	.02	150	5.9	19	.75	.05	10
18609	3.0	.12	100	3.9	0.50	.02	175	6.9	19	.75	.06	10
18612	3.0	.12	150	5.9	0.50	.02	225	8.9	19	.75	.06	10
18615	3.0	.12	200	8.0	0.50	.02	285	11.2	22	.87	.08	10
18624	4.0	.16	100	3.9	0.60	.02	185	7.3	22	.87	.08	10
18627	4.0	.16	150	5.9	0.60	.02	235	9.3	22	.87	.10	10
18630	4.0	.16	200	8.0	0.60	.02	285	11.2	22	.87	.11	10
18642	5.0	.20	100	3.9	0.70	.03	195	7.7	24	.94	.13	10
18645	5.0	.20	150	5.9	0.70	.03	245	9.6	24	.94	.15	10
18648	5.0	.20	200	8.0	0.70	.03	295	11.6	24	.94	.17	10
18651	5.0	.20	300	12.0	0.70	.03	395	15.6	24	.94	.20	10
18654	6.0	.24	100	3.9	0.90	.04	205	8.1	28	1.10	.19	10
18657	6.0	.24	150	5.9	0.90	.04	255	10.0	28	1.10	.21	10
18663	6.0	.24	300	12.0	0.90	.04	405	15.9	28	1.10	.29	10
18678	8.0	.32	300	12.0	1.20	.05	415	16.3	32	1.26	.39	10
18681	10.0	.39	200	8.0	1.60	.06	315	12.4	32	1.26	.37	10



SHOP

153 Phillips Screwdriver, With Wiha-Square Handle Blade chrome-vanadium-molybdenum steel, hardened, nickel-plated. Wiha-square handle cellulose-acetate, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
15305	0	60	2.4	3.0	.12	135	5.3	19	.75	.05	10
15310	1	80	3.1	4.5	.18	175	6.9	24	.94	.11	10
15315	1	200	8.0	4.5	.18	295	11.6	24	.94	.15	10
15325	2	100	3.9	6.0	.24	205	8.1	28	1.10	.18	10
15330	2	250	10.0	6.0	.24	355	14.0	28	1.10	.27	10
15335	2	350	13.7	6.0	.24	455	17.8	28	1.10	.33	10
15340	3	150	5.9	8.0	.32	265	10.4	32	1.26	.33	10



SHOP

222 Pozidriv® Screwdriver, With Wiha-Square Handle Blade chrome-vanadium-molybdenum steel, hardened, nickel-plated. Wiha-square handle cellulose-acetate, impact resistant.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
22220	1	200	8.0	4.5	.17	295	11.6	.15	10
22230	2	250	9.8	6.0	.23	355	13.9	.27	10
22240	3	150	5.9	8.0	.31	265	10.4	.30	10

Wiha Offset Screwdrivers



SHOP

161 Phillips Offset Screwdriver, With Handle For working in confined spaces. Blade CVM special steel, hardened, hard chromed. Handle high quality plastic, impact resistant.


Item No.	Size	mm	Inch	mm	Inch	lbs.	Pkg.
16112	1 + 2	125	4.9	5.5	.217	.08	10
16134	3 + 4	200	8.0	10.0	.315	.33	10



SHOP

207 Slotted Offset Screwdriver, With Handle

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	Pkg.
20700	3.5	9/64	90	3.5	0.6	.02	.02	10
20705	4.0	5/32	100	3.9	0.8	.03	.03	10
20710	5.5	7/32	125	5.0	1.0	.04	.06	10
20715	6.5	1/4	125	5.0	1.2	.05	.07	10
20720	8.0	5/16	150	5.9	1.2	.05	.15	10
20725	10.0	3/8	175	6.9	1.6	.06	.23	10



SHOP

20790 5 Piece Slotted & Phillips Offset Screwdriver Set

Item No.	lbs.	Set includes:
20790	.92	Slotted: 6.5, 8.0, 10.0 Phillips: 1 + 2, 3 + 4



SHOP

207 TORX® Offset Screwdriver With Molded Handle Working in confined spaces. CVM special steel, hardened, black finish.

Item No.	Size	lbs.	pkg.
20756	T6 + T8	.02	1
20757	T7 + T9	.02	1
20758	T10 + T15	.02	1
20759	T20 + T25	.07	1
20760	T27 + T30	.10	1



SHOP

20799 TORX® Offset Screwdriver Set, 5 Pcs. Molded Handle.

Item No.	T6+T8, T7+T9, T10+T15, T20+T25, T27+T30	lbs.	pkg.
20799		.24	1

Wiha Power Blades


[SHOP](#)

76000 CentroFix Cushion Grip Blade Holder

Wiha-SoftFinish® impact resistant, with roll off protection. Ergonomic cushion grip handle. Quick release bit holder with magnet.

Item					
No.	mm	mm	Inch	mm	Inch lbs.
76000	6.0	149	5.9	34.6	1.36 .26

90mm Power Blades

CentroFix quick release bit holder with magnet



Blades high quality CVM steel, hard chrome finish

Ergonomic SoftFinish® cushion grip handle



760 Slotted Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item					
No.	mm	lbs.	pkg.		
76035	2.5	.02	1		
76036	3.0	.02	1		
76037	4.5	.03	1		
76038	5.5	.03	1		
76039	6.0	.04	1		



760 Square Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item					
No.	Size	lbs.	pkg.		
76056	1	.02	1		
76057	2	.03	1		
76058	3	.04	1		



760 Spanner Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item					
No.	Size	lbs.	pkg.		
76022	6	.03	1		
76023	8	.04	1		
76024	10	.04	1		


[SHOP](#)

76093 5 Piece Slotted Blade Set

Item					
No.	lbs.	Set includes:			
76093	.16	Slotted: 2.5, 3.0, 4.5, 5.5, 6.0mm x 90mm			


[SHOP](#)

76095 3 Piece Square Blade Set

Item					
No.	lbs.	Set includes:			
76095	.11	Square: #1, 2, 3 x 90mm			


[SHOP](#)

76089 3 Piece Spanner Blade Set

Item					
No.	lbs.	Set includes:			
76089	.12	Spanner: #6, 8, 10 x 90mm			



760 Phillips Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item					
No.	Size	lbs.	pkg.		
76041	0	.01	1		
76042	1	.02	1		
76043	2	.03	1		
76044	3	.04	1		



760 Pozidriv® Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item					
No.	Size	lbs.	pkg.		
76011	1	.03	1		
76012	2	.04	1		
76013	3	.04	1		



760 Tri-Wing Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item					
No.	Size	lbs.	pkg.		
76031	1	.02	1		
76032	2	.02	1		
76033	3	.03	1		
76034	4	.04	1		


[SHOP](#)

76094 4 Piece Phillips Blade Set

Item					
No.	lbs.	Set includes:			
76094	.17	Phillips: #0, 1, 2, 3 x 90mm			


[SHOP](#)

76091 3 Piece Pozidriv® Blade Set

Item					
No.	lbs.	Set includes:			
76091	.12	Pozidriv®: #1, 2, 3 x 90mm			


[SHOP](#)

76088 4 Piece Tri-Wing Blade Set

Item					
No.	lbs.	Set includes:			
76088	.16	Tri-Wing: #1, 2, 3, 4 x 90mm			


Wiha 90mm Power Blades & Sets



760 Security Hex Metric Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item No.	mm	lbs.	pkg.	SHOP
76001	2.5	.02	1	
76002	3.0	.02	1	
76003	4.0	.03	1	
76004	5.0	.04	1	



76090 4 Piece Security Hex Blade Set

Item No.	lbs.	Set includes:
76090	.12	Metric: 2.5, 3.0, 4.0, 5.0 x 90mm



760 Security Hex Inch Power Blades

OAL 90mm/3.5".

Item No.	Inch	lbs.	pkg.	SHOP
76045	1/16*	.01	1	
76046	5/64	.01	1	
76047	3/32	.02	1	
76048	7/64	.02	1	
76049	1/8	.03	1	
76050	9/64	.03	1	
76051	5/32	.04	1	
76052	3/16	.04	1	
76053	7/32	.05	1	
76054	1/4	.06	1	

* 1/16" Standard Inch Hex Only



76096 10 Piece Security Hex Blade Set

Item No.	lbs.	Set includes:
76096	.32	Inch: 1/16*, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 90mm

* 1/16" Standard Inch Hex Only



760 Security TORX® Power Blades

S2 modified tool steel. Hardened & tempered to HRC 60. Blades fit CentroFix power blade handle. OAL 90mm/3.5".

Item No.	Size	lbs.	pkg.	SHOP
76008	T8s	.02	1	
76009	T9s	.02	1	
76010	T10s	.02	1	
76015	T15s	.02	1	
76020	T20s	.02	1	
76025	T25s	.03	1	
76027	T27s	.03	1	
76030	T30s	.04	1	
76040	T40s	.04	1	



76092 9 Piece Security TORX® Blade Set

Item No.	lbs.	Set includes:
76092	.30	T8s, T9s, T10s, T15s, T20s, T25s, T27s, T30s, T40s



76087 61 Pc. Power Blade Service Kit, In Durable Zipper Case

Set includes Magnetizer/ Demagnetizer Bit Holding Handle, MicroBit Storage Handle, 4mm to 1/4" Magnetic Adapter, 9 power blades, 46 bits & 3 nut setters.

Item No. 76087 lbs. 1.34

90mm Power Blades: Slotted: 4.5, 5.5, 6.0mm

Phillips: #1, 2, 3 & Square: #1, 2, 3

75mm Security TORX® Bits: T10s, T15s,

T20s, T25s, T27s, T30s

MicroBits: Phillips: #000, 00, 0, 1, 2,

Slotted: .8, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm

Hex Inch: .028, .035, .050, 1/16, 5/64, 3/32,

7/64, 1/8, 9/64, 5/32"

Hex Metric: 1.3, 1.5, 2.0, 2.5, 3.0, 4.0mm

TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10

Magnetic Nut Setters: 1/4, 5/16, 3/8"



76098 36 Pc. Power Blade Set, In Durable Belt Pack

Set includes cushion grip CentroFix Blade Holder & 35 interchangeable blades.

Item No. 76098 lbs. 1.86

Slotted: 2.5, 3.0, 4.5, 5.5, 6.0mm

Phillips: #0, 1, 2, 3

Security TORX®: T8s, T9s, T10s, T15s,

T20s, T25s, T27s, T30s, T40s

Security Hex Metric: 2.5, 3.0, 4.0, 5.0mm

Pozidriv®: #1, 2, 3 & Square: #1, 2, 3

Spanner: #6, 8, 10 & Tri-Wing: #1, 2, 3, 4

Cushion Grip CentroFix Blade Holder



76099 37 Pc. Power Blade Set, In Durable Belt Pack

Set includes cushion grip CentroFix Blade Holder & 36 interchangeable blades.

Item No. 76099 lbs. 2.06

Slotted: 2.5, 3.0, 4.5, 5.5, 6.0mm

Phillips: #0, 1, 2, 3

Security TORX®: T8s, T9s, T10s, T15s,

T20s, T25s, T27s, T30s

Security Hex Inch: 1/16*, 5/64, 3/32, 7/64,

1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

Pozidriv®: #1, 2, 3 & Square: #1, 2, 3

4" Nut Setters: 1/4, 5/16, 3/8"

Cushion Grip CentroFix Blade Holder

* 1/16" Standard Inch Hex Only

Wiha Precision Slotted/Phillips Drivers

Rotating cap
for precise turning and control with fingertip

Precision handle
high quality plastic, cadmium free

Molded on tapered handle
allows rapid rotation

High performance blades
CVM steel,
Hard chrome finished

Tip
precision ground for exact fit,
hard chromed non-slip surface



260 Slotted Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel.  Pkg. 10

Item No.	mm	Inch	mm	Inch	mm	mm	Inch	lbs.
26008	.80	1/32	40	1.6	0.16	120	4.7	.02
26010	1.0	.039	40	1.6	0.18	120	4.7	.02
26012	1.2	3/64	40	1.6	0.20	120	4.7	.02
26015	1.5	1/16	40	1.6	0.25	120	4.7	.02
26018	1.8	.070	40	1.6	0.30	120	4.7	.02
26020	2.0	5/64	40	1.6	0.40	120	4.7	.02
26022	2.0	5/64	50	2.0	0.40	145	5.7	.02
26023	2.0	5/64	100	3.9	0.40	180	7.1	.03
26025	2.5	3/32	50	2.0	0.40	145	5.7	.03
26027	2.5	3/32	100	3.9	0.40	195	7.7	.03
26028	2.5	3/32	150	6.0	0.40	245	9.6	.04
26030	3.0	1/8	50	2.0	0.50	145	5.7	.03
26032	3.0	1/8	60	2.4	0.50	170	6.7	.04
26033	3.0	1/8	100	3.9	0.50	210	8.3	.04
26034	3.0	1/8	150	5.9	0.50	260	10.2	.05
26035	3.5	9/64	60	2.4	0.60	170	6.7	.05
26040	4.0	5/32	60	2.4	0.80	170	6.7	.05
26041	4.0	5/32	100	3.9	0.80	210	8.3	.06
26042	4.0	5/32	150	5.9	0.80	260	10.2	.07

*Metric dimensions actual - Inch dimensions approximate

 **SHOP**



261 Phillips Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel.  Pkg. 10

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.
26102	000	40	1.6	2.0	.08	120	4.7	.02
26100	00	40	1.6	2.0	.08	120	4.7	.02
26101	00	75	3.0	2.0	.08	155	6.1	.02
26105	0	50	2.0	3.0	.12	145	5.7	.02
26108	0	75	3.0	3.0	.12	170	6.7	.03
26107	0	100	3.9	3.0	.12	195	7.6	.05
26109	0	150	5.9	3.0	.12	245	9.6	.06
26110	1	60	2.4	4.0	.16	170	6.7	.05
26113	1	80	3.1	4.0	.16	190	7.5	.05
26114	1	100	3.9	4.0	.16	210	8.2	.06
26115	1	150	5.9	4.0	.16	260	10.2	.07

*Metric dimensions actual - Inch dimensions approximate

 **SHOP**



26190 8 Piece Precision Slotted & Phillips Screwdrivers & Industrial Long Nose Pliers Set Blade high alloy CVM steel. Extra long cutters for flat & round wires.

Item No.		lbs.
26190	Slotted:	
	1.5 x 40mm	.72
	2.0, 2.5 x 50mm	
	3.0 x 60mm	
	Phillips:	
	00 x 40mm	
	0 x 50mm, 1 x 60mm	
	Industrial Long Nose Pliers	
	6.3"/160mm OAL	



SHOP

In canvas storage pouch

26199 8 Pc. Precision Slotted/Phillips Set Blade high alloy chrome-vanadium-molybdenum steel, hard chrome finished.

Item No.		lbs.
26199	Slotted: 1.0, 2.0 x 40mm, 3.0 x 50mm, 4.0 x 60mm	.55
	Phillips: 000, 00 x 40mm, 0 x 50mm, 1 x 60mm	

Wiha Precision Chip Lifter & Accessories



SHOP

26810 Precision Chip Lifter

Blade CVM steel, hardened, chrome-plated. Precision handle high quality plastic, impact resistant. Standard handle

Item No.	mm	mm	mm	mm	Inch	lbs.	Pkg.
26810	1	3.5	50	145	5.7	.07	1

*Metric dimensions actual - Inch dimensions approximate



SHOP

26001 Pocket Clip for Precision

Screwdrivers Tool clips turn Precision Screwdrivers into Pocket Screwdrivers.

Item No.	Fits all	lbs.	pkg.
26001	Precision handles	.01	1



SHOP

26000 Plastic Precision Tool Rack

Rack holds 6 precision screwdrivers, can be set on workbench. Also has holes for hanging. Made from high quality plastic.

Item No.	Rack for 6	lbs.	Pkg.
26000	Precision screwdrivers	.08	1



SHOP



26090 6 Piece Precision Slotted Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.		lbs.
26090	Slotted:	
	1.5, 2.0 x 40mm	.27
	2.5, 3.0 x 50mm	
	3.5, 4.0 x 60mm	



SHOP



26099 8 Piece Precision Slotted Set

Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch.

Item No.	Slotted:	lbs.
26099	1.0, 1.2, 1.5, 2.0 x 40mm	
	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54

Wiha Precision Slotted/Phillips Drivers



[SHOP](#)

26092 7 Piece Precision Slotted & Phillips Set Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		
26092	Slotted:	lbs.
	2.5 x 50mm,	.30
	2.5, 3.0, 4.0 x 100mm	
	3.0, 4.0 x 150mm	
	Phillips:	
	0 x 75mm	



[SHOP](#)

26194 4 Piece Precision Phillips Set

Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item No.	Phillips:	
	000, 00 x 40mm	lbs.
26194	0 x 50mm, 1 x 60mm	.18



[SHOP](#)

26192 5 Piece Precision Slotted & Phillips Set Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Slotted:	
	2.5, 3.0, 4.0 x 150mm	lbs. .44
26192	Phillips:	
	0, 1 x 150mm	

Wiha Pozidriv® Precision Series



[SHOP](#)

262 Pozidriv® Screwdriver, With

Precision Handle Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	lbs.
26205	0	50	2.0	3.0	.12	145	5.7	.03
26210	1	60	2.4	4.0	.16	170	6.7	.05

*Metric dimensions actual - Inch dimensions approximate

Wiha Hex Inch & Metric Precision Series



[SHOP](#)

263 Inch **Inch Hex Driver, With Precision Handle** Inch sizes. Blade high alloy chrome-vanadium-molybdenum steel. Pkg. 10

Item							
No.	Inch	mm	mm	Inch	mm	Inch	lbs.
26307	0.028	0.7	40	1.6	120	4.7	.02
26309	0.035	0.9	40	1.6	120	4.7	.02
26313	0.05	1.3	40	1.6	120	4.7	.02
26316	1/16	-	50	2.0	145	5.7	.03
26320	5/64	2.0	50	2.0	145	5.7	.03
26323	3/32	-	60	2.4	170	6.7	.04
26327	7/64	-	60	2.4	170	6.7	.04
26331	1/8	-	60	2.4	170	6.7	.04
26333	9/64		60	2.4	170	6.7	.05
26336	5/32		60	2.4	170	6.7	.05

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26391 8 Pc. Precision Hex Driver Set -

Inch Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		
26391	Hex Inch:	lbs.
	.028, .035, .050 x 1.6"	.32
	1/16, 5/64 x 2.0"	
	3/32, 7/64, 1/8 x 2.4"	



[SHOP](#)

26399 8 Pc. Precision Hex Driver Set -

Inch Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch

Item No.	Hex Inch:	
26399	.028, .035, .050 x 1.6"	lbs. .55
	1/16, 5/64 x 2.0", 3/32, 7/64, 1/8 x 2.4"	



[SHOP](#)

263 Metric **Metric Hex Driver, With Precision Handle** Metric sizes. Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
26307	.7	.028	40	1.6	120	4.7	.02	10
26309	.9	.035	40	1.6	120	4.7	.02	10
26313	1.3	.050	40	1.6	120	4.7	.02	10
26315	1.5	-	50	2.0	145	5.7	.03	10
26320	2.0	5/64	50	2.0	145	5.7	.03	10
26325	2.5	-	60	2.4	170	6.7	.04	10
26330	3.0	-	60	2.4	170	6.7	.04	10
26340	4.0	-	60	2.4	170	6.7	.05	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26390 7 Pc. Precision Hex Driver Set -

Metric Blade high alloy chrome-vanadium-molybdenum steel.

Item No.		
26390	Hex Metric:	lbs.
	.7, .9, 1.3 x 40mm	.28
	1.5, 2.0 x 50mm	
	2.5, 3.0 x 60mm	

Wiha Ball End Precision Series



[SHOP](#)

264 Inch Ball End Hex Inch Screwdriver
With Precision Handle Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finish.

Item	No.	Inch	mm	Inch	mm	Inch	lbs.	Pkg.
26413	.050	40	1.6	120	4.7	.02	10	
26416	1/16	50	2.0	145	5.7	.03	10	
26419	5/64	50	2.0	145	5.7	.03	10	
26423	3/32	50	2.0	145	5.7	.03	10	
26427	7/64	60	2.4	170	6.7	.03	10	
26431	1/8	60	2.4	170	6.7	.05	10	
26436	9/64	60	2.4	170	6.7	.05	10	
26439	5/32	60	2.4	170	6.7	.05	10	

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

264 Metric Ball End Hex Metric Screwdriver
With Precision Handle Angle entry up to 30°. Blade high alloy CVM steel.

Item	No.	mm	Inch	mm	Inch	mm	Inch	lbs.	Pkg.
26413	1.3	.050	40	1.6	120	4.7	.02	10	
26415	1.5	-	50	2.0	145	5.7	.03	10	
26420	2.0	-	50	2.0	145	5.7	.03	10	
26425	2.5	-	60	2.4	170	6.7	.04	10	
26430	3.0	-	60	2.4	170	6.7	.05	10	
26440	4.0	-	60	2.4	170	6.7	.05	10	

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26491 5 Piece Ball End Hex Driver Set - Metric Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum-steel.

Item	No.	Ball End Hex Metric:	lbs.
26491	1.3 x 40mm		.31
	1.5, 2.0 x 50mm		
	2.5, 3.0 x 60mm		



[SHOP](#)

26490 8 Piece Ball End Hex Driver Set - Inch Angle entry up to 30°. Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	Hex Inch:	lbs.
26490	1/16, 5/64, 3/32 x 2.0,		.40
	7/64, 1/8, 9/64,		
	5/32 x 2.4"		



In canvas storage pouch

[SHOP](#)

26499 8 Pc. Ball End Hex Driver Set - Inch Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished.

Item	Ball End Hex Inch:	lbs.
No.	.050 x 1.6"	.62
26499	1/16, 5/64, 3/32 x 2.0"	
	7/64, 1/8, 9/64, 5/32 x 2.4"	

Wiha TORX® Precision Series



[SHOP](#)

26792 7 Pc. TORX® Screwdriver Set Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	TORX®:	lbs.
26792	T5, T6, T7, T8 x 40mm		.33
	T9, T10 x 50mm		
	T15 x 60mm		

Wiha TORX® Precision Series



[SHOP](#)

267 TORX® Screwdriver, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26701	T1	40	1.6	120	4.7	.01	10	
26702	T2	40	1.6	120	4.7	.02	10	
26703	T3	40	1.6	120	4.7	.02	10	
26704	T4	40	1.6	120	4.7	.02	10	
26705	T5	40	1.6	120	4.7	.02	10	
26706	T6	40	1.6	120	4.7	.02	10	
26707	T7	40	1.6	120	4.7	.02	10	
26708	T8	40	1.6	120	4.7	.03	10	
26709	T9	50	2.0	145	5.7	.03	10	
26710	T10	50	2.0	145	5.7	.03	10	
26715	T15	60	2.4	170	6.7	.05	10	
26720	T20	60	2.4	170	6.7	.05	10	

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26790 6 Pc. TORX® Screwdriver Set Blade high alloy chrome-vanadium-molybdenum steel.

Item	No.	TORX®:	lbs.
26790	T6, T7, T8 x 40mm		.30
	T9, T10 x 50mm		
	T15 x 60mm		

26791 Set 8 Pcs. TORX® Screwdriver Set

Item No.	T1, T2, T3, T4,	
26791	T5, T6, T7, T8	

[SHOP](#)



[SHOP](#)

26799 8 Pc. TORX® Screwdriver Set Blade high alloy chrome-vanadium-molybdenum steel. Hard chrome finished. In canvas storage pouch

Item	No.	TORX®:	lbs.
26799	T3, T4, T5,		
	T6, T7, T8 x 40mm		
	T9 x T10 x 50mm		.50

Wiha Pentalobe Precision Series

Wiha Pentalobe drivers will fit fasteners used in "Apple" brand products including iPhone, Mac Book & Mac Air



- Exact fit precision machined tips
- High performance CRM72 tool steel
- Hard chromed finish blades & tips
- Tapered ergonomic handle
- Easy spin finger tip control cap



[SHOP](#)

267 Pentalobe Screwdrivers, With Precision Handle Blade high alloy chrome-vanadium-molybdenum steel.

Item No.	Size	mm	Inch	mm	Inch	lbs.	pkg.
26761	PL1	40	1.6	120	4.7	.01	1
26762	PL2	40	1.6	120	4.7	.02	1
26763	PL3	40	1.6	120	4.7	.02	1
26764	PL4	40	1.6	120	4.7	.02	1
26765	PL5	40	1.6	120	4.7	.02	1
26766	PL6	40	1.6	120	4.7	.02	1

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26794 6 Pc. Precision Pentalobe Screwdriver Set Blade high alloy CVM steel. Hard chrome finished. Super hardened best wear resistance long life.

Item No.	Pentalobe Drivers:	lbs.
26794	PL1, PL2, PL3, PL4, PL5, PL6	.35

Wiha Precision Screwdriver Set



[SHOP](#)

92189 Master Technicians Bench Top Set Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted:
92189	1.5, 2.0, 2.5, 3.0, 3.5, 4.0
	Phillips: #000, #00, #0, #1
	Pentalobe: PL1, PL2, PL3, PL4
	TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter



[SHOP](#)

92191 51 Pc. Precision Tool Tray Set Tool box tray. Equipped with 51 precision drivers.

Item No.	Slotted:
92191	.8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
	Phillips: #000, #00, #0, #1
	Torx®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0, 4.0
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter



[SHOP](#)

92190 Master Technicians Bench Top Set Metal frame. Equipped with 50 precision drivers.

Item No.	Slotted:
92190	.8, 1.0, 1.2, 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0
	Phillips: #000, #00, #0, #1
	TORX®: T1, T2, T3, T4, T5, T6, T7, T8, T9, T10
	Metric Hex: 1.27, 1.5, 2.0, 2.5, 3.0
	Inch Hex: .028, .035, .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
	Metric Nut Drivers: 1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5
	26810 Chip Lifter



[SHOP](#)

91118 Rugged Polyester Canvas Storage Pouch Holds 8 Precision Tools up to 170mm in length. Folding pouch. Has security flaps and velcro closer.

Item No.	Size	lbs.	pkg.
91118	14 1/2" W x 7 3/4" L	.13	1

Wiha Soft Grip PicoFinish Precision Screwdrivers

The Comfortable Precision Screwdriver



Color coded symbols on rotating cap gives easy recognition of individual styles & sizes

CVM tool steel blade, hardened, hard chrome finish

Soft Grip Handle



Ergonomic multi-component handle with rotating cap for maximum user comfort and precise control



[SHOP](#)

260 Slotted Precision Screwdriver, With PicoFinish Handle Blade CVM steel, hardened, hard chromed.

Item No.	mm	Inch	mm	Inch	mm	Inch	Pkg.
26050	0.8	.03	40	1.6	134	5.3	10
26051	1.0	.04	40	1.6	134	5.3	10
26052	1.2	.05	40	1.6	134	5.3	10
26053	1.5	.06	40	1.6	134	5.3	10
26054	1.5	.06	60	2.4	154	6.1	10
26055	1.8	.07	40	1.6	134	5.3	10
26056	1.8	.07	60	2.4	154	6.1	10
26060	2.0	.08	40	1.6	140	5.5	10
26061	2.0	.08	60	2.4	160	6.3	10
26063	2.0	.08	100	3.9	200	7.9	10
26065	2.5	.09	50	2.0	150	5.9	10
26066	2.5	.09	75	3.0	175	6.9	10
26068	2.5	.09	100	3.9	200	7.9	10
26070	3.0	.13	50	2.0	150	5.9	10
26072	3.0	.13	100	3.9	200	7.9	10
26073	3.0	.13	150	5.9	250	9.8	10
26074	3.5	.14	60	2.4	160	6.3	10
26076	4.0	.16	60	2.4	160	6.3	10
26079	4.0	.16	100	3.9	200	7.9	10
26080	4.0	.16	150	5.9	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26093 8 Pc. Slotted Precision Screwdriver Set, With Soft PicoFinish Handle In storage pouch

Item No.	Slotted: .8, 1.2, 1.5, 2.0 x 40mm	lbs.
26093	2.5, 3.0 x 50mm, 3.5, 4.0 x 60mm	.54



[SHOP](#)

261 Phillips Precision Screwdriver, With Soft PicoFinish Precision Handle Blade high alloy CVM steel. Hard chrome finished.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	Pkg.
26130	000	40	1.6	2.0	.08	134	5.3	10
26132	00	40	1.6	2.0	.08	134	5.3	10
26133	00	60	2.4	2.0	.08	154	6.1	10
26135	0	50	2.0	3.0	.12	150	5.9	10
26136	0	75	3.0	3.0	.12	175	6.9	10
26140	1	60	2.4	4.0	.16	160	6.3	10
26142	1	80	3.1	4.0	.16	180	7.1	10
26145	1	150	5.9	4.0	.16	250	9.8	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26193 8 Pc. Slotted & Phillips Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item No.	Slotted:	lbs.
26193	1.0, 1.5, 2.0 x 40mm 2.5 x 50mm, 3.5 x 60mm Phillips: 00 x 40mm 0 x 50mm, 1 x 60mm	.55



[SHOP](#)

267 MagicSpring Screw Holding TORX® Screwdriver, With Wiha-Precision Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips.

Item No.	Size	mm	Inch	mm	Inch	lbs.	Pkg.
26721	T6	40	1.6	140	5.5	.03	10
26723	T7	40	1.6	140	5.5	.03	10
26725	T8	40	1.6	140	5.5	.03	10
26727	T9	50	2.0	150	5.9	.04	10
26729	T10	50	2.0	150	5.9	.04	10
26731	T15	60	2.4	160	6.3	.04	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26798 6 Pc. MagicSpring Screw Holding TORX® Screwdriver Set, With Wiha-Precision Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. Molded on ergonomic Wiha-PicoFinish precision handle, molded on, soft grips. In storage pouch

Item No.	MagicSpring TORX®:	lbs.
26798	T6, T7, T8 x 40mm T9, T10, T15 x 50mm	.50

Wiha Pico Soft Grip TORX®



[SHOP](#)

267 TORX® Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Size	mm	Inch	mm	Inch	Pkg.
26732	T1	40	1.6	134	5.3	10
26733	T2	40	1.6	134	5.3	10
26735	T3	40	1.6	134	5.3	10
26736	T4	40	1.6	134	5.3	10
26737	T5	40	1.6	134	5.3	10
26739	T6	40	1.6	140	5.5	10
26741	T7	40	1.6	140	5.5	10
26743	T8	40	1.6	140	5.5	10
26745	T9	50	2.0	150	5.9	10
26747	T10	50	2.0	150	5.9	10
26749	T15	60	2.4	160	6.3	10
26751	T20	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

In storage pouch



[SHOP](#)

26793 8 Pc. TORX® Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item	TORX®:	
No.	T1, T2, T3, T4,	lbs.
26793	T5, T6, T7, T8	.50

In storage pouch



[SHOP](#)

26796 8 Pc. TORX® Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit.

Item	TORX®:	
No.	T5, T6, T7, T8 x 40mm	lbs. .57
26796	T9, T10 x 50mm, T15, T20 x 60mm	

Pico Soft Grip Hex Inch & Metric



[SHOP](#)

263 Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Inch	mm	Inch	mm	Inch	Pkg.
26341	.028(0.7)	40	1.6	134	5.3	10
26343	.035(0.9)	40	1.6	134	5.3	10
26345	.050(1.3)	40	1.6	134	5.3	10
26349	5/64(2.0)	50	2.0	150	5.9	10
26363	1/16	50	2.0	144	5.7	10
26367	3/32	60	2.4	160	6.3	10
26369	7/64	60	2.4	160	6.3	10
26371	1/8	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26392 8 Piece Hex Inch Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed.

Item	Hex Inch:	
No.	.028, .035, .050 x 1.6"	.24
26392	5/64, 1/16 x 2.0", 3/32, 7/64, 1/8 x 2.4"	



[SHOP](#)

263 Hex Metric Driver, With Precision Soft PicoFinish Handle

Item						
No.	mm	mm	Inch	mm	Inch	Pkg.
26341	.7(.028)	40	1.6	134	5.3	10
26343	.9(.035)	40	1.6	134	5.3	10
26345	1.3(.050)	40	1.6	134	5.3	10
26347	1.5	50	2.0	144	5.7	10
26349	2.0(5/64)	50	2.0	150	5.9	10
26351	2.5	60	2.4	160	6.3	10
26353	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26393 7 Piece Hex Metric Precision Driver Set, Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed.

Item No.	Hex Metric:	
26393	.71, .89, 1.27 x 40mm	.22
	1.5, 2.0 x 50mm, 2.5, 3.0 x 60mm	

Pico Soft Grip Ball End Inch & Metric



[SHOP](#)

264 Ball End Hex Inch Screwdriver, With Precision Soft PicoFinish Handle Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	Inch	Inch	mm	Inch	mm	pkg.
26455	1/16	2.0	50	5.9	150	10
26457	5/64	2.0	50	5.9	150	10
26459	3/32	2.0	50	5.9	150	10
26461	7/64	2.4	60	6.3	160	10
26463	1/8	2.4	60	6.3	160	10
26465	9/64	2.4	60	6.3	160	10
26467	5/32	2.4	60	6.3	160	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26493 7 Pc. Inch Ball End Hex Precision Driver Set, With Soft PicoFinish Handle Blade high alloy CVM steel, hardened, hard chromed. ChromTop finish on tip for a perfect fit. In storage pouch

Item		
No.	Ball End Hex Inch:	.27
26493	1/16, 5/64, 3/32 x 2.0"	
	7/64, 1/8, 9/64, 5/32 x 2.4"	



[SHOP](#)

264 Ball End Hex Metric Screwdriver, With Precision Soft PicoFinish Handle. Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item						
No.	mm	mm	Inch	mm	Inch	pkg.
26441	1.3	40	1.6	134	5.3	10
26443	1.5	50	2.0	150	5.9	10
26445	2.0	50	2.0	150	5.9	10
26447	2.5	60	2.4	160	6.3	10
26449	3.0	60	2.4	160	6.3	10

*Metric dimensions actual - Inch dimensions approximate

Pico Soft Grip Precision Chip Lifter




[SHOP](#)

26815 Soft PicoFinish Precision Chip Lifter Blade CVM steel, hardened, hard chromed.

Item	mm	mm	mm	mm	Inch
No.	1	3.5	50	150	5.9
26815	Standard Soft PicoFinish handle				

Wiha Protturn Precision Screwdrivers



95190 6 Pc. Slotted/Phillips Protturn Precision Screwdriver Set Molded on precision handle. Blade high alloy CVM tool steel, black finish.

Item No.	Slotted:	
	1.5x40mm, 2.5x50mm, 3.5x60mm	lbs.
95190	Phillips: 00x40mm, 0x50mm, 1x60mm	.27



65090 9 Pc. Slotted/Phillips Protturn Precision Screwdriver Set Molded on precision handle. CVM tool steel, black finish blades.

Item No.	Slotted:
	1.5x40mm, 2.0x5.0mm, 2.5, 3.0, 3.5, 4.0x60mm
65090	Phillips: 00x40mm, 0x50mm, 1x60mm



96800 Protturn Precision Chip Lifter Molded on precision handle. Blade CVM tool steel, hardened, black finish.

Item No.	Size	mm	mm	Inch	lbs.	pkg.
96800	1.0	50	145	5.7	.07	1



62990 5 Piece Slotted & Phillips Pocket Pack Set Wiha Protturn precision ball retainer handle & 4 Wiha interchangeable blades.

62990 Set includes the following blades:

- Slotted: 1.5, 2.0, 3.0, 4.0mm
- Phillips: #000, #00, #0, #1
- lbs. .15



62993 9 Pc. Slotted/Phillips/TORX® Work Station Set Wiha Protturn precision ball retainer handle & 8 Wiha interchangeable blades.

62993 Set includes the following blades:

- Slotted: 1.5, 2.0, 3.0, 4.0mm
- Phillips: #000, #00, #0, #1
- TORX®: T6, T7, T8, T9, T10, T15, T20
- lbs. .64



62995 22 Pc. Slotted/Phillips/TORX®/Ball End Hex Inch & Metric Tech Pack Wiha Protturn precision ball retainer handle & 21 interchangeable blades. In canvas storage pouch

62995 Set includes the following blades:

- Slotted: 1.5, 2.0, 3.0, 4.0mm
- Phillips: #000, #00, #0, #1
- TORX®: T6, T7, T8, T9, T10, T15, T20
- Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm
- lbs. .87

62994 14 Pc. Inch/Metric Ball End Hex Work Tech Pack Protturn precision ball retainer handle & 13 Wiha interchangeable blades.

62994 Set includes the following blades:

- Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"
- Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm
- lbs. .66
- Set in canvas storage pouch

Wiha Magnetizer/Demagnetizer

Magnetize or Demagnetize tools and small parts instantly

Shatterproof Box is made from high quality plastic

Uses 2 C8 industrial permanent magnets



(+) to Magnetize

(-) to Demagnetize

40010 Magnetizer and Demagnetizer

To magnetize and demagnetize steel screwdriver blades, tweezers and similar tools. Box high quality plastic, shock-resistant, green, cadmium free.

Application:

To magnetize, lead tool slowly through the (+) opening, to demagnetize guide tool slowly through the (-) opening.

Item No.	Dimensions	lbs.
40010	2.1" x 2.0" x 1.1"	.30

(Parts under 1" Length or 1/8" Diameter may not demagnetize)

Wiha SYSTEM 4 Precision Handles and Blades



[SHOP](#)

26900 SYS 4 Standard Precision Handle, with rotating control cap. Accepts all SYSTEM 4 interchangeable blades. Wiha Precision handle, tapered, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26900	4.0	.1574	14.0	.55	.04



[SHOP](#)

26901 SYSTEM 4 Standard Precision Adjustable handle with rotating control cap. **Advantages:**

- Allows adjustable blade from 15 to 95mm.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
26901	4.0	.1574	14.0	.55	.06



[SHOP](#)

28000 ESD Safe Dissipative Precision Handle with rotating control cap. Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Tapered handle, high quality plastic, impact resistant. Ball retainer hold. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28000	4.0	.1574	14.0	.55	.04



[SHOP](#)

28001 ESD Safe Dissipative Precision Adjustable Handle with rotating control cap. **Advantages:**

- Use in ESD sensitive applications. Surface resistant 10⁶-10⁹ Ohms.
- Collet lock allows for quick & easy adjustment.
- Holds blade securely in place. Accepts all SYSTEM 4 blades. 110mm/4.3" OAL

Item					
No.	mm	Inch	mm	Inch	lbs.
28001	4.0	.1574	14.0	.55	.04

Rotating Cap for precise turning and control

Tapered Handle allows rapid rotation, requires less clearance

Tips Exact fit, precision machined

Blades CVM steel, hardened, hard chromed. On 4mm Hex shafts

Precision Handle high quality plastic. ESD Safe or Standard styles

15mm
Collet Lock Handle adjustable blade length from 15 to 95mm/.6" to 3.75"
95mm



[SHOP](#)

269 SYSTEM 4 Slotted Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	mm	mm	mm	Inch	lbs.
26903	1.5 + 3.0	120	4.7	.05	
26904	2.0 + 3.5	120	4.7	.05	
26905	2.5 + 4.0	120	4.7	.06	



[SHOP](#)

269 SYSTEM 4 Phillips Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
26911	000 + 00	120	4.7	.03	
26912	0 + 1	120	4.7	.03	



[SHOP](#)

269 SYSTEM 4 Combined Slotted/Phillips Reversible Blade


Item					
No.	mm	Size	mm	Inch	lbs.
26971	1.5 + 000	120	4.7	.05	
26972	2.0 + 00	120	4.7	.05	
26973	3.0 + 0	120	4.7	.05	
26974	4.0 + 1	120	4.7	.06	



[SHOP](#)

269 SYSTEM 4 Pozidriv Reversible Blade High alloy CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips.

Item					
No.	Size	Size	mm	Inch	lbs.
26922	0 + 1	120	4.7	.03	



[SHOP](#)

269 SYSTEM 4 Metric Ball End & Standard Hex, Reversible Blade CVM steel, hardened, hard chromed. Wiha vapor Chrome-Top finish on tips. One side hex, other side ballpoint hex.

Item					
No.	mm	mm	mm	Inch	lbs.
26932	1.3 + 1.3	120	4.7	.05	
26933	1.5 + 1.5	120	4.7	.05	
26934	2.0 + 2.0	120	4.7	.06	
26935	2.5 + 2.5	120	4.7	.06	
26936	3.0 + 3.0	120	4.7	.06	
26937	4.0 + 4.0	120	4.7	.06	



[SHOP](#)

280 SYSTEM 4 Metric Ball End Hex Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item					
No.	mm	mm	Inch	lbs.	pkg.
28033	1.5	120	4.7	.06	1
28034	2.0	120	4.7	.06	1
28035	2.5	120	4.7	.06	1
28036	3.0	120	4.7	.06	1
28037	4.0	120	4.7	.06	1



[SHOP](#)

280 SYSTEM 4 Inch Ball End Hex Interchangeable Blade High alloy tool steel, hardened, corrosion protected. Ball end works at 30° angle entry for easy access to fasteners.

Item					
No.	Inch	mm	Inch	lbs.	
28021	.050	120	4.7	.06	
28023	1/16	120	4.7	.06	
28024	5/64	120	4.7	.06	
28025	3/32	120	4.7	.06	
28026	7/64	120	4.7	.06	
28027	1/8	120	4.7	.06	
28028	9/64	120	4.7	.06	
28029	5/32	120	4.7	.06	

Wiha SYSTEM 4 Precision Blades

269 SYSTEM 4 Metric Hex Sizes, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item	No.	mm	mm	Inch	lbs.
	26913	0.7	120	4.7	.06
	26914	0.9	120	4.7	.06
	26916	1.5	120	4.7	.06
	26917	2.0	120	4.7	.06
	26918	2.5	120	4.7	.06
	26919	3.0	120	4.7	.06
	26920	4.0	120	4.7	.06

269 SYSTEM 4 Inch Hex Sizes, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected.

Item	No.	Inch	mm	Inch	lbs.
	26921	.050	120	4.7	.06
	26923	1/16	120	4.7	.06
	26924	5/64	120	4.7	.06
	26925	3/32	120	4.7	.06
	26926	7/64	120	4.7	.06
	26927	1/8	120	4.7	.06
	26928	9/64	120	4.7	.06
	26929	5/32	120	4.7	.06

269 SYSTEM 4 TORX® Reversible Blade High alloy CVM steel, hardened, vapor chrome protected, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL.

Item	No.	Size	Size	lbs.
	26951	T6	+ T8	.03
	26952	T7	+ T9	.03
	26953	T10	+ T15	.03
	26954	T15	+ T20	.03

269 SYSTEM 4 TORX® Interchangeable Blade High alloy CVM steel, hardened, Wiha vapor Chrome-Top finish on tips. 120mm/4.7" OAL

Item	No.	Size	lbs.
	26955	T3	.03
	26956	T4	.03
	26957	T5	.03

Wiha SYSTEM 4 Drive-Loc Precision Locking Tools

Blade lengths can be adjusted from 18mm (.7") to 90mm (3.5") Max. In 3mm increments



26961 ESD Safe Dissipative Precision Drive-Loc Handle Surface resistant 10⁶-10⁹ Ohms. 4 mm hex retainer for all SYSTEM 4 interchangeable blades. Ball retainer hold. 105mm/4.13" OAL

Item	No.	mm	Inch	mm	Inch	lbs.
	26961	4.0	.1574	23	.91	.08



269 SYSTEM 4 Slotted Drive-Loc Reversible Locking Blades On 4mm Hex

Item	No.	mm	mm	lbs.
	26958	1.5	+ 3.0	.02
	26959	2.0	+ 3.5	.02
	26960	2.5	+ 4.0	.02



269 SYSTEM 4 Phillips Drive-Loc Reversible Locking Blades On 4mm Hex

Item	No.	Size	Size	lbs.
	26975	000	+ 00	.02
	26976	0	+ 1	.02



269 SYSTEM 4 TORX® Drive-Loc Reversible Locking Blades On 4mm Hex

Item	No.	Size	Size	lbs.
	26977	T1	+ T2	.02
	26978	T3	+ T4	.02
	26979	T5	+ T6	.02
	26980	T6	+ T8	.02
	26981	T7	+ T9	.02
	26982	T10	+ T15	.02

Blade lengths can be adjusted from 18mm (.7") to 90mm (3.5") Max. In 3mm increments



280 SYSTEM 4 Pozidriv® Drive-Loc Reversible Locking Blades On 4mm Hex

Item	No.	Size	Size	lbs.
	28002	0	+ 1	.02



280 SYSTEM 4 Metric Hex Drive-Loc Reversible Locking Blades On 4mm Hex blades

Item	No.	mm	mm	lbs.
	28003	1.3	+ 1.3	.02
	28004	1.5	+ 1.5	.02
	28005	2.0	+ 2.0	.02
	28006	2.5	+ 2.5	.02
	28007	3.0	+ 3.0	.02
	28008	4.0	+ 4.0	.02



280 SYSTEM 4 Metric Nut Drivers Drive-Loc Locking Blades On 4mm Hex blades

Item	No.	mm	mm	lbs.
	28009	1.5	+ 1.8	.02 Reversible
	28010	2.0	+ 2.5	.02 Reversible
	28011	3.0	+ -	.02
	28012	3.2	+ -	.02
	28013	3.5	+ -	.02
	28014	4.0	+ -	.02
	28015	4.5	+ -	.02
	28016	5.0	+ -	.02
	28017	5.5	+ -	.02



26985 12 Piece SYSTEM 4 Precision ESD Drive-Loc Set In storage pouch

Item No.	26985	ESD Safe Drive-Loc Handle
		Slotted: 1.5x3.0, 2.0x3.5, 2.5x4.0
		lbs. .44 Phillips: 000x00, 0x1
		TORX®: T1xT2, T3xT4, T5xT6, T6xT8, T7xT9, T10xT15

ESD Technicians Kit

Precision Screwdrivers & Tweezers



44590 12 Pc. Slotted, Phillips & TORX®

Precision Interchangeable Blade Set ESD Safe precision collet lock handle, 7 Wiha interchangeable blades & 4 ESD Safe Tweezers.

44590 Set includes the following blades:

Slotted: 2.0, 3.0, 4.0mm

Phillips: 00, 0, 1

TORX®: T5, T6, T7, T8, T9, T10, T15

ESD Safe Precision Tweezers:

44501 Fine Point - AA SA


44509 Extra Fine Point - 5 SA

44505 Flat and Blunt - 2a SA lbs.

44510 Curved Fine Point - 7a SA .60



Slotted, Phillips, TORX® Set



In steel box



28094 11 Pc. Slotted, Phillips & TORX®

Precision Interchangeable Blade Set Wiha ESD Safe precision collet lock handle and 10 Wiha interchangeable blades.

28094 Set includes the following blades:

Slotted: 1.5, 2.0, 3.0, 4.0mm

lbs. Phillips: 000, 00, 0, 1

1.51 TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15

Slotted & Phillips Set



In steel box



26993 6 Pc. Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 5 Wiha interchangeable blades. lbs. .87

26993 Set includes the following blades:

Slotted: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

Phillips: 000, 00, 0, 1

Precision Interchangeable Blade Sets In Metal Box



D



26996 5 Pc. Slotted & Phillips

Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 4 Wiha interchangeable blades.

26996 Phillips: 000, 00, 0, 1

Slotted: 1.5, 2.0, 3.0, 3.5mm

lbs. .54



D



26995 5 Pc. TORX® Precision Blade Set

Wiha ESD Safe precision collet lock handle and 4 interchangeable blades.

26995 TORX®: T6, T7, T8, T9, T10, T15, T20

lbs. .52



D



26997 9 Pc. Slotted, Phillips and TORX®

Precision Interchangeable Blade Set

Wiha ESD Safe precision collet lock handle and 8 Wiha interchangeable blades.

26997 Phillips: 000, 00, 0, 1

Slotted: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

TORX®: T6, T7, T8, T9, T10, T15

lbs. .64



D



26987 8 Pc. TORX® Precision Blade Set

Wiha ESD Safe precision collet lock handle and 7 interchangeable blades.

26987 Set includes the following blades:

TORX® standard blades: T3, T4, T5

TORX® reversible blades:

T6, T7, T8, T9, T10, T15, T20

lbs. .62



D



26989 9 Pc. Hex Inch Precision Blade Set

Wiha ESD Safe precision collet lock handle and 8 Wiha interchangeable blades.

26989 Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

lbs. .64

Wiha Canvas Pouch Sets

Canvas Pouch



[SHOP](#)

26990 4 Pc. Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 3 Wiha interchangeable blades.

26990 Set includes the following blades:

● Slotted: 2.0, 3.0, 4.0mm

⊕ Phillips: 00, 0, 1

🔧 lbs. .17

Canvas Pouch



[SHOP](#)

26991 6 Pc. Slotted & Phillips Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle & 5 Wiha interchangeable blades. In canvas pouch.

26991 Set includes the following blades:

↑ ● Slotted: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

⊕ Phillips: 000, 00, 0, 1

🔧 lbs. .29

Canvas Pouch



[SHOP](#)

26992 17 Pc. Slotted, Phillips & Ball End Hex Metric/Inch Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle & 15 Wiha interchangeable blades.

26992 Set includes the following blades:

● Slotted: 1.5, 2.0, 3.0, 4.0mm

⊕ Phillips: 000, 00, 0, 1

● Ball End Hex Inch: .050, 1/16, 5/64, 7/64, 3/32, 1/8"

● Ball End Hex Metric: 1.5, 2.0, 2.5, 3.0, 4.0mm

ESD Safe Precision Chip Lifter

🔧 lbs. .63

Canvas Pouch



[SHOP](#)

28080 22 Pc. Slotted, Phillips, TORX® & Hex Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 20 Wiha interchangeable blades.

28080 Set includes the following blades:

● Slotted: 1.5, 2.0, 3.0, 4.0mm

⊕ Phillips: 000, 00, 0, 1

⊗ TORX®: T3, T4, T5, T6, T7, T8, T9, T10, T15

● Hex: .028, .035


● Ball Hex: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

ESD Safe Precision Chip Lifter

🔧 lbs. .33

ESD Anti-Static Vinyl Pouch Set

ESD Safe



[D](#)

[SHOP](#)

28097 9 Pc. Slotted, Phillips & TORX® Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 8 Wiha interchangeable blades.

28097 Set includes the following blades:


↑ ● Slotted: 1.5, 2.0, 3.0, 4.0mm

⊕ Phillips: 000, 00, 0, 1

⊗ TORX®: T5, T6, T7, T8, T9, T10, T15

🔧 lbs. .33

ESD Safe



[D](#)

[SHOP](#)

28084 13 Pc. Slotted, Phillips & Ball End Hex Inch Precision Interchangeable Blade Set

Wiha ESD Safe  precision collet lock handle and 12 Wiha interchangeable blades.

28084 Set includes the following blades:

↑ ● Slotted: 1.5, 2.0, 3.0, 4.0mm

⊕ Phillips: 000, 00, 0, 1

● Ball End Hex Inch: .050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32"

🔧 lbs. .44

ESD Safe



[D](#)

[SHOP](#)

28087 8 Pc. TORX® Precision Interchangeable Blade Set

Wiha-ESD Safe  precision collet lock handle and 7 Wiha interchangeable blades.

28087 Includes the following blades:

⊗ TORX® Standard blades: T3, T4, T5


⊗ TORX® Reversible blades:

T6, T7, T8, T9, T10, T15, T20

🔧 lbs. .29

ESD Anti-Static Vinyl Pouch Set

ESD Safe



[D](#)

[SHOP](#)

28091 6 Pc. Slotted & Phillips Precision Interchangeable Blade Set

Wiha-ESD Safe  precision collet lock handle and 5 Wiha interchangeable blades.

28091 Set includes the following blades:


↑ ● Slotted: 1.5, 2.0, 2.5, 3.0, 3.5, 4.0mm

⊕ Phillips: 000, 00, 0, 1

🔧 lbs. .25

Wiha SoftFinish® Handle - Ergonomic Cushion Grip

Handle is molded directly onto the blade for a permanent bond



Wiha SoftFinish® Handle: Featuring advanced technology dual material molding. A remarkable improvement in handle design, comfort and performance. The SoftFinish® ergonomic shape allows maximum torque and user comfort.

Wiha Nut Drivers are precision formed to exact tolerances for a perfect fit every time

All blades are made of Wiha's exclusive formula chrome-vanadium-molybdenum tool steel, super hardened plated for unmatched durability



[SHOP](#)

341 Nut Driver, With Wiha-SoftFinish® Handle Inch sizes. Blade CVM steel, hardened. Deep drawn 1" socket. Solid shafts. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.									
No.	Inch	Inch	mm	mm	Inch	Inch	mm	lbs.	pkg.
34134	9/64	5.0	125	238	9.4	1.18	30	.18	10
34135	5/32	5.0	125	238	9.4	1.18	30	.24	10
34136	3/16	5.0	125	238	9.4	1.18	30	.25	10
34137	7/32	5.0	125	238	9.4	1.18	30	.26	10
34138	1/4	5.0	125	246	9.7	1.42	36	.38	10
34139	5/16	5.0	125	246	9.7	1.42	36	.40	10
34140	11/32	5.0	125	246	9.7	1.42	36	.40	10
34141	3/8	5.0	125	246	9.7	1.42	36	.40	10
34142	7/16	5.0	125	246	9.7	1.61	41	.40	10
34143	1/2	5.0	125	246	9.7	1.61	41	.40	10
34144	9/16	5.0	125	246	9.7	1.61	41	.40	10
34145	5/8	5.0	125	246	9.7	1.61	41	.40	10

341 Nut Driver, With Wiha-SoftFinish® Handle Metric sizes

Item No.									
No.	mm	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
34120	5.0	125	5.0	238	9.4	30	1.18	.14	10
34121	5.5	125	5.0	238	9.4	30	1.18	.14	10
34122	6.0	125	5.0	238	9.4	30	1.18	.15	10
34123	7.0	125	5.0	238	9.4	36	1.42	.25	10
34124	8.0	125	5.0	238	9.4	36	1.42	.25	10
34125	9.0	125	5.0	238	9.4	36	1.42	.26	10
34126	10.0	125	5.0	238	9.4	36	1.42	.27	10
34127	11.0	125	5.0	247	9.7	41	1.61	.37	10
34128	12.0	125	5.0	247	9.7	41	1.61	.40	10
34129	13.0	125	5.0	247	9.7	41	1.61	.40	10
34130	14.0	125	5.0	247	9.7	41	1.61	.40	10
34131	15.0	125	5.0	247	9.7	41	1.61	.40	10
34132	16.0	125	5.0	249	9.8	41	1.61	.42	10
34133	17.0	125	5.0	249	9.8	41	1.61	.42	10

341 Magnetic Nut Driver, With Wiha-SoftFinish® Handle

Item No.							
No.	mm	mm	Inch	mm	Inch	lbs.	pkg.
34152	5.5	125	5.0	238	9.4	.14	10
34154	5.5	250	9.8	361	14.2	.21	10
34158	7.0	125	5.0	238	9.4	.15	10



[SHOP](#)

34193 7 Pcs. Nut Driver Set Inch sizes.

Blade CVM steel, hardened.

Deep drawn 1" socket.


Item No.					
No.	Inch	Inch	Inch	Inch	lbs.
34193	3/16	5.0	3/8	5.0	1.89
	1/4	5.0	7/16	5.0	
	5/16	5.0	1/2	5.0	
	11/32	5.0			



[SHOP](#)

34195 10 Piece Nut Driver Set Inch sizes

Item No.					
No.	Inch	Inch	Inch	Inch	lbs.
34195	3/16	5.0	3/8	5.0	3.12
	7/32	5.0	7/16	5.0	
	1/4	5.0	1/2	5.0	
	5/16	5.0	9/16	5.0	
	11/32	5.0	5/8	5.0	



[SHOP](#)

34194 7 Piece Nut Driver Set Metric sizes

Item No.					
No.	mm	mm	mm	mm	lbs.
34194	5.0	125	8.0	125	1.93
	5.5	125	10.0	125	
	6.0	125	13.0	125	
	7.0	125			

Wiha SoftFinish® Heavy Duty Nut Drivers


[SHOP](#)

347 Nut Driver, With Hex Bolster & Wiha-SoftFinish® Handle

Blade CVM steel, hardened. Deep drawn 1" socket. Hex bolster for additional torque, Solid shafts. Wiha-SoftFinish® cushion grip handle.

Item No.										
	mm	mm	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.
34712	7.0	125	5.0	10.0	238	9.4	36	1.42	.25	10
34715	8.0	125	5.0	10.0	238	9.4	36	1.42	.25	10
34718	9.0	125	5.0	10.0	238	9.4	36	1.42	.26	10
34721	10.0	125	5.0	10.0	238	9.4	36	1.42	.27	10
34724	11.0	125	5.0	13.0	247	9.7	41	1.61	.37	10
34727	12.0	125	5.0	13.0	247	9.7	41	1.61	.40	10
34730	13.0	125	5.0	13.0	247	9.7	41	1.61	.40	10


[SHOP](#)

347 Nut Driver, Hex Bolster & Wiha-SoftFinish® Handle Inch sizes

Item No.										
	Inch	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
34753	3/16	5.0	125	5/16	231	9.1	36	1.42	.18	10
34759	1/4	5.0	125	3/8	238	9.4	36	1.42	.24	10
34765	5/16	5.0	125	3/8	238	9.4	36	1.42	.25	10
34771	3/8	5.0	125	3/8	238	9.4	36	1.42	.26	10
34774	7/16	5.0	125	1/2	246	9.7	41	1.61	.38	10
34777	1/2	5.0	125	1/2	246	9.7	41	1.61	.40	10


[SHOP](#)

34791 5 Piece Nut Driver Set Metric sizes

Item No.					
	mm	mm	mm	mm	lbs.
34791	5.0*	125	10.0	125	1.42
	6.0*	125	11.0	125	
	8.0	125			

*Standard blade - no hex bolster



[SHOP](#)

34792 6 Piece Nut Driver Set Inch sizes

Item No.					
	Inch	Inch	Inch	Inch	lbs.
34792	3/16	5.0	3/8	5.0	1.94
	1/4	5.0	7/16	5.0	
	5/16	5.0	1/2	5.0	

Wiha SoftFinish® Metric Nut Drivers - Hollow Shaft

- Hollow shafts allow for fit over extended bolts
- Finally a handle that makes Nut Drivers useful
- Get 40% more power with SoftFinish cushion grip
- Soft ergonomic molded shape for maximum comfort
- Hardened for maximum torque and wear resistance
- Heavy duty hollow shaft - 3.7" depth
- Chrome plated anti corrosion finish


[SHOP](#)

343 Hollow Shaft Nut Driver With Wiha-SoftFinish® Handle Metric

Item No.									
	mm	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
34302	5.0	70	2.75	175	7.0	36	1.42	.14	10
34304	5.5	70	2.75	175	7.0	36	1.42	.14	10
34306	6.0	70	2.75	175	7.0	36	1.42	.15	10
34308	7.0	70	2.75	182	7.5	41	1.61	.25	10
34310	8.0	70	2.75	182	7.5	41	1.61	.25	10
34312	10.0	70	2.75	187	7.6	41	1.61	.27	10
34314	13.0	70	2.75	187	7.6	41	1.61	.40	10


[SHOP](#)

34391 7 Piece Hollow Shaft Nut Driver Set Metric Sizes

Item No.					
	mm	mm	mm	mm	lbs.
34391	5.0	70	8.0	70	1.41
	5.5	70	10.0	70	
	6.0	70	13.0	70	
	7.0	70			

Long Flexible Shaft Nut Drivers, SoftFinish® Handle - Ergonomic Cushion Grip



[SHOP](#)

372 Long Flexible Shaft Nut Driver, With Wiha-SoftFinish® Handle Inch sizes. Heavy Duty flexible shaft of braided steel with protective sleeve. Hardened mounted socket for optimal torque. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.									
	Inch	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.
37220	3/16	5.9	150	261	10.2	30	1.18	.30	1
37222	1/4	5.9	150	261	10.2	36	1.42	.42	1
37224	5/16	5.9	150	261	10.2	36	1.42	.44	1
37226	3/8	6.9	175	261	10.2	36	1.42	.44	1
37228	7/16	6.9	175	261	10.2	41	1.61	.44	1
37230	1/2	6.9	175	261	10.2	41	1.61	.44	1



[SHOP](#)

372 Long Flexible Shaft Nut Driver, With Wiha-SoftFinish® Handle Metric sizes. Heavy Duty flexible shaft of braided steel with protective sleeve. Hardened mounted socket for optimal torque. Wiha-SoftFinish® handle, multi-component, cushion grips.

Item No.									
	mm	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
37235	5.0	150	5.9	261	10.2	30	1.18	.16	1
37236	5.5	150	5.9	261	10.2	30	1.18	.16	1
37237	6.0	150	5.9	261	10.2	30	1.18	.17	1
37238	7.0	150	5.9	261	10.2	36	1.42	.28	1
37239	8.0	150	5.9	261	10.2	36	1.42	.28	1
37241	10.0	175	6.9	261	10.2	41	1.61	.44	1
37244	13.0	175	6.9	261	10.2	41	1.61	.44	1



[SHOP](#)

37290 6 Piece Flexible Shaft Nut Driver Set, Inch Sizes

Item No.					
	Inch	Inch	Inch	Inch	lbs.
37290	3/16	5.9	3/8	6.9	2.50
	1/4	5.9	7/16	6.9	
	5/16	5.9	1/2	6.9	



[SHOP](#)

37291 7 Piece Flexible Shaft Nut Driver Set, Metric Sizes

Item No.					
	mm	mm	mm	mm	lbs.
37291	5.0	150	8.0	150	1.93
	5.5	150	10.0	175	
	6.0	150	13.0	175	
	7.0	150			

Wiha SoftFinish® Inch Nut Drivers - Hollow Shaft



[SHOP](#)

343 Hollow Shaft Nut Driver-Wiha-SoftFinish® Handle Inch sizes

Item No.									
	Inch	Inch	mm	mm	Inch	mm	Inch	lbs.	pkg.
34336	3/16	2.75	70	175	7.0	30	1.18	.18	10
34338	1/4	2.75	70	175	7.0	30	1.18	.24	10
34339	5/16	2.75	70	175	7.0	36	1.42	.25	10
34340	11/32	2.75	70	182	7.5	36	1.42	.25	10
34341	3/8	2.75	70	182	7.5	36	1.42	.26	10
34342	7/16	2.75	70	187	7.6	41	1.61	.38	10
34343	1/2	2.75	70	187	7.6	41	1.61	.40	10



[SHOP](#)

34390 7 Piece Hollow Shaft Nut Driver Set, Inch Sizes

Item No.					
	Inch	Inch	Inch	Inch	lbs.
34390	3/16	2.75	3/8	2.75	1.55
	1/4	2.75	7/16	2.75	
	5/16	2.75	1/2	2.75	
	11/32	2.75			



Inch Color Coded To Size

Wiha SoftFinish® Triangle Nut Drivers



SHOP

344 Triangle Nut Driver, With Wiha-SoftFinish® Handle

Blade Chrome-vanadium-molybdenum steel, hardened. Wiha-SoftFinish® cushion grip handle.

Item No.	Size	mm	Inch	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
34474	M4	6.8	.267	125	5"	236	9.3	30	1.18	.00	10
34475	M5	8.3	.326	125	5"	236	9.3	30	1.18	.00	10
34476	M6	10.1	.413	125	5"	236	9.3	30	1.18	.00	10
34478	M8	12.1	.474	125	5"	243	9.6	36	1.42	.00	10
34480	M10	15.1	.592	125	5"	243	9.6	36	1.42	.00	10
34482	M12	16.1	.651	125	5"	243	9.6	41	1.61	.00	10



Wiha T-Handle Nut Drivers



SHOP

336 Nut Driver, With Wiha T-handle Blade CVM steel, hardened, nickel-plated.

Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item No.	Inch	Inch	mm	Inch	mm	Inch	mm	lbs.	pkg.
33653	3/16	6.0	150	7.2	182	4.0	100	.16	10
33659	1/4	6.0	150	7.2	182	4.0	100	.18	10
33665	5/16	6.0	150	7.2	182	4.0	100	.19	10
33671	3/8	6.0	150	7.2	182	4.0	100	.20	10
33674	7/16	6.0	150	7.2	182	4.0	100	.26	10
33677	1/2	6.0	150	7.2	182	4.0	100	.30	10



SHOP

33690 6 Pc. Nut Driver T-handle Set

Inch Sizes. Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item No.	Inch	Inch	Inch	Inch	lbs.
33690	3/16	6.0	3/8	6.0	1.61
	1/4	6.0	7/16	6.0	
	5/16	6.0	1/2	6.0	



SHOP

336 Nut Driver, With Wiha T-handle Blade CVM steel, hardened, nickel-plated. Wiha

T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item No.	mm	mm	Inch	mm	Inch	mm	Inch	lbs.	pkg.
33603	6.0	125	4.9	157	6.2	100	4.0	.16	10
33606	8.0	125	4.9	157	6.2	100	4.0	.18	10
33607	8.0	200	7.9	232	9.1	100	4.0	.22	10
33609	9.0	125	4.9	157	6.2	100	4.0	.23	10
33612	10.0	125	4.9	157	6.2	100	4.0	.24	10
33614	10.0	230	9.0	262	10.3	100	4.0	.26	10
33620	12.0	125	4.9	157	6.2	100	4.0	.26	10
33622	13.0	125	4.9	157	6.2	100	4.0	.27	10
33623	13.0	230	9.0	262	10.3	100	4.0	.30	10



SHOP

33691 5 Piece Nut Driver T-handle Set

Metric Sizes. Blade CVM steel, hardened, nickel-plated. Wiha T-handle high quality plastic, impact resistant. Deep drawn 1" socket, solid shaft.

Item No.	mm	mm	mm	mm	lbs.
33691	6.0	125	10.0	125	1.57
	8.0	125	13.0	125	
	9.0	125			

Wiha Drive-Loc VI Nut Drivers




Locking mechanism in Wiha SoftFinish® cushion grip ergonomic handle. Blade length can be adjusted from 40mm-120mm. (1.7 to 4.7" in 1/8" increments)

See Drive-Loc VI Handles & Screwdrivers on pages 19-20

Drive-Loc VI

For Adjustable Length Locking Blades



The blade length can be adjusted from 40mm-120mm. (1.7 to 4.7")



SHOP

281 Drive-Loc VI Inch Nut Driver Blades

High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	Inch	OAL	lbs.	pkg.
28156	3/16	5.9"	.11	1
28157	7/32	5.9"	.11	1
28158	1/4	5.9"	.11	1
28159	9/32	5.9"	.12	1
28160	5/16	5.9"	.13	1
28161	11/32	5.9"	.14	1
28162	3/8	5.9"	.15	1
28163	7/16	5.9"	.17	1
28164	1/2	5.9"	.18	1



SHOP

281 Drive-Loc VI Metric Nut Driver Blades

High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 150mm/5.9". Blades fit all Drive-Loc VI handles.

Item No.	mm	OAL	lbs.	pkg.
28168	4.0	150mm	.10	1
28169	4.5	150mm	.10	1
28170	5.0	150mm	.11	1
28171	5.5	150mm	.11	1
28172	6.0	150mm	.12	1
28173	7.0	150mm	.13	1
28174	8.0	150mm	.13	1
28177	9.0	150mm	.14	1
28175	10.0	150mm	.15	1
28176	11.0	150mm	.20	1



SHOP

28196 8 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch

Set includes Drive-Loc VI handle & 7 Inch Nut Driver blades.

Item No.	lbs.
28196	1.22

Inch: 3/16, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2"

SoftFinish® Cushion Grip Blade Lock Handle



SHOP

28198 8 Pc. Drive-Loc VI Interchangeable Blade Set, In Durable Pouch

Set includes Drive-Loc VI handle & 7 Metric Nut Driver blades.

Item No.	lbs.
28198	1.00

Metric: 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0mm

SoftFinish® Cushion Grip Blade Lock Handle



SHOP

28144 Extension Blade For Drive-Loc VI Blades

High alloy CVM steel, through hardened, hard chrome finish. OAL blade length 6.5". Blades fit all Drive-Loc VI handles.

Item No.	mm	OAL	lbs.	pkg.
28144	6.0	150mm	.14	1

Pico Soft Grip Nut Drivers



SHOP

265 Inch Nut Drivers, With Precision Soft PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	Inch	Inch	Inch	Inch	pkg.
26571	3/32	2.4	6.3	.71	10
26572	7/64	2.4	6.3	.71	10
26573	1/8	2.4	6.3	.71	10
26574	9/64	2.4	6.3	.71	10
26575	5/32	2.4	6.3	.71	10
26576	3/16	2.4	6.3	.71	10
26577	7/32	2.4	6.3	.71	10
26578	1/4	2.4	6.3	.71	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

265 Metric Nut Drivers, With Precision PicoFinish Handle

Blade high alloy CVM tool steel, hardened, hard chrome finish.

Item No.	mm	mm	mm	mm	mm	mm	pkg.
26579	1.5	60	160	2.5	3.0	18	10
26581	2.0	60	160	3.2	4.0	18	10
26582	2.5	60	160	4.0	4.0	18	10
26583	3.0	60	160	5.0	5.0	18	10
26584	3.5	60	160	5.3	6.0	18	10
26585	4.0	60	160	5.5	6.0	18	10
26586	4.5	60	160	6.2	7.0	18	10
26587	5.0	60	160	6.8	7.0	18	10
26588	5.5	60	160	7.6	8.0	18	10
26589	6.0	60	160	8.2	9.0	18	10

*Metric dimensions actual - Inch dimensions approximate



SHOP

26593 8 Piece Inch Nut Driver Set, With Precision Soft PicoFinish Handle

In storage pouch

Item No.	Inch Nut Drivers:	lbs.
26593	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.72

26596 8 Piece Metric Nut Driver Set, With Precision Soft PicoFinish Handle

In storage pouch

Item No.	Metric Nut Drivers:	lbs.
26596	2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5 x 60mm	.66

Wiha Nut Driver Precision Series



[SHOP](#)

265 Metric Metric Nut Driver With Precision Handle Metric sizes.

Blade Chrome-Vanadium-Molybdenum steel. Hard chrome finished.

Item No.	mm	mm	Inch	mm	Inch	mm	mm	lbs.	pkg.
26510	1.5	60	2.4	140	5.5	2.5	3.0	.03	10
26515	1.8	60	2.4	140	5.5	2.9	3.5	.03	10
26520	2.0	60	2.4	140	5.5	3.2	4.0	.04	10
26525	2.5	60	2.4	155	6.1	4.0	4.0	.04	10
26530	3.0	60	2.4	155	6.1	5.0	5.0	.05	10
26532	3.2	60	2.4	155	6.1	5.0	5.0	.05	10
26535	3.5	60	2.4	155	6.1	5.3	6.0	.05	10
26540	4.0	60	2.4	155	6.1	5.5	6.0	.05	10
26545	4.5	60	2.4	155	6.1	6.2	7.0	.05	10
26550	5.0	60	2.4	155	6.1	6.8	7.0	.05	10
26555	5.5	60	2.4	170	6.7	7.6	8.0	.06	10
26560	6.0	60	2.4	170	6.7	8.2	9.0	.06	10
26570	7.0	60	2.4	170	6.7	9.6	10.0	.06	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

265 Inch Inch Nut Driver With Precision Handle Inch sizes.

Blade Chrome-Vanadium-Molybdenum steel. Hard chrome finished.

Item No.	Inch	mm	Inch	mm	Inch	Inch	Inch	lbs.	pkg.
26523	3/32	60	2.4	155	6.1	.16	.16	.04	10
26527	7/64	60	2.4	155	6.1	.20	.20	.05	10
26531	1/8	60	2.4	155	6.1	.20	.20	.05	10
26536	9/64	60	2.4	155	6.1	.21	.24	.05	10
26539	5/32	60	2.4	155	6.1	.22	.24	.05	10
26547	3/16	60	2.4	155	6.1	.25	.28	.05	10
26556	7/32	60	2.4	170	6.7	.30	.32	.06	10
26563	1/4	60	2.4	170	6.7	.34	.36	.06	10

*Metric dimensions actual - Inch dimensions approximate



[SHOP](#)

26599 8 Pc. Precision Nut Driver Set - Inch Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch

Item No.	Inch Nut Drivers:	lbs.
26599	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.72



[SHOP](#)

26590 8 Pc. Precision Nut Driver Set - Metric Blade CVM steel.

Item No.	Metric Nut Drivers:	lbs.
26590	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0mm x 60mm	.48

26592 Set 7 Pcs. Nut Driver Metric

Item No.	Metric Nut Drivers:
26592	1.5, 1.8, 2.0, 2.5, 3.0, 3.5, 4.0mm

[SHOP](#)



[SHOP](#)

26598 8 Pc. Precision Nut Driver Set - Metric Blade high alloy CVM steel. Hard chrome finished. In canvas storage pouch

Item No.	Metric Nut Drivers:	lbs.
26598	2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0mm x 60mm	.70



[SHOP](#)

26591 8 Pc. Precision Nut Driver Set - Inch Blade CVM steel.

Item No.	Inch Nut Drivers:	lbs.
26591	3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4" x 2.4"	.47



269 SYSTEM 4 Nut Driver Inch, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected. On 4mm Hex shaft. 120mm/4.7" OAL

Item No.	Inch	Inch	Inch	lbs.
26962	3/32	.16	.16	.04
26963	7/64	.20	.20	.04
26964	1/8	.20	.20	.04
26965	9/64	.21	.24	.04
26966	5/32	.22	.24	.04
26967	3/16	.26	.28	.04
26968	7/32	.30	.32	.04
26969	1/4	1.34	.36	.04



269 SYSTEM 4 Nut Driver Metric, Interchangeable Blade High alloy CVM steel, hardened, corrosion protected. On 4mm Hex Shaft. 120mm/4.7" OAL

Item					
No.	mm	mm	Inch	Inch	lbs.
26940	1.5 + 1.8		.12	.12	.03
26941	2.0 + 2.5		.16	.16	.03
26938	1.5 -		.11	.11	.04
26939	1.8 -		.12	.12	.04
26949	2.0 -		.13	.13	.06
26950	2.5 -		.16	.16	.06
26942	3.0 -		.20	.20	.06
26943	3.2 -		.20	.20	.06
26944	3.5 -		.22	.24	.06
26945	4.0 -		.22	.24	.06
26946	4.5 -		.25	.28	.06
26947	5.0 -		.27	.28	.06
26948	5.5 -		.30	.32	.06

SYSTEM 4 Compact Fold-out box Sets & Pouch Sets

See
SYSTEM 4
Handles & Blades
on pages
33-36



- ESD Safe Precision Handle
- High alloy CVM steel, hardened
- Exact fit tips
- In metal storage box

SYSTEM 4 Nut Driver Sets



[SHOP](#)

26988 9 Pc. Nut Driver Inch Precision Blade Set Wiha ESD Safe precision collet lock handle & 8 Wiha interchangeable blades.

26988 Set includes the following blades:

- Nut Driver Inch:
3/32, 7/64, 1/8, 9/64, 5/32,
3/16, 7/32, 1/4"

lbs. .65

In metal storage boxes



[SHOP](#)

26998 9 Pc. Nut Driver Metric Precision Blade Set Wiha ESD Safe precision collet lock handle and 8 Wiha interchangeable blades.

26998 Set includes the following blades:

- Nut Driver Metric:
2.0, 2.5, 3.0, 3.2, 3.5, 4.0,
4.5, 5.0, 5.5mm

lbs. .68



[SHOP](#)

28088 9 Piece Nut Driver Inch Precision Blade Set Wiha ESD Safe precision collet lock handle and 8 Wiha interchangeable blades.

28088 Set includes the following blades:

- Nut Driver Inch: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"

lbs. .37



[SHOP](#)

28098 8 Pc. Nut Driver Metric Precision Blade Set Wiha ESD Safe precision collet lock handle and 7 Wiha interchangeable blades.

28098 Set includes the following blades:

- Nut Driver Metric:
3.0, 3.2, 3.5, 4.0, 4.5, 5.0, 5.5mm

lbs. .40

Item No. Page	Item No. Page	Item No. Page	Item No. Page	Item No. Page	Item No. Page
10810 19	26041 27	26340 28	26563 43	26792 29	26966 44
15305 24	26042 27	26341 32	26570 43	26793 32	26967 44
15310 24	26050 31	26343 32	26571 42	26794 30	26968 44
15315 24	26051 31	26345 32	26572 42	26796 32	26969 44
15325 24	26052 31	26347 32	26573 42	26798 31	26971 34
15330 24	26053 31	26349 32	26574 42	26799 29	26972 34
15335 24	26054 31	26351 32	26575 42	26810 27	26973 34
15340 24	26055 31	26353 32	26576 42	26815 32	26974 34
16112 24	26056 31	26363 32	26577 42	26900 34	26975 35
16134 24	26060 31	26367 32	26578 42	26901 34	26976 35
18601 24	26061 31	26369 32	26579 42	26903 34	26977 35
18603 24	26063 31	26371 32	26581 42	26904 34	26978 35
18606 24	26065 31	26390 28	26582 42	26905 34	26979 35
18609 24	26066 31	26391 28	26583 42	26911 34	26980 35
18612 24	26068 31	26392 32	26584 42	26912 34	26981 35
18615 24	26070 31	26393 32	26585 42	26913 35	26982 35
18624 24	26072 31	26399 28	26586 42	26914 35	26985 35
18627 24	26073 31	26413 29	26587 42	26916 35	26987 36
18630 24	26074 31	26415 29	26588 42	26917 35	26988 44
18642 24	26076 31	26416 29	26589 42	26918 35	26989 36
18645 24	26079 31	26419 29	26590 43	26919 35	26990 37
18648 24	26080 31	26420 29	26591 43	26920 35	26991 37
18651 24	26090 27	26423 29	26592 43	26921 35	26992 37
18654 24	26092 28	26425 29	26593 42	26922 34	26993 36
18657 24	26093 31	26427 29	26596 42	26923 35	26995 36
18663 24	26099 27	26430 29	26598 43	26924 35	26996 36
18678 24	26100 27	26431 29	26599 43	26925 35	26997 36
18681 24	26101 27	26436 29	26701 29	26926 35	26998 4
20700 24	26102 27	26439 29	26702 29	26927 35	28000 34
20705 24	26105 27	26440 29	26703 29	26928 35	28001 34
20710 24	26107 27	26441 32	26704 29	26929 35	28002 35
20715 24	26108 27	26443 32	26705 29	26932 34	28003 35
20720 24	26109 27	26445 32	26706 29	26933 34	28004 35
20725 24	26110 27	26447 32	26707 29	26934 34	28005 35
20756 24	26113 27	26449 32	26708 29	26935 34	28006 35
20757 24	26114 27	26455 32	26709 29	26936 34	28007 35
20758 24	26115 27	26457 32	26710 29	26937 34	28008 35
20759 24	26130 31	26459 32	26715 29	26938 44	28009 35
20760 24	26132 31	26461 32	26720 29	26939 44	28010 35
20790 24	26133 31	26463 32	26721 31	26940 44	28011 35
20799 24	26135 31	26465 32	26723 31	26941 44	28012 35
21103 14	26136 31	26467 32	26725 31	26942 44	28013 35
21105 14	26140 31	26490 29	26727 31	26943 44	28014 35
22220 24	26142 31	26491 29	26729 31	26944 44	28015 35
22230 24	26145 31	26493 32	26731 31	26945 44	28016 35
22240 24	26190 27	26499 29	26732 32	26946 44	28017 35
26000 27	26192 28	26510 43	26733 32	26947 44	28021 34
26001 27	26193 31	26515 43	26735 32	26948 44	28023 34
26008 27	26194 28	26520 43	26736 32	26949 44	28024 34
26010 27	26199 27	26523 43	26737 32	26950 44	28025 34
26012 27	26205 28	26525 43	26739 32	26951 35	28026 34
26015 27	26210 28	26527 43	26741 32	26952 35	28027 34
26018 27	26307 28	26530 43	26743 32	26953 35	28028 34
26020 27	26309 28	26531 43	26745 32	26954 35	28029 34
26022 27	26313 28	26532 43	26747 32	26955 35	28033 34
26023 27	26315 28	26535 43	26749 32	26956 35	28034 34
26025 27	26316 28	26536 43	26751 32	26957 35	28035 34
26027 27	26320 28	26539 43	26761 30	26958 35	28036 34
26028 27	26323 28	26540 43	26762 30	26959 35	28037 34
26030 27	26325 28	26545 43	26763 30	26960 35	28080 37
26032 27	26327 28	26547 43	26764 30	26961 35	28084 37
26033 27	26330 28	26550 43	26765 30	26962 44	28087 37
26034 27	26331 28	26555 43	26766 30	26963 44	28088 44
26035 27	26333 28	26556 43	26790 29	26964 44	28091 37
26040 27	26336 28	26560 43	26791 29	26965 44	28094 36

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
28097	37	28197	20	30892	5	34137	38	36212	23	36720	13
28098	44	28198	42	30896	5	34138	38	36215	23	36723	12
28103	14	28199	20	30898	5	34139	38	36220	23	36725	13
28105	19	28486	19	30942	11	34140	38	36223	11	36726	12
28106	19	28487	19	31105	6	34141	38	36225	23	36728	12
28107	19	28488	19	31110	6	34142	38	36228	11	36730	13
28108	19	28489	14	31112	6	34143	38	36229	11	36732	12
28109	19	30202	6	31114	6	34144	38	36230	23	36734	12
28110	19	30203	6	31115	6	34145	38	36233	11	36736	12
28112	19	30204	6	31117	6	34152	38	36234	9	36738	12
28114	19	30205	6	31118	6	34154	38	36235	23	36740	13
28116	20	30206	6	31120	6	34158	38	36238	11	36742	12
28117	20	30208	6	31125	6	34193	38	36239	11	36744	12
28118	20	30210	6	31135	7	34194	38	36240	23	36750	13
28119	20	30211	6	31137	8	34195	38	36243	11	36760	13
28120	20	30212	6	31140	7	34302	39	36244	9	36780	13
28122	20	30215	6	31190	7	34304	39	36245	23	36786	13
28123	20	30216	6	31191	7	34306	39	36248	11	36790	13
28124	20	30217	6	31192	7	34308	39	36249	9	36791	12
28126	20	30218	6	31193	7	34310	39	36250	23	36792	13
28127	20	30219	6	31194	8	34312	39	36253	11	36793	12
28128	20	30220	6	31201	5	34314	39	36254	9	36794	12
28129	20	30221	6	31202	5	34336	40	36255	11	37220	40
28130	20	30222	6	31203	5	34338	40	36256	9	37222	40
28132	20	30223	6	31305	8	34339	40	36257	9	37224	40
28133	20	30225	6	31310	8	34340	40	36258	9	37226	40
28134	20	30226	6	31312	8	34341	40	36259	10	37228	40
28135	20	30227	6	31315	8	34342	40	36264	10	37230	40
28136	20	30230	6	31320	8	34343	40	36266	10	37235	40
28137	19	30232	6	32644	11	34390	40	36267	10	37236	40
28138	19	30235	6	33603	41	34391	39	36268	10	37237	40
28139	19	30236	6	33606	41	34474	41	36269	10	37238	40
28140	19	30237	8	33607	41	34475	41	36270	10	37239	40
28142	20	30238	6	33609	41	34476	41	36271	10	37241	40
28143	20	30239	7	33612	41	34478	41	36272	10	37244	40
28144	42	30255	7	33614	41	34480	41	36273	10	37290	40
28149	20	30265	7	33620	41	34482	41	36274	10	37291	40
28150	20	30276	5	33622	41	34712	39	36275	10	38450	14
28151	20	30290	7	33623	41	34715	39	36276	10	38460	14
28156	42	30291	7	33653	41	34718	39	36277	10	38600	14
28157	42	30294	6	33659	41	34721	39	36278	10	39700	9
28158	42	30295	8	33665	41	34724	39	36279	10	39701	9
28159	42	30297	6	33671	41	34727	39	36280	10	39702	9
28160	42	30298	6	33674	41	34730	39	36281	10	39825	9
28161	42	30299	8	33677	41	34753	39	36282	10	39830	9
28162	42	30517	8	33690	41	34759	39	36283	10	39840	9
28163	42	30520	8	33691	41	34765	39	36284	10	39850	9
28164	42	30523	8	34120	38	34771	39	36285	10	39860	9
28168	42	30526	8	34121	38	34774	39	36286	10	39892	9
28169	42	30530	8	34122	38	34777	39	36287	10	39896	9
28170	42	30535	8	34123	38	34791	39	36288	10	40010	11,33
28171	42	30540	8	34124	38	34792	39	36290	9	44590	36
28172	42	30550	8	34125	38	35800	7	36291	10	45040	16
28173	42	30560	8	34126	38	35801	7	36292	23	45050	16
28174	42	30580	8	34127	38	35802	7	36293	23	45052	16
28175	42	30813	5	34128	38	35803	7	36294	10	45054	16
28176	42	30814	5	34129	38	35894	7	36296	11	45055	16
28177	42	30815	5	34130	38	36201	10	36298	10	45056	16
28187	20	30816	5	34131	38	36202	9	36299	11	45057	16
28188	20	30817	5	34132	38	36203	9	36710	12	45058	16
28189	20	30820	5	34133	38	36205	23	36713	12	45060	16
28191	20	30825	5	34134	38	36207	9	36715	13	45061	16
28194	20	30830	5	34135	38	36210	23	36716	12	45062	16
28196	42	30835	5	34136	38	36211	11	36719	12	45064	16

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
45065	16	46708	18	52791	22	76045	26				
45067	16	46710	18	53010	4	76046	26				
45069	16	46712	18	53015	4	76047	26				
45135	16	46714	18	53020	4	76048	26				
45137	16	46715	18	53025	4	76049	26				
45140	16	46716	18	53027	4	76050	26				
45142	16	46718	18	53035	4	76051	26				
45144	16	46720	18	53040	4	76052	26				
45147	16	46722	18	53075	4	76053	26				
45150	16	46724	18	53090	4	76054	26				
45152	16	46725	18	53096	4	76056	25				
45205	17	46726	18	53097	5	76057	25				
45207	17	46728	18	53099	5	76058	25				
45215	17	46730	18	53110	4	76079	26				
45220	17	46740	18	53115	4	76087	26				
45225	17	46750	18	53120	4	76088	25				
45230	17	46760	18	53310	22	76089	25				
45235	17	46780	18	53315	22	76090	26				
45504	17	46786	18	53320	22	76091	25				
45505	23	46793	18	53325	22	76092	26				
45506	23	46794	18	53330	22	76093	25				
45507	17	46796	18	53390	22	76094	25				
45508	17	46797	18	53398	22	76095	25				
45509	17	46799	18	53405	22	76096	26				
45510	17	46803	15	53410	22	76098	26				
45511	23	46806	15	53425	22	76099	26				
45515	17	46812	15	62990	33	91118	30				
45516	23	46815	15	62993	33	92189	30				
45520	17	46912	15	62994	33	92190	30				
45521	23	46915	15	62995	33	92191	30				
45522	23	46921	15	65090	33	95190	33				
45525	17	46924	15	76000	25	96800	33				
45526	23	46933	15	76001	26						
45527	17	46991	15	76002	26						
45530	17	48190	14	76003	26						
45531	23	48400	23	76004	26						
45536	23	48401	15	76008	26						
45540	17	51099	14	76009	26						
45541	23	52005	21	76010	26						
45545	17	52010	21	76011	25						
45546	23	52020	21	76012	25						
45550	17	52025	21	76013	25						
45551	23	52035	21	76015	26						
45556	23	52040	21	76020	26						
45561	23	52050	21	76022	25						
45589	23	52090	21	76023	25						
45591	23	52097	21	76024	25						
45592	23	52098	21	76025	26						
45593	17	52099	21	76027	26						
45595	17	52105	21	76030	26						
45597	17	52110	21	76031	25						
45598	17	52115	21	76032	25						
45831	17	52120	21	76033	25						
45832	17	52125	21	76034	25						
45833	17	52650	21	76035	25						
45891	17	52711	22	76036	25						
46094	16	52713	22	76037	25						
46095	16	52716	22	76038	25						
46097	16	52719	22	76039	25						
46098	16	52722	22	76040	26						
46099	15	52726	22	76041	25						
46702	18	52729	22	76042	25						
46704	18	52732	22	76043	25						
46706	18	52790	22	76044	25						

CALIFORNIA PROPOSITION 65 WARNING

These products contain chemicals known to the state of California to cause cancer and birth defects or other reproductive harm.
(California law requires this warning to be given to customers in the state of California.)

MANUFACTURING
EXCELLENCE
AWARD

BESTES KMU
2014

WIHA – WINNER OF THE
MX AWARD 2014.
GERMANY'S BEST SME.



Like Us On
facebook

wiha 
Tools that work for you



(800) 494-6104
fax: (800) 494-7456
cservice@wihatools.com
www.wihatools.com

Catalog Item No. 99002 .wo
version - 2/15/16

Subject to change without notice

©2016 Willi Hahn Corporation

®Torx is a registered trademark of
Acument Intellectual Properties LLC.



Wiha Quality Tools

1348 Dundas Circle
Monticello, MN 55362
tel: 763.295.6591
fax: 763.295.6598

Wiha Tools Canada Ltd.

www.wihatools.ca
Brampton, ONT L6T 4X4
tel: 866.494.0096 or 763.295.6591
fax: 763.295.6598

To:

**SEE OUR
GREAT
WEB
SPECIALS!**



91330.wo - Tooling Catalog



99004.wo - Shop Tools Catalog



99914.wo - TORX Catalog



99951.wo - Bits Catalog



99919.wo - Insulated Catalog



99001.wo - TorqueControl Catalog



99934.wo - Hex Tools Catalog



99006.wo - Tech Tools Catalog



99945.wo - ESD Catalog



99977.wo - Pliers/Crimpers Catalog

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com