# NFC Flex Stamp Antenna



Pulse Part Number W7001



The W7001 is a small flexible Near Field Communication (NFC) antenna ideal for embedded products such as tablets, laptops, and payment terminal devices. It is intended for both secure payment or security access applications.

The W7001 is a thin, flexible antenna that can be fed with customer-supplied spring clips, contacts, direct-solder methods or with the use of Pulse's own W9908/W9909 C-clips. Mounting the antenna is easily accomplished using the thin but aggressive holding adhesive backing. It is recommended for mounting on the inside of plastics covers or carriers embedded in the device.

#### **Features**

- Very thin structure
- Easily assembles to device covers or mechanics
- Well-known antenna concept, reliable technology
- RoHS compliant product

### **Applications**

- Mobile devices
- Payment terminals
- Sharing / pairing

### **Standards**

- ISO/IEC 14443 A / B (MIFARE)
- ISO/IEC 18092
- JIS X 6319-4/FeliCa)
- NFCIP-1 / ECMA 3-40
- NFC Forum Tag 4

### **Electrical Specifications**

Frequency [MHz]*	13.56
Reading Distance [mm]*	40 EMVCo 33 Grid Scan (avg)
Impedance $[\Omega]^*$	50 / 80
Self Resonance Frequency [MHz]**	100
Inductance [μH]**	0.9
Resistance $[\Omega]^{**}$	1.55
Q-Factor**	49
Matched Q Value***	5-30

## **Environmental Specifications**

## **Mechanical Specifications**

Color	Green
Dimensions [in/mm]	.98 x .98 x .005 (25 x 25 x 0.12)


**NOTE**: Electrical characteristics depend on distance from metal objects and the location of the antenna on the device. Measured in free space

- \* With matching network
- \*\* Bare coil without any matching network
- \*\*\* With matching network (adjustable). Typical network picture refer to page 2.


San Diego, CA 858 674 8100 Vancouver, WA 360 944 7551 Europe 49 7032 7806 0 Asia 86 755 33966678 North Asia 886 3 4356768 China 86 512 6807 9998

# NFC Flex Stamp Antenna

### Pulse Part Number W7001



		Recommended matching network
Component	Value	Note
Lemc	560 nH	Filter resonance at 15.4 MHz
Cemc	180 pF	Filter resonance at 15.4 MHz
C1	35 pF	Antenna matching component, value depends on the antenna environment Antenna matching
C2 Includes C2a and C2b	280 pF o values)	Antenna matching component, value depends on the antenna environment Antenna matching
Rq	0 Ohm	Rq resistors used to lower Q-value





# AMEYA360 Components Supply Platform

## **Authorized Distribution Brand:**

























### Website:

Welcome to visit www.ameya360.com

### Contact Us:

### Address:

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd Minhang District, Shanghai , China

### > Sales:

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

### Customer Service :

Email service@ameya360.com

## Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com