







PCB LAYOUT - COMPONENT VIEW



TECHNICAL CHARACTERISTICS

MATERIAL
 INSULATOR: PA 46
 FLAMMABILITY RATING: UL94-V0
 COLOR: BEIGE
 CONTACT MATERIAL: PHOSPHOR BRONZE
 CONTACT TYPE: STAMPED
 CONTACT PLATING: TIN
 QUALITY CLASS: 25 MATING CYCLES
 PITCH: 1.00 MM

ENVIRONMENTAL
 OPERATING TEMPERATURE: -25 UP TO 85°C
 COMPLIANCE: LEAD FREE AND ROHS

ELECTRICAL
 CURRENT RATING:1A
 WORKING VOLTAGE: 50 VAC
 INSULATOR RESISTANCE: >100 MΩ
 DIELECTRIC WITHSTANDING VOLTAGE: 500VAC/MN
 CONTACT RESISTANCE: 20 mΩ MAX




STANDARD
 CERTIFIED: E323964

SOLDERING
 SOLDER TEMP.: JEDEC LEAD FREE REFLOW SOLDERING

PACKAGING
 TAPE & REEL WITH CAP

DIMENSION
 A = NB. PIN - 1
 B = NB. PIN - 1 + 3

RoHS Compliant				PROJECTION: 	GENERAL TOLERANCE .X = $\pm$ 0.2 .XX = $\pm$ 0.15	 WÜRTH ELEKTRONIK		DESCRIPTION: WR-WTB 1.00 MM SMT MALE HORIZONTAL SHROUDED HEADER WERI PART NO: 665 1xx 131 822 SIZE A4
B	14-OCT-14	TPK DWG UPDATE	QL	APPROVAL: BBu	UNIT: MM			
A	16-JUL-14	PDF	AS		SCALE:			
REV	DATE	FILE	BY		SHEET: 1/3			
					DRAW: AS			



Vacuumize:

Pin	W	F	PCS/R	R/CTN	Q'TY	Pin	W	F	PCS/R	R/CTN	Q'TY
02	16	7.5	1500	9	13500	10	24	11.5	1500	7	10500
03	16	7.5	1500	9	13500	11	24	11.5	1500	7	10500
04	16	7.5	1500	9	13500	12	24	11.5	1500	7	10500
05	16	7.5	1500	9	13500	13	24	11.5	1500	7	10500
06	16	7.5	1500	9	13500	14	32	14.2	1500	6	9000
07	24	11.5	1500	7	10500	15	32	14.2	1500	6	9000
08	24	11.5	1500	7	10500						
09	24	11.5	1500	7	10500						

Note:

- 1.All dimensions meet EIA-481-3 requirements.
- 2.Material : BK Conductive Polystyrene Alloy
100% recyclable.
- 3.Thickness : 0.35±0.05mm
- 4.Component load per 13" reel :1500pcs.
- 5.Carton Size:350*350*296(mm)

RoHS Compliant				PROJECTION: 	GENERAL TOLERANCE .X = ± 0.2 .XX = ± 0.15		DESCRIPTION: WR-WTB 1.00 MM SMT MALE HORIZONTAL SHROUDED HEADER WERI PART NO: 665 1xx 131 822	SIZE A4
G								
F								
E								
D				APPROVAL: BBu	UNIT: MM SCALE: SHEET: 2/3 DRAW: AS			
C								
B								
A								
REV	DATE	FILE	BY					

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com