






Ordering a market-ready enclosure® is made fast and affordable with our complete in-house capabilities. New Age provides machined openings to fit your PCB, pad printing for your graphics, custom enclosures, custom colors, final assembly, testing and fulfillment services to save you additional time and money. Ask your representative for a free quote today 805-595-1310.

Fast and Affordable Customization

**CNC Modifications
Pad Printing
Colored Resins
EMI/RF Shielding
Custom Enclosure
Assembly & Testing**



ISO quality
off-the-shelf
to market-ready®

NEW AGE ENCLOSURES

www.NewAgeEnclosures.com

4330 Santa Fe Road • San Luis Obispo, CA 93401 • T 805.595.1310 • F 805.595.1024

NOTES: UNLESS OTHERWISE SPECIFIED

- CORNERS DRAWN SHARP TO BE R.005 MAXIMUM.
- EXTERIOR SURFACE TEXTURE TO BE LIGHT EDM FINISH. EQUIVELANT TO MT-11020 UNLESS OTHERWISE SPECIFIED.
- INTERIOR SURFACE TEXTURE: NONE.
- ALL INSIDE RADII .010R. ALL OUTSIDE RADII .020R MAX, UNLESS OTHERWISE SPECIFIED.
- ALL EXTERNAL DIMENSIONS AFFECTED BY THE DRAFT APPLY AT THE LARGE END OF THE FEATURE, AND ALL INTERNAL FEATURES AFFECTED BY THE DRAFT APPLY AT THE SMALL END OF THE FEATURE UNLESS OTHERWISE SPECIFIED.
- 1 DEGREE DRAFT IN THE DIRECTION OF PULL IS PERMISSIBLE UNLESS OTHERWISE SPECIFIED.
- MATERIAL / COLOR: ABS PLASTIC IS STANDARD IN BLACK OR WHITE. CUSTOM MATERIALS AND COLORS MAY BE AVAILABLE UPON REQUEST FOR QUOTE.
- PCB SIZES ARE RECOMMENDATIONS ONLY. FINAL SIZES AND VERIFICATION OF IT'S FIT ARE THE SOLE RESPONSIBILITY OF EACH OEM.
- CUSTOM LABEL RECESSES MAY BE AVAILABLE UPON REQUEST FOR QUOTE.
- ASSEMBLY HARDWARE PROVIDED.

S382410(x) CONFIGURATIONS		
	-S	-B
S382410 COVER	1	1
S382410 BASE	1	
S382410 BATTERY BASE		1
S382410 HATCH		1
S382410 SHORT PCB		1*
S382410 LONG PCB	1*	
#4 HiLo SCREW .750"	2	2
#4 HiLo SCREW .375"		
9 VOLT CLIP		1**

* = REFERENCE ONLY
** = SOLD SEPERATELY


9	NO_4_750_SCREW	N04 HILO .750	S-HiLo x 3/4"	ZINC PLATED	2
8	BATTERY-9V	9 VOLT BATTERY	REFERENCE ONLY	CUSTOMER SUPPLIED	1
7	S382410-PCB-SHORT	S382410 PCB	.062" THICK	CUSTOMER SUPPLIED	1
6	S382410-PCB-LONG	S382410 PCB	.062" THICK	CUSTOMER SUPPLIED	1
5	S382410-HATCH	S382410 HATCH - STANDARD	ABS	BLACK or WHITE	1
4	S382410-COVER	S382410 COVER - STANDARD	ABS	BLACK or WHITE	1
3	S382410-BASE_NOBATT	S382410 BASE - STANDARD	ABS	BLACK or WHITE	1
2	S382410-BASE	S382410 BATTERY BASE - STANDARD	ABS	BLACK or WHITE	1
1	BATTERY-CONTACT-9V	ACC-9VCLIP-233M	9V CLIP 6" LEAD	BLACK	1
#	FILE NAME	DESCRIPTION	MATERIAL	COLOR	QTY.

BILL OF MATERIALS

R E V I S I O N

REV.	DRAWN BY	ECO No	DESCRIPTION	DATE	APPROVED
A-G	M BOYER		PRELIMINARY DESIGN	21-Jul-09	D.C.
1.0	M BOYER	N/A	RELEASED	02-Jun-10	D.C.
2.0	M BOYER	2410	EXTEND INSIDE WALL ON BATTERY BASE	01-Jul-10	D.C.
2.1	M BOYER	5310	UPDATE BATTERY CLIP PART NO.	13-Dec-10	D.C.
3.0	M BOYER	5314	REMOVE WALL BASE OPTION	23-Jan-15	

TWO ALTERNATE BASES AND PCB CONFIGURATIONS SHOWN. SEE CONFIG TABLE OR ASK SALES REPRESENTATIVE FOR INFORMATION



EXPLODED VIEW
SCALE 0.800

THIRD ANGLE PROJECTION
DO NOT SCALE DRAWING

NOTICE: THE INFORMATION AND DATA CONTAINED HEREIN IS CONSIDERED PROPRIETARY TO ALLTEC INTEGRATED MFG INC & SHALL REMAIN THE EXCLUSIVE PROPERTY OF ALLTEC INTEGRATED MFG INC. THE HOLDER WILL ASSUME CUSTODY AND CONTROL THAT THIS DOCUMENT WILL NOT BE COPIED, REPRODUCED, OR DISCLOSED WITHOUT THE EXPRESS WRITTEN CONSENT OF ALLTEC INTEGRATED MFG INC. NOT CONSTITUTE A GRANT TO MANUFACTURE ANY ITEMS.
© 2010

TOLERANCES: UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN U.S. INCHES.
X.XX = .015 X.XXXX = .001
X.XXX = .010 X.X" = 1"

NEW AGE ENCLOSURES

Customer's Part No: 382410



APPROVAL	BY	DATE
CHECK		
ENG.		
SCALE		

DRAWN BY
M BOYER 21-Jul-09



NEW AGE ENCLOSURES
4330 Santa Fe Road San Luis Obispo, CA. 93401
ph. (805) 595-1310 fax (805) 595-1024
www.newageenclosures.com

**STANDARD - 9V HANDHELD
SXX-382410X ASSEMBLY**




SIZE A DRAWING NAME 382410_R3_0 SHEET 1 OF 8 REV.DOC 3.0



SCALE 0.700



SECTION X-X



SECTION P-P



SCALE 0.700

TOLERANCES: UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN U.S. INCHES.
X.XX = .015 X.XXXX = .001
X.XXX = .010 X.X° = 1°

NEW AGE ENCLOSURES

Customer's Part No: 382410

APPROVAL	BY	DATE
CHECK		
ENG.		
SCALE		

DRAWN BY	21-Jul-09
M BOYER	


NEW AGE ENCLOSURES

4330 Santa Fe Road San Luis Obispo, CA. 93401
ph. (805) 595-1310 fax (805) 595-1024
www.newageenclosures.com




**STANDARD - 9V HANDHELD
SXX-382410X ASSEMBLY**

SIZE	DRAWING NAME	SHEET	REV.DOC
A	382410_R3_0	2 OF 8	3.0

382410 COVER



RECESS TEXTURE MT-11010 OR EQUIV.



SCALE 0.700

TOLERANCES: UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN U.S. INCHES.
X.XX = .015 X.XXXX = .001
X.XXX = .010 X.X° = 1°

NEW AGE ENCLOSURES

Customer's Part No: 382410

APPROVAL	BY	DATE
CHECK		
ENG.		
SCALE		

DRAWN BY	21-Jul-09
M BOYER	










NEW AGE ENCLOSURES

4330 Santa Fe Road San Luis Obispo, CA. 93401
ph. (805) 595-1310 fax (805) 595-1024
www.newageenclosures.com

**STANDARD - 9V HANDHELD
SXX-382410X ASSEMBLY**

SIZE	DRAWING NAME	SHEET	REV.DOC
A	382410_R3_0	3 OF 8	3.0

382410 BATTERY BASE



SCALE 0.700

TOLERANCES: UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN U.S. INCHES.
X.XX = .015 X.XXXX = .001
X.XXX = .010 X.X° = 1°

NEW AGE ENCLOSURES

Customer's Part No: 382410

APPROVAL	BY	DATE
CHECK		
ENG.		
SCALE		




DRAWN BY	21-Jul-09
M BOYER	

NEW AGE ENCLOSURES
4330 Santa Fe Road San Luis Obispo, CA. 93401
ph. (805) 595-1310 fax (805) 595-1024
www.newageenclosures.com

**STANDARD - 9V HANDHELD
SXX-382410X ASSEMBLY**





SIZE	DRAWING NAME	SHEET	REV.DOC
A	382410_R3_0	4 OF 8	3.0

382410 BASE



SCALE 0.700

RECESS TEXTURE MT-11010 OR EQUIV.



SCALE 0.700

TOLERANCES: UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN U.S. INCHES.
X.XX = .015 X.XXXX = .001
X.XXX = .010 X.X" = 1"

NEW AGE ENCLOSURES

Customer's Part No: 382410

APPROVAL	BY	DATE
CHECK		
ENG.		
SCALE		




DRAWN BY	21-Jul-09
M BOYER	

NEW AGE ENCLOSURES
4330 Santa Fe Road San Luis Obispo, CA. 93401
ph. (805) 595-1310 fax (805) 595-1024
www.newageenclosures.com

**STANDARD - 9V HANDHELD
SXX-382410X ASSEMBLY**

SIZE	DRAWING NAME	SHEET	REV.DOC
A	382410_R3_0	5 OF 8	3.0



382410 BATTERY HATCH



TOLERANCES: UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN U.S. INCHES.		NEW AGE ENCLOSURES				
X.XX = .015 X.XXXX = .001		4330 Santa Fe Road San Luis Obispo, CA. 93401				
X.XXX = .010 X.X" = 1"		ph. (805) 595-1310 fax (805) 595-1024				
Customer's Part No: 382410		www.newageenclosures.com				
APPROVAL	BY	DATE	STANDARD - 9V HANDHELD SXX-382410X ASSEMBLY			
CHECK						
ENG.						
SCALE						
DRAWN BY	21-Jul-09		SIZE	DRAWING NAME	SHEET	REV.DOC
M BOYER			A	382410_R3_0	6 OF 8	3.0

P382410 PCB - CUSTOMER SUPPLIED

PCB SIZES ARE RECOMMENDATIONS ONLY. FINAL
SIZES AND VERIFICATION OF IT'S FIT ARE THE
SOLE RESPONSIBILITY OF THE OEM.



TOLERANCES: UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN U.S. INCHES.
X.XX = .015 X.XXXX = .001
X.XXX = .010 X.X" = 1"

NEW AGE ENCLOSURES

Customer's Part No: 382410

APPROVAL	BY	DATE
CHECK		
ENG.		
SCALE		

DRAWN BY	21-Jul-09
M BOYER	


NEW AGE ENCLOSURES
4330 Santa Fe Road San Luis Obispo, CA. 93401
ph. (805) 595-1310 fax (805) 595-1024
www.newageenclosures.com

**STANDARD - 9V HANDHELD
SXX-382410X ASSEMBLY**




SIZE	DRAWING NAME	SHEET	REV.DOC
A	382410_R3_0	7 OF 8	3.0

2nd OPERATION DETAILS


NEW AGE ENCLOSURES DELIVERS YOUR ENCLOSURE MARKET-READY WITH IN-HOUSE
CNC MACHINING, PAD PRINTING, ASSEMBLY, AND FULFILLMENT.
ALL SURFACES AND AREAS ARE AVAILABLE FOR CNC ALTERATION BY NEW AGE ENCLOSURES
CALL (805) 595-1310 FOR PRICING AND SCHEDULE.
THE INSIDE RADIUS OF ANY MACHINED FEATURES SHOULD BE NO SMALLER THAN .031"



S382410 BATTERY BASE
SCALE 0.700



S382410 COVER
SCALE 0.700



SXX-382410X-XXX COVER - ABS, BLACK

STEP NO	DESCRIPTION	CUTTER	FIXTURE	ORIENTATION	PROGRAM
1-C-C1	-	T2 = .062" EM	231	-	-
2-C-C2	-	T2 = .062" EM	231	-	-
3-C-C3	-	T2 = .062" EM	231	-	-

TOLERANCES: UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN U.S. INCHES.
X.XX = .015 X.XXXX = .001
X.XXX = .010 X.X" = 1"

NEW AGE ENCLOSURES

Customer's Part No: 382410

APPROVAL	BY	DATE
CHECK		
ENG.		
SCALE		
DRAWN BY		
M BOYER		21-Jul-09

NEW AGE ENCLOSURES

4330 Santa Fe Road San Luis Obispo, CA. 93401
ph. (805) 595-1310 fax (805) 595-1024
www.newageenclosures.com

**STANDARD - 9V HANDHELD
SXX-382410X ASSEMBLY**

SIZE	DRAWING NAME	SHEET	REV.DOC
A	382410_R3_0	8 OF 8	3.0

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com