




TECHNICAL CHARACTERISTICS

MATERIAL

CONTACT MATERIAL: COPPER ALLOY
CONTACT TYPE: STAMPED
CONTACT PLATING: TIN
QUALITY CLASS: 25 MATING CYCLES
PITCH: FOR 3.00MM

ENVIRONMENTAL

OPERATING TEMPERATURE: -25 UP TO 105°C
COMPLIANCE: LEAD FREE AND ROHS

ELECTRICAL

CURRENT RATING: 5A
WORKING VOLTAGE: 250V AC
INSULATOR RESISTANCE: >1000 MOHM
DIELECTRIC WITHSTANDING VOLTAGE: 1500V AC/MN
CONTACT RESISTANCE: 10 MOHM MAX

WIRE DIMENSION:


AWG: AWG 20 - 24


PACKAGING


REEL OF 10KPCS


DIMENSION

AWG	A	B	C	D
20 - 24	2.50	2.95	2.30	2.00



RoHS Compliant				PROJECTION: 	GENERAL TOLERANCE .X = +/- 0.2 .XX = +/- 0.15	 WÜRTH ELEKTRONIK	DESCRIPTION: 3.00MM FEMALE CRIMP TERMINAL WERI PART NO: 66200113722	SIZE A4
G	25-JAN-12	QUANTITY	GG					
F	16-FEB-09	DRAW	JP					
E	09-AUG-08	T&R DESCRIPTION	RB					
D	30-JUN-08	QTY/REEL	CH					
C	01-MAR-07	UPDATE	EC	APPROVAL: RJ	UNIT: MM			
B	04-DEC-06	DRAW/PACKAGING	JP		SCALE:			
A	11-DEC-02	PDF	JP		SHEET: 1/2			
REV	DATE	FILE	BY		DRAW: MIKE			



RoHS Compliant				PROJECTION: 	GENERAL TOLERANCE .X = ± 0.2 .XX = ± 0.15	 WÜRTH ELEKTRONIK	DESCRIPTION: 3.0MM FEMALE CRIMP TERMINAL WERI PART NO: 6620 01 13722	SIZE A4	D
G									
F									
E									
D				APPROVAL:	UNIT: MM				
C					SCALE:				
B					SHEET: 2/2				
A					DRAW: MIKE				
REV	DATE	FILE	BY						

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com