

# DS9094F iButton PCB Clip

### www.maxim-ic.com

### **DESCRIPTION**

The DS9094F <u>i</u>Button PCB Clip holds an <u>i</u>Button and connects to a printed circuit board. By deflecting the spring clip in the molded housing, an <u>i</u>Button can be inserted and extracted without special tools. If reverse insertion is attempted, the beveled edge on the housing prevents contact.

### **FEATURES**

- Low-cost holder for F5 size <u>iButton</u> (see DS9094SM for F3 holder)
- Printed circuit board mount
- Contacts are gold plated
- Flammability rating: UL94V-O
- Two versions:
  - DS9094F for F5 size iButton
  - DS9094FS for surface mounting F5 size iButton

### ORDERING INFORMATION


PART	TEMP RANGE	PIN-PACKAGE	
DS9094F+	-40°C to 85°C	<sup>1</sup> Through-hole mount	
		F5 can	
DS9094FS+	-40°C to 85°C	<sup>2</sup> Surface mount F5 can	

<sup>1</sup>NOTE: Wave- or hand-solder only; do not reflow.


<sup>2</sup>NOTE: Hand-solder only; do not reflow.

+ Denotes lead-free compliance.


### INSERTION OF iButton




#### **DS9094FS**



### **DS9094F**





Recommended Hole Size

All dimensions in millimeters.

iButton is a registered trademark of Maxim Integrated Products, Inc.

1 of 2 072308

## **REVISION HISTORY**

REVISION DATE	DESCRIPTION	PAGES CHANGED
051606	Original release	_
072308	Updated the soldering notes.	1

# AMEYA360 Components Supply Platform

## **Authorized Distribution Brand:**

























## Website:

Welcome to visit www.ameya360.com

### Contact Us:

## Address:

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd Minhang District, Shanghai , China

### > Sales:

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

## Customer Service :

Email service@ameya360.com

## Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com