



3M™ Anti-Fatigue Mats

The Anti-Fatigue Mat is designed to provide comfort for personnel that must stand or walk for long periods. Constructed with a soft, light weight vinyl these anti-fatigue mats provide easy set-up.

Specifications	Typical Value
Resistance to Ground point (RTG)	10 ⁹⁻¹⁰ ohms
Resistance Top to Top (RTT)	10 ⁹⁻¹⁰ ohms
Thickness	0.35 inches
Color	Gray or Brown

Tested per ESD Association Standard ANSI/ESD S7.1
Color and appearance of mats may vary by lot.



Part Numbers

Mats		
SIZE	GRAY P/N	BROWN P/N
24x36 inches	AFM2436L1VGR	AFM2436L1VBR
36x60 inches	AFM3660L1VGR	AFM3660L1VBR

Call for custom sizes.

Mat Kits		
24x36 inches	AFM2436L1VGR-F	AFM2436L1VBR-F
36x60 inches	AFM3660L1VGR-F	AFM3660L1VBR-F

Call for custom sizes.

Rolls		
Includes roll of matting material.		
3x60 feet	AFM36720L1VGR	AFM36720L1VBR

RTG is the resistance from one point on the mat's surface to the mat's ground point, and is the fundamental electrical test for a mat. A proper RTG ensures that a mat can conduct charge from a point on the surface to the mat ground point. ANSI/ESD S-20.20 has an upper limit of <1x10⁹ ohms.

RTT is the resistance from one point on the mat's surface to another point. A proper RTT ensures the consistency of the mat's resistance properties. ANSI/ESD S-20.20 has an upper limit of <10⁹ ohms



Product Data Sheet

3M™ Anti-Fatigue Mats

3M is a trademark of 3M Company. All other trademarks are owned by their respective companies.

Important Notice

All statements, technical information, and recommendations related to 3M's products are based on information believed to be reliable, but the accuracy or completeness is not guaranteed. Before using this product, you must evaluate it and determine if it is suitable for your intended application. You assume all risks and liability associated with such use. Any statements related to the product which are not contained in 3M's current publications, or any contrary statements contained on your purchase order shall have no force or effect unless expressly agreed upon, in writing, by an authorized officer of 3M.

Warranty; Limited Remedy; Limited Liability.

This product will be free from defects in material and manufacture for one year from the time of purchase. **3M MAKES NO OTHER WARRANTIES INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.** If this product is defective within the warranty period stated above, your exclusive remedy shall be, at 3M's option, to replace or repair the 3M product or refund the purchase price of the 3M product. **Except where prohibited by law, 3M will not be liable for any indirect, special, incidental or consequential loss or damage arising from this 3M product, regardless of the legal theory asserted.**



Electronics Materials Solutions Division Static Control Products

926 JR Industrial Drive
Sanford, NC 27332-9733
Toll-Free: 866-722-3736
International: 919-718-0000
Email: 3mstaticinfo@mmm.com
www.3Mstatic.com

Please recycle. Printed in USA.
© 3M 2014. All rights reserved.
78-9102-1567-8 JHA

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com