




NOTES:

- ALL DIMENSIONS FOR REFERENCE ONLY
- MATERIALS:
HOUSING AND END PANELS - ALUMINUM, BLACK ANODIZED
COMPONENT PANELS - ALUMINUM, RED ANODIZED
- LASER ETCHED WHITE TEXT AND ARTWORK
- THIS PRODUCT IS RoHS COMPLIANT

CUSTOMER DRAWING

						THIS DRAWING DESCRIBES A DESIGN CONSIDERED PROPRIETARY IN NATURE, DEVELOPED AND MANUFACTURED BY SWITCHCRAFT INC. AND IS RELEASED ON A CONFIDENTIAL BASIS FOR IDENTIFICATION PURPOSES ONLY.										
						UNLESS OTHERWISE SPECIFIED 1. ALL DIMENSIONS IN INCHES - TWO PLACE DECIMALS ±0.02 - THREE PLACE DECIMALS ±0.005	SIZE	*	WIDTH	*	MULT	*	LBS/M	*	TEMPER	*
							FINISH			*	MATERIAL			*		
							SPEC No.			*	SPEC No.			*		
							FIRST USED ON			*	SCALE			1:1		
							DATE DRAWN	BY	CHKD	TJK	APVD	BHM	Switchcraft®			
							3/2/10	BHM	7-20-10	8-10-10						
							NAME							PART No.		REV
							AV DIRECT BOX WITH JENSEN TRANSFORMER							SC700		A
A	26565	7-20-10	BHM	TJK												
REV	ECO NUMBER	DATE	BY	APVD												
REVISIONS						DO NOT SCALE DRAWING										

SC700 A/V Direct Box
Audio Specifications


Switchcraft®

Parameter	Performance	Conditions
Frequency Response	10Hz - 40kHz	+/-0.3dB, ref 1kHz
Total Harmonic Distortion + Noise	< 0.002% <0.04%	at 1kHz, +4dBu Input, 22kHz Bandwidth at 20Hz, +4dBu Input, 22kHz Bandwidth
Maximum Input Level	+21dBu	at 20Hz with 1% THD+Noise
Input Impedance	> 140kΩ	at 1kHz
Output Impedance	< 150Ω	at 1kHz
Common Mode Rejection Ratio (CMRR)	>90dB	at 60Hz
Deviation from Linear Phase	< 2° < 1° < 16°	at 20Hz at 1kHz at 20kHz
Voltage Gain	-23dB -43dB	+/-1dB +/-1dB with 20dB pad engaged
Pad Attenuation	20dB	+/-1dB

Notes: All measurements were taken with a 25Ω unbalanced source and measured from the XLR with a 1kΩ balanced load.
Specifications subject to change without notice.

CUSTOMER DRAWING

SCALE 1:1	Switchcraft®		
DATE DRAWN 3/2/10			
DRAWN BY BHM	PART No. SC700	SHEET 2 OF 3	REV A



CUSTOMER DRAWING

SCALE 1:1	Switchcraft®		
DATE DRAWN 3/2/10			
DRAWN BY BHM	PART No. SC700	SHEET 3 OF 3	REV A

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :
401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :
Direct +86 (21) 6401-6692
Email amall@ameya360.com
QQ 800077892
Skype ameyasales1 ameyasales2

➤ Customer Service :
Email service@ameya360.com

➤ Partnership :
Tel +86 (21) 64016692-8333
Email mkt@ameya360.com