SILICON PNP TRANSISTORS




www.centralsemi.com

DESCRIPTION:

The CENTRAL SEMICONDUCTOR 2N4402 and 2N4403 are PNP silicon transistors designed for general purpose amplifier and switching applications. NPN complementary types are 2N4400 and 2N4401.






MAXIMUM RATINGS: (TA=25°C)	SYMBOL		UNITS
Collector-Base Voltage	V_{CBO}	40	V
Collector-Emitter Voltage	V_{CEO}	40	V
Emitter-Base Voltage	V_{EBO}	5.0	V
Continuous Collector Current	I _C	600	mA
Power Dissipation	P_{D}	625	mW
Operating and Storage Junction Temperature	T _J , T _{stg}	-65 to +150	°C

ELECTRICAL	CHARACTERISTICS: (T _A =25°C)	2N4	402	2N4	<u>403</u>	
SYMBOL	TEST CONDITIONS	MIN	MAX	MIN	MAX	UNITS
ICEV	$V_{CE} = 35V, V_{EB} = 0.4V$	-	0.1	-	0.1	μΑ
BV _{CBO}	I _C =0.1mA	40	-	40	-	V
BVCEO	I _C =1.0mA	40	-	40	-	V
BVEBO	I _E =0.1mA	5.0	-	5.0	-	V
V _{CE} (SAT)	I _C =150mA, I _B =15mA	-	0.4	-	0.4	V
VCE(SAT)	I _C =500mA, I _B =50mA	-	0.75	-	0.75	V
V _{BE} (SAT)	I _C =150mA, I _B =15mA	0.75	0.95	0.75	0.95	V
V _{BE} (SAT)	I _C =500mA, I _B =50mA	-	1.3	-	1.3	V
hFE	V _{CE} =1.0V, I _C =0.1mA	-	-	30	-	
hFE	V _{CE} =1.0V, I _C =1.0mA	30	-	60	-	
hFE	V _{CE} =1.0V, I _C =10mA	50	-	100	-	
hFE	V _{CE} =2.0V, I _C =150mA	50	150	100	300	
hFE	V _{CE} =2.0V, I _C =500mA	20	-	20	-	
h _{fe}	V_{CE} =10V, I_{C} =1.0mA, f=1.0kHz	30	250	60	500	
f_T	V _{CE} =10V, I _C =20mA, f=100MHz	150	-	200	-	MHz
C _{ob}	V _{CB} =10V, I _E =0, f=140kHz	-	8.5	-	8.5	pF
C _{ib}	V _{BE} =0.5V, I _C =0, f=140kHz	-	30	-	30	pF
ton	V _{CC} =30V, V _{EB(OFF)} =2.0V, I _C =150mA,					
	I _{B1} =15mA	-	35	-	35	ns
t _{off}	V_{CC} =30V, I_{C} =150mA, I_{B1} = I_{B2} =15mA	-	255	-	255	ns

SILICON **PNP TRANSISTORS**



TO-92 CASE - MECHANICAL OUTLINE



DIMENSIONS						
	INCHES		MILLIMETERS			
SYMBOL	MIN	MAX	MIN	MAX		
A (DIA)	0.175	0.205	4.45	5.21		
В	0.170	0.210	4.32	5.33		
С	0.500	-	12.70	-		
D	0.016	0.022	0.41	0.56		
Е	0.100		2.54			
F	0.050		1.27			
G	0.125	0.165	3.18	4.19		
Н	0.080	0.105	2.03	2.67		
l l	0.015		0.38			

TO-92 (REV: R1)

LEAD CODE:

- 1) Emitter 2) Base
- 3) Collector


MARKING:

R1

FULL PART NUMBER

SILICON PNP TRANSISTORS





T_A, Ambient Temperature (°C)

SILICON PNP TRANSISTORS



SERVICES

- · Bonded Inventory
- · Custom Electrical Screening
- Custom Electrical Characteristic Curves
- SPICE Models
- Custom Packaging
- Package Base Options
- Custom Device Development/Multi Discrete Modules (MDM™)
- · Bare Die Available for Hybrid Applications

LIMITATIONS AND DAMAGES DISCLAIMER: In no event shall Central be liable for any collateral, indirect, punitive, incidental, consequential, or exemplary damages in connection with or arising out of a purchase order or contract or the use of products provided hereunder, regardless of whether Central has been advised of the possibility of such damages. Excluded damages shall include, but not be restricted to: cost of removal or reinstallation, rework, ancillary costs to the procurement of substitute products, loss of profits, loss of savings, loss of use, loss of data, or business interruption. No claim, suit, or action shall be brought against Central more than two (2) years after the related cause of action has occurred.

In no event shall Central's aggregate liability from any warranty, indemnity, or other obligation arising out of or in connection with a purchase order or contract, or any use of any Central product provided hereunder, exceed the total amount paid to Central for the specific products sold under a purchase order or contract with respect to which losses or damages are claimed. The existence of more than one (1) claim against the specific products sold to Buyer under a purchase order or contract shall not enlarge or extend this limit.

Buyer understands and agrees that the foregoing liability limitations are essential elements of a purchase order or contract and that in the absence of such limitations, the material and economic terms of the purchase order or contract would be substantially different.

R2 (2-December 2014)

AMEYA360 Components Supply Platform

Authorized Distribution Brand:

























Website:

Welcome to visit www.ameya360.com

Contact Us:

> Address:

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd Minhang District, Shanghai , China

> Sales:

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

Customer Service :

Email service@ameya360.com

Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com