






12345



ACCOMODATED FFC/FPC




PCB LAYOUT - COMPONENT VIEW

DIM.A = 1.00 x No. of Spaces

DIM.B = DIM.A + 5.6

DIM.C = DIM.A + 2.1



TECHNICAL CHARACTERISTICS

MATERIAL

INSULATOR: PA 6T

FLAMABILITY RATING: UL94-V0

COLOUR: IVORY

ACTUATOR: PA 6T

COLOUR: BLACK

CONTACT MATERIAL: PHOSPHOR BRONZE

CONTACT PLATING: 120µ" TIN OVER 50µ" NICKEL

QUALITY CLASS: 20 MATING CYLCES

PITCH: 1.00mm

ENVIRONMENTAL

OPERATING TEMPERATURE: -40°C UP TO +105°C

COMPLIANCE: LEAD FREE AND ROHS

ELECTRICAL

CURRENT RATING: 1.0A

WORKING VOLTAGE: 100V AC/DC

INSULATION RESISTANCE: >500 MΩ

WITHSTANDING VOLTAGE: 500 VAC/min

CONTACT RESISTANCE: 50 mΩ max

STANDARD

CERTIFIED: E323964

SOLDERING

JEDEC LEAD FREE REFLOW SOLDERING PROCESS

PACKAGING

TAPE & REEL

AVAILABLE IN

4 -6-8-10-12-14-15-16-18-20-22-24-26-28-30

RoHS Compliant

PROJECTION:



GENERAL TOLERANCE

.X = ± 0.15

.XX = ± 0.10



APPROVAL: GM

UNIT: MM

SCALE:

SHEET: 1/3

DRAW: AS


DESCRIPTION: WR-FPC - SMT ZIF HORIZONTAL - BOTTOM CONTACT, 1.00MM HINGE TYPE

WERI PART NO: 686 1xx 148 922




SIZE

A4

RoHS Compliant				PROJECTION: 	GENERAL TOLERANCE .X = ± 0.15 .XX = ± 0.10		DESCRIPTION: WR-FPC - SMT ZIF HORIZONTAL - BOTTOM CONTACT, 1.00MM HINGE TYPE WERI PART NO: 686 1xx 148 922	SIZE A4
G								
F								
E								
D								
C				APPROVAL: GM	UNIT: MM SCALE: SHEET: 1/3 DRAW: AS		DESCRIPTION: WR-FPC - SMT ZIF HORIZONTAL - BOTTOM CONTACT, 1.00MM HINGE TYPE WERI PART NO: 686 1xx 148 922	SIZE A4
B								
A	20-OCT-14	PDF	AS					
REV	DATE	FILE	BY					



Circuits(1.0mm Pitch)	Dimension					Packing (Reel/Caton)
	E	F	W1	W2	W3	
4	16.0	—	16.5	22.5	16.5	11
5-12	24.0	—	24.5	30.5	24.5	9
13-16	32.0	28.40	32.5	38.5	32.5	7
17-28	44.0	40.40	44.5	50.5	44.5	5
29-32	56.0	52.50	56.5	62.5	56.5	4



RoHS Compliant			
G			
F			
E			
D			
C			
B			
A	24-JUL-14	PDF	AS
REV	DATE	FILE	BY

PROJECTION:



APPROVAL: GM

GENERAL TOLERANCE

.X = ± 0.15

.XX = ± 0.10

UNIT: MM

SCALE:

SHEET: 2/3

DRAW: AS



DESCRIPTION: WR-PHD SMT ZIF HORIZONTAL - BOTTOM CONTACT, 1.00MM HINGE TYPE

WERI PART NO: 686 1xx 148 922

SIZE

A4

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com