




PRODUCT NUMBER




SEE TABLE

SECTION THRU PC BOARD
SCALE 4:1

mat'l. code				surface		tolerance		projection		product family	
SEE NOTE 1				ASME Y14.5		ASME Y14.5		INCH/MM		PIN PRODUCTS	
ltr	ecr no	dr	date	tolerances unless otherwise specified		tolerances unless otherwise specified		INCH/MM		title	
A	V51002	MDF	1995-08-17	angles		XX*01/X*3		scale 2:1		BERGPIN® .200"[5.08]cc	
B	V51067	MDF	1995-10-03	0° ± 2°		XXX*005/XXX*13		FCI		.041"[1.04] DIA., .110"[2.79] LONG STAR	
C	V61411	EPK	1996-11-14	XXXX*0020/XXX*051						WITH SOLDER WASHER	
D	V92858	DLW	1999-08-30	dr	M. FETROW	1995-08-17				dwg no	sheet 1 of 3 size
E	VO6-0682	JRV	2006-07-18	enrg	L. FYE	1995-08-17				71258	A4
F	VO8-0354	HTB	2008-08-20	chr	L. FYE	1995-08-17					
				appd	L. FYE	1995-08-17				CUSTOMER Drawing	
sheet	revision	F	F	F							
index	sheet	1	2	3							

PRODUCT NUMBER

SEE TABLE



mat'l. code SEE NOTE 1				surface ASME Y14.5	tolerance ASME Y14.5	projection	product family PIN PRODUCTS
ltr	ecn no	dr	date	tolerances unless otherwise specified		INCH/MM	title
F				angles	XX*.01/X*.3 XXX*.005/XXX*.13		BERGPIN® .200"[5.08]cc .041"[1.04] DIA., .110"[2.79] LONG STAR WITH SOLDER WASHER
				0°±2'	XXXX*.0020/XXX*.051	scale 1:1	dwg no
				dr	M. FETROW 1995-08-17	FCI	sheet 2 of 3
				engr	L. FYE 1995-08-17		size
				chr	L. FYE 1995-08-17		71258
				appd	L. FYE 1995-08-17		A4
sheet index	revision sheet						type CUSTOMER Drawing



PRODUCT NUMBER	CONTACT AREA DIM A	TERMINATION AREA DIM B	OVERALL LENGTH DIM L	DIM H FOR .093/2.36 THK BOARD	DIM H FOR .125/3.18 THK BOARD
71258-010	.140/3.56	.100/2.54	.350/8.89	.318/8.08	.302/7.67
71258-020	.240/6.10	.040/1.02	.390/9.91	.148/3.76	.132/3.35
71258-030	.270/6.86	.040/1.02	.420/10.67	.248/6.30	.232/5.89
71258-040	.290/7.37	.040/1.02	.440/11.18	.278/7.06	.262/6.66
71258-050	.310/7.87	.040/1.02	.460/11.68	.298/7.57	.282/7.16
71258-060	.310/7.87	.090/2.29	.510/12.95	.318/8.08	.302/7.67
71258-070	.310/7.87	.120/3.05	.540/13.72	.318/8.08	.302/7.67
71258-080	.310/7.87	.170/4.32	.590/14.99	.318/8.08	.302/7.67
71258-090	.310/7.87	.270/6.86	.690/17.53	.318/8.08	.302/7.67
71258-100	.330/8.38	.040/1.02	.480/12.19	.338/8.59	.322/8.18
71258-110	.360/9.14	.040/1.02	.510/12.95	.368/9.35	.352/8.94
71258-120	.360/9.14	.310/7.87	.780/19.81	.368/9.35	.352/8.94
71258-130	.390/9.91	.040/1.02	.540/13.72	.398/10.11	.382/9.70
71258-140	.430/10.92	.040/1.02	.580/14.73	.438/11.25	.322/8.18
71258-150	.450/11.43	.040/1.02	.600/15.24	.458/11.63	.442/11.23
71258-160	.470/11.94	.460/11.68	1.040/26.42	.478/12.14	.462/11.74
71258-170	.485/12.32	.105/2.67	.700/17.78	.493/12.52	.477/12.12
71258-180	.567/14.40	.456/11.58	.933/23.70	.575/14.61	.559/14.20
71258-190	.585/14.86	.105/2.67	.800/20.32	.593/15.06	.577/14.60
71258-200	.590/14.99	.040/1.02	.740/18.80	.598/15.19	.582/14.78
71258-210	.705/17.91	.040/1.02	.855/21.72	.713/18.11	.697/17.70

NOTES:

- ① PIN MAT'L:
3/4 HARD PHOS BRONZE
PLATING:
30μ" [0.76μ] MIN Au OVER 50μ" [1.27μ] MIN Ni.
- ② BURNISH MARKS ON PIN PERMITTED.
BURR: .003 [0.08] MAX, BULGE: .0005 [0.013] MAX TYP.
3. SEE PRODUCT SPECIFICATION BUS-12-064 FOR
P.C. BOARD HOLE DIAMETER AND P.C. BOARD HOLE
PLATING INFORMATION.
- ④ FOR MANUFACTURING PURPOSES ONLY.
- ⑤ DOUBLE ENDED PINS AS MARKED MUST MEET SPECS
IN VIEWS C AND D ON BOTH ENDS. OTHERS TO
HAVE .016 [0.41] MAX DIM ON BOTTOM END OF PIN.
- ⑥ SOLDER MAY BULGE IN THIS AREA BUT WILL
NOT TOUCH FERRULE.
SOLDER VOLUME: 82.5 MIN PER PIN
(.068 X .074 X .021) BEFORE FORMING.
7. "A" DIM. IS TO FEATURE ON PIN.
"H" DIM. IS ABOVE BOARD.
"B" DIM. IS TO FEATURE ON PIN.

mat'l. code	surface	tolerance	projection	product family
SEE NOTE 1	ASME Y14.5	ASME Y14.5		PIN PRODUCTS
ltr	ecr no	dr	date	title
F				BERGPIN® .200"[5.08]cc
				.041"[1.04] DIA., .110"[2.79] LONG STAR
				WITH SOLDER WASHER
				dwg no
				sheet 3 of 3
				size
				71258
				A4
				type
				CUSTOMER Drawing
sheet	revision			
index	sheet			

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com