







SECTION K-K'



LEGEND		SD-35362-****		COLOR	
FINAL GOOD (BULK)	5 : SELECTIVE KINK (LEAD FREE)	CTK NO.	****	0 : NATURAL	
	6 : NONE KINK (LEAD FREE)			1 : BLACK	
SUB ASSY (TUBE)	7 : SELECTIVE KINK (LEAD FREE)			2 : RED	
	8 : NONE KINK (LEAD FREE)			3 : YELLOW	
				4 : BLUE	
				5 : GREEN	
				6 : TUBE PACKING (Natural Color)	
				7 : TUBE PACKING (Red Color)	
				8 : TUBE PACKING (Blue Color)	

NOTES

- MATERIAL : UNFILLED POLYAMIDE, UL94V-0
PIN : BRASS . TIN PLATED
- FINISHES : TERMINAL : Sn 2.3um OVERALL
- PRODUCT SPECIFICATION : PS-35507-003
- MATING HOUSING : 35507-***0
MATING TERMINAL : 50212-8000
- KINK

CKT	CKT NO	1	2	3	4	5	N-2	N-1	N
6 CKT OVER		-	A	B	-	-	B	A	-
5 CKT		A	B	-	B	A			
4 CKT		A	B	B	A				

31.3	28	32.3	3536215**	35362-15**	15
29.3	26	30.3	3536214**	35362-14**	14
27.3	24	28.3	3536213**	35362-13**	13
25.3	22	26.3	3536212**	35362-12**	12
23.3	20	24.3	3536211**	35362-11**	11
21.3	18	22.3	3536210**	35362-10**	10
19.3	16	20.3	3536209**	35362-09**	9
17.3	14	18.3	3536208**	35362-08**	8
15.3	12	16.3	3536207**	35362-07**	7
13.3	10	14.3	3536206**	35362-06**	6
11.3	8	12.3	3536205**	35362-05**	5
9.3	6	10.3	3536204**	35362-04**	4
(C)	B	(A)	ENG. NO.	ENG. NO.	CKT

LEAD FREE	
30 over	±0.3
10 over 30 under	±0.25
10 under	±0.2
ANGLE	±3°
GENERAL TOLERANCE	



REVISED
EC NO: KOR2009-0123
DRWN: HJEONG
CHKD: YSOKKIM
APPR: YUNS IKKIM
2009/03/09
2009/03/10
2009/03/11

QUALITY SYMBOLS
▽=0
▽=0


GENERAL TOLERANCES (UNLESS SPECIFIED)
mm INCH
4 PLACES ± --- ± ---
3 PLACES ± --- ± ---
2 PLACES ± --- ± ---
1 PLACE ± --- ± ---
ANGULAR ± --- °
DRAFT WHERE APPLICABLE
MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY
DRAWN BY
YSOKKIM
DATE
1996/09/11
CHECKED BY
YSOKKIM
DATE
1996/09/11
APPROVED BY
CWLEE
DATE
1996/09/11
MATERIAL NO.
SEE TABLEE
SIZE
A3
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION


SCALE
5:1
DESIGN UNITS
METRIC
THIRD ANGLE PROJECTION
2.0 W/B WAFER ASS'Y
-LEAD FREE-
MOLEX INCORPORATED
DOCUMENT NO.
SD-35362-002
SHEET NO.
1 OF 3



RECOMMENDED P.C. BOARD HOLE DIM.(REF)
(PCB THICKNESS = 1.6)



ISOMETRIC VIEW



SECTION K-K'

LEGEND



SD-35362-***

CKT NO.

COLOR

- FINAL GOOD (BULK) : 5 : SELECTIVE KINK (LEAD FREE)
6 : NONE KINK (LEAD FREE)
- SUB ASSY (TUBE) : 7 : SELECTIVE KINK (LEAD FREE)
8 : NONE KINK (LEAD FREE)

- 0 : NATURAL
1 : BLACK
2 : RED
3 : YELLOW
4 : BLUE
5 : GREEN
- 6 : TUBE PACKING (Natural Color)
7 : TUBE PACKING (Red Color)
8 : TUBE PACKING (Blue Color)




NOTES

- MATERIAL : WAFER : UNFILLED POLYAMIDE, UL94V-0
PIN : BRASS
- FINISHES : TERMINAL : Sn 2.3um OVERALL
- PRODUCT SPECIFICATION : PS-35507-003
- MATING HOUSING : 35507-***0*
MATING TERMINAL : 50212-8000
- KINK

CKT	CKT NO	1	2	3	-	-	N-2	N-1	N
16±20	CKT	-	A	B	-	-	B	A	-

41.3	38	42.3	3536220**	35362-20**	20
39.3	36	40.3	3536219**	35362-19**	19
37.3	34	38.3	3536218**	35362-18**	18
35.3	32	36.3	3536217**	35362-17**	17
33.3	30	34.3	3536216**	35362-16**	16
(C)	B	(A)	MATERIAL NO.	ENG. NO.	CKT



LEAD FREE	
30 over	±0.3
10 over 30 under	±0.25
10 under	±0.2
ANGLE	±3°
GENERAL TOLERANCE	

REVISED
EC NO: KOR2009-0123
DRWN:HJEONG 2009/03/09
CHKD:YSOOKIM 2009/03/10
APPR:YUNS IKKIM 2009/03/11

QUALITY SYMBOLS
▽=0
△=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	±---	±---
3 PLACES	±---	±---
2 PLACES	±---	±---
1 PLACE	±---	±---
ANGULAR	±---	°

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY

DRAWN BY
YSOOKIM
1996/09/11

CHECKED BY
JKOH
1996/09/11

APPROVED BY
CWLEE
1996/09/11

MATERIAL NO.
SEE TABLE

SCALE
5:1

DESIGN UNITS
METRIC

THIRD ANGLE PROJECTION





2.0 W/B WAFER ASS'Y
-LEAD FREE-

MOLEX INCORPORATED

DOCUMENT NO.
SD-35362-002

SHEET NO.
3 OF 3

10 9 8 7 6 5 4 3 2 1



KINK TABLE(FOR 35362-****)

CKT NO	1	2	3	4	5	N-2	N-1	N
6 CKT OVER	-	A	B	-	-	B	A	-
5 CKT	A	B	-	B	A			
4 CKT	A	B	B	A				
3 CKT	A	B	A					
2 CKT	-							

** 35362-0287 IS ONLY KINKED 2P

CKT NO	1	2
PRODUCT NO.	A	B
35362-0287	A	B

LEGEND.	
2-20 Circuits	CKT NO.
Final GOOD (Bulk)	5 : SELECTIVE KINK 6 : NONE KINK
Sub Assy (Tube)	7 : SELECTIVE KINK 8 : NONE KINK
	KINK
	COLOR & PACKING
	0 : NATURAL 1 : BLACK 2 : RED 3 : YELLOW 4 : BLUE 5 : GREEN 6 : TUBE PACKING (Natural Color) 7 : TUBE PACKING (RED Color) 8 : TUBE PACKING (BLUE Color)

NOTES

- MATERIAL : TUBE - TRANSLUCENT P.V.C (P-1000)
Wafer - POLYAMIDE, UL94V-0
PIN - BRASS SQ 0.5mm
- BOW(CAMBER): 1.0mm MAX/Total Length
- DIMENSIONS GIVEN ACROSS CENTER LINES ARE SYMMETRICAL ABOUT THOSE CENTER LINES WITH HALF THE TOTAL LENGTH.
- TOTAL TUBE LENGTH : 560mm ± 1mm
- TWIST : 5° MAX./Total Length
- BURRS : 0.2mm MAX.
- SKREW : PRODUCTS MUST BE FLOWED SMOOTHLY WHEN THIS STICK IS PLACES 30° ANGLE.
- THICKNESS : 0.6mm ± 0.1mm
- ARTWORK : PER E-35900-0434 (SILK SCREEN COLOR : RED)
- APPLICABLE STOPPER(RUBBER) : 35900-0435

TABLE

10	20**	-20**	20
10	19**	-19**	19
10	18**	-18**	18
10	17**	-17**	17
15	16**	-16**	16
15	15**	-15**	15
15	14**	-14**	14
15	13**	-13**	13
15	12**	-12**	12
20	11**	-11**	11
20	10**	-10**	10
25	09**	-09**	9
25	08**	-08**	8
30	07**	-07**	7
35	06**	-06**	6
40	05**	-05**	5
50	04**	-04**	4
60	03**	-03**	3
70	3536202**	35362-02**	2
QT'y	Material NO.	ENG. NO.	CKT

LEAD FREE

REVISED EC NO: KOR2009-0123 DRWN: HJEONG CHKD: YSOKKIM APPR: YUNSIKKIM	DESCRIPTION	QUALITY SYMBOLS ▽=0 ◻=0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>2 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>1 PLACE</td><td>± 0.2</td><td>± ---</td></tr><tr><td colspan="3">ANGULAR ± 1 °</td></tr></table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± ---	± ---	1 PLACE	± 0.2	± ---	ANGULAR ± 1 °			DIMENSION STYLE MM ONLY <table><tr><td>DRAWN BY</td><td>DATE</td></tr><tr><td>YSOOKIM</td><td>2000/12/11</td></tr><tr><td>CHECKED BY</td><td>DATE</td></tr><tr><td>JKOH</td><td>2000/12/11</td></tr><tr><td>APPROVED BY</td><td>DATE</td></tr><tr><td>CWLEE</td><td>2000/12/11</td></tr></table>	DRAWN BY	DATE	YSOOKIM	2000/12/11	CHECKED BY	DATE	JKOH	2000/12/11	APPROVED BY	DATE	CWLEE	2000/12/11	SCALE 5:1	DESIGN UNITS METRIC		THIRD ANGLE PROJECTION	TITLE 2.0 W/B WAFER ASS'Y TUBE PACKING -LEAD FREE-	MOLEX MOLEX INCORPORATED	DOCUMENT NO. SD-35362-003	SHEET NO. 1 OF 1
					mm	INCH																																				
				4 PLACES	± ---	± ---																																				
				3 PLACES	± ---	± ---																																				
				2 PLACES	± ---	± ---																																				
1 PLACE	± 0.2	± ---																																								
ANGULAR ± 1 °																																										
DRAWN BY	DATE																																									
YSOOKIM	2000/12/11																																									
CHECKED BY	DATE																																									
JKOH	2000/12/11																																									
APPROVED BY	DATE																																									
CWLEE	2000/12/11																																									

REV	B	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
-----	---	--	------------	--	--	--	--	--	--	--	--

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com