1801 Morgan Street Rockford, Illinois 61102 800-435-2931 www.molexkits.com



Datasheet for 76650-0014

General Information

Part Number: 76650-0014

Manufacturer: Molex / Waldom

Title: Mini-Fit Jr. Power Connector Kit

Description: Panel Mount Plug and Receptacle

Product Family: Mini-Fit Jr.™

Certificates: (Molex parts within this kit) EU and China RoHS Compliant, UL, CSA and TUV

Country of Origin: Kit assembled in U.S.A.

Specifications

Design

Configuration: Wire-to-Wire

Pitch: 4.20mm (.165")

Connector Type: Plug and Receptacle

Mounting

Orientation: Panel Mount and Free Hanging

Circuit Sizes: 2, 3, 4, 6, 8, 10, 12, 14, 16, 18 and 20

Current Rating: (3 - 9) Amps dependent on AWG and circuit size

Voltage: 600 Volts
Wire size: 24-18 AWG

Product Highlights

The Mini-Fit Jr. Series is designed for high current/high density applications. The Mini-Fit Jr. is appropriate for both power and signal applications as it can carry currents of up to 9 amps per circuit. The Mini-Fit product family accepts the same terminals and application tooling, further reducing your design and qualification effort.

Features and Benefits

- Fully isolated terminals
- Positive housing locks
- Four point of contact for reliability
- · Low engagement force terminals

Applications

- Security and Alarms
- Vending and Gaming Machines
- White Goods
- Production Equipment
- Broadcast Equipment
- Telecom Infrastructure



Datasheet for 76650-0014

Bill of Materials for Part No. 76650-0014 Quantity in Country Molex Part No. of Origin Description Kit 39-00-0039 USA Crimp Type Female Socket Terminals, 24-18 AWG 100 39-00-0041 USA Crimp Type Male Pin Terminals, 24-18 AWG 100 USA 5 39-01-2020 2 Circuit Free Hanging Receptacle, 4.20mm/.165" Pitch USA 4 Circuit Free Hanging Receptacle, 4.20mm/.165" Pitch 5 39-01-2040 39-01-2060 USA 6 Circuit Free Hanging Receptacle, 4.20mm/.165" Pitch 5 39-01-2080 USA 8 Circuit Free Hanging Receptacle, 4.20mm/.165" Pitch 5 USA 5 39-01-2100 10 Circuit Free Hanging Receptacle, 4.20mm/.165" Pitch USA 4 39-01-2120 12 Circuit Free Hanging Receptacle, 4.20mm/.165" Pitch USA 3 39-01-2140 14 Circuit Free Hanging Receptacle, 4.20mm/.165" Pitch 39-01-2160 China 16 Circuit Free Hanging Receptacle, 4.20mm/.165" Pitch 3 USA 39-01-2180 18 Circuit Free Hanging Receptacle, 4.20mm/.165" Pitch 3 USA 3 39-01-2200 20 Circuit Free Hanging Receptacle, 4.20mm/.165" Pitch 39-01-2021 USA 2 Circuit Panel Mount Plugs, 4.20mm/.165" Pitch 5 39-01-2041 USA 4 Circuit Panel Mount Plugs, 4.20mm/.165" Pitch 5 5 39-01-2061 USA 6 Circuit Panel Mount Plugs, 4.20mm/.165" Pitch 39-01-2081 Japan 8 Circuit Panel Mount Plugs, 4.20mm/.165" Pitch 5 39-01-2101 USA 10 Circuit Panel Mount Plugs, 4.20mm/.165" Pitch 5 USA 4 39-01-2121 12 Circuit Panel Mount Plugs, 4.20mm/.165" Pitch 14 Circuit Panel Mount Plugs, 4.20mm/.165" Pitch 39-01-2141 USA 3 39-01-2161 Korea 16 Circuit Panel Mount Plugs, 4.20mm/.165" Pitch 3 USA 39-01-2181 18 Circuit Panel Mount Plugs, 4.20mm/.165" Pitch 3 USA 3 39-01-2201 20 Circuit Panel Mount Plugs, 4.20mm/.165" Pitch

Recommended Molex Tool(s) for Part No. 76650-0014*

	Country		
Molex Part No.	of Origin	Description	
63819-0900 *	Sweden	Hand Crimp Tool	
11-03-0044 *	Sweden	Extraction Tool	

^{*}Tool(s) not included in kit. Tool(s) ordered separately.

AMEYA360 Components Supply Platform

Authorized Distribution Brand:

























Website:

Welcome to visit www.ameya360.com

Contact Us:

Address:

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd Minhang District, Shanghai , China

> Sales:

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

Customer Service :

Email service@ameya360.com

Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com