

"High Frequency Ceramic Solutions"

5.25 GHz Balun

P/N 5250BL14B100

Detail Specification: 09/10/04

Page 1 of 2

General Specifications

| | |
|----------------------------|--------------|
| Part Number | 5250BL14B100 |
| Frequency (MHz) | 5150 - 5350 |
| Unbalanced Impedance | 50 Ω |
| Differential Balanced Imp. | 100 Ω |
| Insertion Loss | 1.0 dB max. |
| Return Loss | 9.5 dB min. |
| Phase Difference (degree) | 180 \pm 10 |
| Amplitude Difference | 1.5 dB max. |



| | |
|-----------------------|--------------|
| Operating Temperature | -40 to +85°C |
| Reel Quantity | 4,000 |
| Power Capacity | 3 Watts max. |

Terminal Configuration

| No. | Function |
|-----|-------------------------|
| 1 | Unbalanced Port (IN) |
| 2 | GND or DC feed + RF GND |
| 3 | Balanced Port (OUT1) |
| 4 | Balanced Port (OUT2) |
| 5 | GND |
| 6 | NC |

Mechanical Dimensions

| | In | mm |
|---|--------------------|-----------------|
| L | 0.063 \pm 0.004 | 1.60 \pm 0.10 |
| W | 0.031 \pm 0.004 | 0.80 \pm 0.10 |
| T | 0.024 \pm 0.004 | 0.60 \pm 0.10 |
| a | 0.008 \pm 0.004 | 0.20 \pm 0.10 |
| b | 0.008 +.004/-0.006 | 0.20 +0.1/-0.15 |
| c | 0.006 \pm 0.004 | 0.15 \pm 0.10 |
| g | 0.012 \pm 0.004 | 0.30 \pm 0.10 |
| p | 0.020 \pm 0.002 | 0.50 \pm 0.05 |




Mounting Considerations

Mount these devices with brown mark facing up.

* Line width should be designed to provide proper impedance matching characteristics.

** By-pass capacitor should be connected when feeding DC power.



Johanson Technology, Inc. reserves the right to make design changes without notice.
All sales are subject to Johanson Technology, Inc. terms and conditions.



www.johansontechnology.com

931 Via Alondra • Camarillo, CA 93012 • TEL 805.389.1166 FAX 805.389.1821

2003 Johanson Technology, Inc. All Rights Reserved

"High Frequency Ceramic Solutions"


5.25 GHz Balun

P/N 5250BL14B100

Detail Specification: 09/10/04

Page 2 of 2

Typical Electrical Performance (T=25°C)



Johanson Technology, Inc. reserves the right to make design changes without notice.

All sales are subject to Johanson Technology, Inc. terms and conditions.



www.johansontechnology.com

931 Via Alondra • Camarillo, CA 93012 • TEL 805.389.1166 FAX 805.389.1821

2003 Johanson Technology, Inc. All Rights Reserved

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype [ameyasales1](#) [ameyasales2](#)

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com