


DESCRIPTION: .085" RIBBON FEMALE R/A BOARD MOUNT



No. OF PINS	DIMENSIONS			
	A	B	C	D
14	1.728	1.417	0.992	0.602
	43.90	36.00	25.20	15.30
24	2.154	1.843	1.417	0.600
	54.70	46.80	36.00	15.25
36	2.667	2.352	1.925	0.600
	67.75	59.74	48.90	15.25
50	3.272	2.947	2.524	0.600
	83.10	74.85	64.10	15.25

MATERIAL:

SHELL: COLD ROLLED STEEL, NICKEL PLATED

INSULATOR: PA9T, UL94V-0, BLUE

CONTACTS: PHOSPHOR BRONZE OR BRASS, GOLD FLASH IN THE MATING AREA

CONTACT PLATING: MATTE TIN IN THE SOLDER AREA

SPECIFICATION:

CURRENT RATING: 1 AMP

INSULATION RESISTANCE: 1,000 MegOhms min.

WITHSTANDING VOLTAGE: 1,000VAC FOR 1 MINUTE



VOLTAGE: 250 VAC max.

CONTACT RESISTANCE: 30 milliOhms max.

OPERATING TEMPERATURE: -55° C TO 105° C

INSERTION FORCE: 25 Lb. max.

WITHDRAWAL FORCE: 2 Lb. min.



112-YYY-2 1 3 R 00 1

SERIES 112

POSITIONS YYY

014

024

036

050

GENDER 2 = FEMALE

TERMINATION 1 = DIP SOLDER

SHELL PLATING 3 = NICKEL PLATED

RoHS COMPLIANT (HIGH TEMP. PROCESS)

HARDWARE OPTIONS 00 = 4-40 THREAD PCB

PLATING OPTIONS 1 = GOLD FLASH





RECOMMENDED PCB LAYOUT

RoHS COMPLIANT

DO NOT SCALE FROM DRAWING

	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.		DRAWN: WAYNE ROBBINS		DATE: 9-15-05	
			CHECKED:		DATE:	
			SCALE: 1:1	SHEET 1 OF 2	REV 7	
NorComp			DWG NO. 112-YYY-213R001			

	014	024	036	050
C	1.417	1.843	2.352	2.947
	36.00	46.80	59.74	74.85



NOTEDIMENSION "C" =
CENTER TO CENTER OF MOUNTING HOLES
CENTER OF RADI
OVERALL LENGTH OF CUTOUT

DO NOT SCALE FROM DRAWING

	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OF SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWN: M. SIGMON		DATE: 01-14-11	
		CHECKED:		DATE:	
NorComp	SCALE: NONE		SHEET 2 OF 2		REV 7
	DWG NO. 112-YYY-213R001				

RoHS COMPLIANT

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692
Email amall@ameya360.com
QQ 800077892
Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333
Email mkt@ameya360.com