

1	2	3	4	5
---	---	---	---	---

TECHNICAL CHARACTERISTICS

MATERIAL

INSULATOR: PBT

FLAMABILITY RATING: UL94-V0

COLOR: BLACK

CONTACT MATERIAL: COPPER ALLOY

CONTACT TYPE: STAMPED CONTACT

PLATING: GOLD

METAL PIN: BRASS NI PLATED

QUALITY CLASS: 500 MATING CYLCES

ENVIRONMENTAL

OPERATING TEMPERATURE: -40°C UP TO +85°C

COMPLIANCE: LEAD FREE AND ROHS

ELECTRICAL

CURRENT RATING: 1.5A

WORKING VOLTAGE: 120V AC

INSULATION RESISTANCE: >500 MΩ

WITHSTANDING VOLTAGE: 1000 VAC/min

CONTACT RESISTANCE: 20 mΩ max

STANDARD



CERTIFIED: E324776

SOLDERING

JEDEC LEAD FREE WAVE SOLDERING PROCESS

PACKAGING

TRAY

RoHS Compliant				<div>PROJECTION:</div> <div></div>	<div>GENERAL TOLERANCE</div> <div>.X = <math>\pm</math> 0.3</div> <div>.XX = <math>\pm</math> 0.20</div>	<div></div>		
G								
F								
E								
D								
C				APPROVAL: RJ	UNIT: MM	DESCRIPTION: HORIZONTAL PLASTIC 8P8C		SIZE <b>A4</b>
B					SCALE:	ASSEMBLY MODULAR JACK TAB UP		
A	29-JUL-14	PDF	AS		SHEET: 1/1	WERI PART NO: 615 008 149 521 R		
REV	DATE	FILE	BY		DRAW: AS			






1

2

3

4




5





3 piles  
11 trays/pile  
2 more trays on upper layer



Carton size: 460x310x310  
Waterproof bag size: 450x350x570



70 pcs/tray  
35 trays/carton  
2450 pcs/carton

RoHS Compliant				<div>PROJECTION:</div> <div></div>	<div>GENERAL TOLERANCE</div> <div>.X = <math>\pm</math> 0.2</div> <div>.XX = <math>\pm</math> 0.15</div>	<div> WÜRTH ELEKTRONIK</div>		
G								
F								
E								
D								
C				APPROVAL: RJ	UNIT: MM	DESCRIPTION: HORIZONTAL PLASTIC 8P8C		SIZE <b>A4</b>
B					SCALE:	ASSEMBLY MODULAR JACK TAB UP		
A	23-JUL-14	PDF	AS		SHEET: 1/1	WERI PART NO: 615 006 149 521 R		
REV	DATE	FILE	BY		DRAW: AS			

A

B

C

D

# AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit [www.ameya360.com](http://www.ameya360.com)

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd  
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email [amall@ameya360.com](mailto:amall@ameya360.com)

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email [service@ameya360.com](mailto:service@ameya360.com)

➤ Partnership :

Tel +86 (21) 64016692-8333

Email [mkt@ameya360.com](mailto:mkt@ameya360.com)