

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG ,2006.

COPYRIGHT

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR

DESCRIPTION

DATE

DWN

APVD







C

REVISED (ECR-13-003844)

04JUN13

JL

WK



NOTE:

- MATERIAL:
HOUSING: THERMOPLASTIC(LCP),
UL 94V-0, COLOR: NATURE.
ACTUATOR: THERMOPLASTIC, UL 94 V-0,
COLOR: IVORY.
HOLD DOWN: PHOSPHOR BRONZE.
CONTACT: PHOSPHOR BRONZE.
- FINISH:
CONTACT: GOLD FLASH OVER ALL,
50u" MIN. NICKEL UNDERPLATED ALL OVER.
HOLD DOWN: 100u" MIN. BRIGHT TIN PLATING OVER,
50u" MIN. NICKEL UNDERPLATED ALL OVER.
WITHOUT AMP LOGO FOR 12 POSITION UNDER

24.50	25.60	30.43	50	5-1734592-0
24.00	25.10	29.93	49	4-1734592-9
23.50	24.60	29.43	48	4-1734592-8
23.00	24.10	28.93	47	4-1734592-7
22.50	23.60	28.43	46	4-1734592-6
22.00	23.10	27.63	45	4-1734592-5
21.50	22.60	27.43	44	4-1734592-4
21.00	22.10	26.93	43	4-1734592-3
20.50	21.60	26.43	42	4-1734592-2
20.00	21.10	25.93	41	4-1734592-1
19.50	20.60	25.43	40	4-1734592-0
19.00	20.10	24.93	39	3-1734592-9
18.50	19.60	24.43	38	3-1734592-8
18.00	19.10	23.93	37	3-1734592-7
17.50	18.60	23.43	36	3-1734592-6
17.00	18.10	22.93	35	3-1734592-5
16.50	17.60	22.43	34	3-1734592-4
16.00	17.10	21.93	33	3-1734592-3
15.50	16.60	21.43	32	3-1734592-2
15.00	16.10	20.93	31	3-1734592-1
14.50	15.60	20.43	30	3-1734592-0
14.00	15.10	19.93	29	2-1734592-9
13.50	14.60	19.43	28	2-1734592-8
13.00	14.10	18.93	27	2-1734592-7
12.50	13.60	18.43	26	2-1734592-6
12.00	13.10	17.93	25	2-1734592-5
11.50	12.60	17.43	24	2-1734592-4
11.00	12.10	16.93	23	2-1734592-3
10.50	11.60	16.43	22	2-1734592-2
10.00	11.10	15.93	21	2-1734592-1
9.50	10.60	15.43	20	2-1734592-0
9.00	10.10	14.93	19	1-1734592-9
8.50	9.60	14.43	18	1-1734592-8
8.00	9.10	13.93	17	1-1734592-7
7.50	8.60	13.43	16	1-1734592-6
7.00	8.10	12.93	15	1-1734592-5
6.50	7.60	12.43	14	1-1734592-4
6.00	7.10	11.93	13	1-1734592-3
5.50	6.60	11.43	12	1-1734592-2
5.00	6.10	10.93	11	1-1734592-1
4.50	5.60	10.43	10	1-1734592-0
4.00	5.10	9.93	09	0-1734592-9
3.50	4.60	9.43	08	0-1734592-8
3.00	4.10	8.93	07	0-1734592-7
2.50	3.60	8.43	06	0-1734592-6
2.00	3.10	7.93	05	0-1734592-5
C	B	A	POS.	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

15APR2009

CHK

J. LAI

15APR2009

APVD

S. CHIEN

15APR2009

PRODUCT SPEC

108-57523

QUALIFICATION TEST REPORT

501-57598

WEIGHT

- GRAMS

CUSTOMER DRAWING

DIMENSIONS:

MM



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	± -
1 PLC	± 0.35
2 PLC	± 0.25
3 PLC	± -
4 PLC	± -
ANGLES	± 3°

MATERIAL

SEE NOTE

FINISH

SEE NOTE

STE

TE Connectivity

NAME

FPC CONNECTOR, 0.5mm PITCH, BOTTOM CONTACT, SMT TYPE.

SIZE

A3

CAGE CODE

00779

DRAWING NO

C=1734592

RESTRICTED TO

-

SCALE


-

SHEET

1 OF 3


REV

C



RECOMMENDED PCB DIMENSIONS DIAGRAM

TOLERANCE ± 0.05



TOLERANCE ± 0.05

THIS DRAWING IS A CONTROLLED DOCUMENT.

	DWN
--	-----

CHK

APV

PRODUCT SPEC

APPLICATION SPEC.

CUSTOMER DRAWING

DIMENSIONS:
MM

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC	$\pm -$
1 PLC	± 0.35
2 PLC	± 0.25
3 PLC	$\pm -$
4 PLC	$\pm -$
ANGLES	$\pm 3'$

ANGLES
FINISH

	MATERIAL
--	----------



TE Connectivity

	NAME
--	------

FPC CONNECTOR, 0.5mm PITCH, BOTTOM CONTACT,
SMT TYPE.

SIZE	
------	--

CAGE CODE	
-----------	--

DATE	DRAWING NO
------	------------

RESTRICTED TO

	SCALE
--	-------

SHEET

2 OF 3

REV	C
-----	---

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

AUG ,2006.

© COPYRIGHT

BY TYCO ELECTRONICS CORPORATION.

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR



DESCRIPTION

DATE

DWN

APVD

SEE SHEET 1.



NOTE :

1. TAPE REEL:
DIAMETER: 13", THICKNESS : 0.35±0.05mm.
2. CARTON:
SIZE: 350mm(L)X 350mm(W)X 340mm(H).

12000		44.00	26.70	30.55	31.50	50		
		44.00	26.20	30.05	31.00	49		
		44.00	25.70	29.55	30.50	48		
		44.00	25.20	29.05	30.00	47		
		44.00	24.70	28.55	29.50	46		
		44.00	24.20	28.05	29.00	45		
		44.00	23.70	27.55	28.50	44		
		44.00	23.20	27.05	28.00	43		
		44.00	22.70	26.55	27.50	42		
		44.00	22.20	26.05	27.00	41		
		44.00	21.70	25.55	26.50	40		
		44.00	21.20	25.05	26.00	39		
		44.00	20.70	24.55	25.50	38		
		44.00	20.20	24.05	25.00	37		
		44.00	19.70	23.55	24.50	36		
		44.00	19.20	23.05	24.00	35		
		44.00	18.70	22.55	23.50	34		
		44.00	18.20	22.05	23.00	33		
		44.00	17.70	21.55	22.50	32		
		44.00	17.20	21.05	22.00	31		
16000		32.00	16.70	20.55	21.50	30		
		32.00	16.20	20.05	21.00	29		
		32.00	15.70	19.55	20.50	28		
		32.00	15.20	19.05	20.00	27		
		32.00	14.70	18.55	19.50	26		
		32.00	14.20	18.05	19.00	25		
		32.00	13.70	17.55	18.50	24		
		32.00	13.20	17.05	18.00	23		
		32.00	12.70	16.55	17.50	22		
		32.00	12.20	16.05	17.00	21		
		20000		24.00	11.70	15.55	16.50	20
				24.00	11.20	15.05	16.00	19
24.00	10.70			14.55	15.50	18		
24.00	10.20			14.05	15.00	17		
24.00	9.70			13.55	14.50	16		
24.00	9.20			13.05	14.00	15		
24.00	8.70			12.55	13.50	14		
24.00	8.20			12.05	13.00	13		
24.00	7.70			11.55	12.50	12		
24.00	7.20			11.05	12.00	11		
24.00	6.70			10.55	11.50	10		
24.00	6.20			10.05	11.00	09		
24.00	5.70			9.55	10.50	08		
24.00	5.20			9.05	10.00	07		
24.00	4.70			8.55	9.50	06		
24.00	4.20			8.05	9.00	05		
APQ (PCS/CARTON)	PPQ (PCS/REEL)	D	C	B	A	POS.		
DIMENSIONS								

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	 TE Connectivity			
DIMENSIONS: MM		CHK				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD				
0 PLC ± -		PRODUCT SPEC				
1 PLC ± -		APPLICATION SPEC	NAME			
2 PLC ± -		WEIGHT	FPC CONNECTOR, 0.5mm PITCH, BOTTOM CONTACT, SMT TYPE.			
3 PLC ± -		CUSTOMER DRAWING	SIZE			
4 PLC ± -			CAGE CODE			
ANGLES ± -			DRAWING NO			
FINISH			RESTRICTED TO			
MATERIAL			A3 00779 C=1734592			
			SCALE			
			SHEET 3 OF 3			
			REV C			

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com