


SCALE DRAWING 1:1



ELECTRICAL TESTING

TEST:	Z	Z
FREQUENCY	25 MHz	100 MHz
NOMINAL	538 Ω	835 Ω
MINIMUM	-	626 Ω

Z, R, X vs Frequency



UNCONTROLLED DOCUMENT

NOTES:

1. WIRE: 2-1/2 TURN, 24 AWG TCW 0.51 [.020] DIA.
2. PLATING: 100% TIN 5μ ± 2μ [200 μin ± 80μin]
3. LEADS:
 - A. LEADS SOLDERABILITY CONFORMS TO MIL-STD-202F, METHOD 208F.
4. REF. STEWARD CORE P/N 28C0236-000.
5. WEIGHT/1000 1.22 kgs. 2.7 lbs.

AGILENT E4991A RF Impedance/Material Analyzer
HP 16194A Test Fixture

DIMENSIONS:

A	6.00 [.236]	+	0.20 [.008]
B	14.99 [.590]	+	1.50 [.059]
C	10.00 [.394]	+	0.25 [.010]
D	0.51 [.025]		TYP.
E	14.61 [.575]		MAX.
L1	5.99 [.236]	+	0.76 [.030]
L2	2.54 [.100]	+	1.50 [.059]

DIMENSIONS ARE IN mm [INCHES].				This print is the property of Laird Tech. and is loaned in confidence subject to return upon request and with the understanding that no copies shall be made without the written consent of Laird Tech. All rights to design or invention are reserved.					
J	ADD L2 DIMENSION CALLOUT UPDATE COMPANY LOGO	09/03/08	TMB	PROJECT/PART NUMBER: 28C0236-0BS-10 DATE: 02/07/94 CAD # 28C0236-0BS-10-J SCALE: 4 : 1 TOOL # C0236 MATERIAL: NiZn Ferrite			REV	PART TYPE:	DRAWN BY:
H	UPDATE COMPANY LOGO	04/16/07	JRK				J	ASSEMBLY	JAZ
G	ADJUST A DIMS/TOLS ADD ROHS SYMB.	03/07/07	JRK						
F	CORRECT NOTE 5	07/07/05	JRK						
E	CHANGE P/N TO -10 REV NOTES 2&5	10/07/03	JRK						
D	UPDATE PRINT FORMAT MODIFY NOTES ADD Z R XL CURVE	02/20/02	JRK						
C	UPDATE PRINT FORMAT	08/28/97	BAC						
REV	DESCRIPTION	DATE	INT						

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype [ameyasales1](#) [ameyasales2](#)

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com