



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
www.tripplite.com

## Heavy-Duty Power Extension Cord, 15A, 14AWG (IEC-320-C14 to IEC-320-C13) 6-ft.

MODEL NUMBER: **P005-006**



### Highlights

- C13 to C14 Power Cable, 6 ft.
- 14 AWG x 3C
- 15A / 100 - 250V
- RoHS Compliant
- UL Listed

### Package Includes

C13 to C14 Power Cable, 6 ft.

### Description

Use Tripp Lite's P005-006 in server applications that require a higher rated, heavier gauge cable. C13 to C14 connectors, 3 x 14 AWG conductors, 15A rating, 100-250V.

### Features

- Molded, Heavy-Duty Power Cable, 6 ft.
- IEC-60320-C13 to IEC-60320-C14
- 14 AWG x 3C, SJT, 15A, 100-250 Volt
- RoHS Compliant
- UL Listed

## Specifications

| OVERVIEW             |                  |
|----------------------|------------------|
| Intended Application | Powering Devices |
| Cable Type           | POWER            |
| Model Type           | Power Cords      |
| INPUT                |                  |
| Cable Length (ft.)   | 6                |
| Cable Length (m)     | 1.83             |
| UPC ASSIGNMENT       |                  |



**Tripp Lite**  
1111 W. 35th Street  
Chicago, IL 60609 USA  
Telephone: 773.869.1234  
[www.tripplite.com](http://www.tripplite.com)

|                                     |                           |
|-------------------------------------|---------------------------|
| Unit Carton UPC#                    | 037332150004              |
| <b>PHYSICAL</b>                     |                           |
| Color                               | Black                     |
| Style                               | Power Cables              |
| <b>CONNECTIONS</b>                  |                           |
| Connector A                         | IEC-320-C13               |
| Connector B                         | IEC-320-C14               |
| Number of Connectors                | 2                         |
| <b>WARRANTY</b>                     |                           |
| Product Warranty Period (Worldwide) | Lifetime limited warranty |

## Related Items

### Optional Products

| Model Number                | Description                                                                                      | Qty. |
|-----------------------------|--------------------------------------------------------------------------------------------------|------|
| <a href="#">P005-002</a>    | 2-ft. Heavy-Duty 14AWG Power cord ( IEC-320-C13 to IEC-320-C14)                                  | 1    |
| <a href="#">P005-006-GN</a> | Heavy-Duty Power Extension Cord, 15A, 14AWG (IEC-320-C14 to IEC-320-C13 with Green Plugs) 6-ft.  | 1    |
| <a href="#">P005-006-RD</a> | Heavy-Duty Power Extension Cord, 15A, 14AWG (IEC-320-C14 to IEC-320-C13 with Red Plugs) 6-ft.    | 1    |
| <a href="#">P005-006-YW</a> | Heavy-Duty Power Extension Cord, 15A, 14AWG (IEC-320-C14 to IEC-320-C13 with Yellow Plugs) 6-ft. | 1    |
| <a href="#">P005-010</a>    | 10-ft. Heavy-Duty 14AWG Power cord (IEC-320-C13 to IEC-320-C14)                                  | 1    |

More information, including related products, owner's manuals, and additional technical specifications, can be found online at:

<http://www.tripplite.com/sku/P005-006>.

© 2014 Tripp Lite. All rights reserved. All trademarks are the sole property of their respective owners. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Photos may differ slightly from final products.

# AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit [www.ameya360.com](http://www.ameya360.com)

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd  
Minhang District, Shanghai , China

➤ Sales :

Direct     +86 (21) 6401-6692  
  
Email       amall@ameya360.com  
  
QQ         800077892  
  
Skype      ameyasales1 ameyasales2

➤ Customer Service :

Email       service@ameya360.com

➤ Partnership :

Tel         +86 (21) 64016692-8333  
  
Email      mkt@ameya360.com