





CIRCUIT NOS. (3 PL.)





MOUNTING EAR
(WHEN SPECIFIED)
SEE DETAIL A OR B
(PRE-BENT SHOWN)



"A" SEE NOTE A





CIRCUIT I.D. NUMBERS




PLUG

1396-P SHOWN ABOVE (WITH STANDARD MOUNTING EAR)

CIRCUIT NUMBERS (3 PL.)




ALTERNATE END CONFIGURATION
SEE NOTE A






MOUNTING EARS
(WHEN SPECIFIED)
SEE DETAIL A OR B
(PRE-BENT SHOWN)

"B" SEE NOTE A



OPTIONAL LOCK RAMP









1396-R2 SHOWN
(NO EAR NO LOCK RAMPS)

RECEPTACLE


1396-R4 SHOWN (WITH PRE-BENT EAR)

ADD NOTES 7 & 8 EC NO: UCP2014-5270 DRWN: JDOX CHKD: HK/PPH APP: FSMITH 2014/06/17 2014/06/17 2014/06/23	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 2:1	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION		
					DRAWN BY JJS	DATE 1988/04/08	TITLE .093/(2.36) HOUSING PLUG AND RECEPTACLE 3 CIRCUIT .198 CENTERS molex				
					CHECKED BY RW	DATE 1988/04/08					
					APPROVED BY FSMITH	DATE 2014/06/23					
					MATERIAL NO.	DOCUMENT NO.					SHEET NO. 1 OF 2
			ANGULAR ±1/2°		SEE CHART			SD-1396-*			
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						

[illegible]



PLUG
SHOWN ABOVE WITH SIDE PANEL MOUNT



MOUNTING DETAIL

NOTES:

1. ACCEPTS MOLEX .093/(2.36) TERMINALS.
2. MATES WITH 1396-R* HOUSINGS.
3. RECOMMENDED DIRECTION OF PUNCH.
4. PART CONFORMS TO PRODUCT SPEC 02-09.
5. MATERIAL:
NYLON TYPE 6/6, 94V-2
NATURAL COLOR
6. CIRCUIT I.D. NUMBERS ON SIDE OF HOUSING
APPEAR ON PARTS FROM TOOLS BUILT AFTER
5/4/93.



DIMENSIONS SHOWN (METRIC) INCH		UNLESS OTHERWISE SPECIFIED TOLERANCES ANGULAR ± 1/2°	
5 PLACE	± .010	INCH	METRIC
2 PLACE	± .014	± 0.25	
1 PLACE	---	± 0.35	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			
DRWG. BY	KBW	CHK'D. BY	RW
APP'D. BY	GW	SCALE	2 : 1
FILE NAME		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INC. AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.	
SD 1396SP3		DIV. CP	
PART NO.		DRWG. NO.	
03-09-2037		SD-1396-P3	
TITLE		REVISIONS	
.093/(2.36) HOUSING		REV. LTR.	
PLUG, SIDE MOUNT		REV. LTR.	
3 CIRCUIT .198/(5.03) CL		REV. LTR.	
SHEET NO. 1 OF 1		DATE 09/06/89	
MOLEX INCORPORATED		U.S.A.	
L15LEJLL		60532	
ADD. CKT. I.D. *S		PER ECR U3 0683	
ECR * U90991		5/4/93 RW	
REINSTATED 1396-P3		KBW 09-06-89 RW	

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com