

Compensated High Inductance Choke, 1-phase



Description

- Current compensated choke
- 1-phase choke
- Flexible wire
- Flange for mounting onto printed circuit board
- Fully potted resign

Standards

- EN 60938
- UL 1283
- CSA 22.2 no 8

Applications

- Placed in front of frequency converter
- Stepper motor drives
- UPS-systems
- Inverter

Weblinks

[pdf-datasheet](#), [html-datasheet](#), [General Product Information](#), [Approvals](#), [CE declaration of conformity](#), [RoHS](#), [CHINA-RoHS](#), [REACH](#), [e-Shop](#), [SCHURTER-Stock-Check](#), [Distributor-Stock-Check](#), [Detailed request for product](#)


Technical Data

Rated voltage	up to 540 VAC
Rated voltage	up to 760 VDC
Rated Current	4 - 20 A @ Ta 40 °C
Rated inductance	14 - 60 mH, Tol. -30% +50%
Power Operating Frequency	50 - 400 Hz
Terminal technic	Flexible wire
Weight	145 - 512 g
Material: Housing	UL 94V-0
Sealing Compound	UL 94V-0


Test Voltage	2.5 kV, 50 Hz, 2 sec, winding to winding
Isolation Voltage	2.5 kV eff., 50 Hz, 2 sec, winding to ambient
Climatic Category	25/100/21 acc. to IEC 60068-1
Allowable Operation Temp.	-25 °C to 100 °C

Dimension


Case 29-2W



Case 31-2W




Case 33-2W




Impedance curves

DKLP-0229-xxxx



DKLP-023x-xxxx



All Variants

I_n [A]	L_n [mH]	R_{cu} [m Ω]	Tripped Power Dissipation [W]	f_{RES} [MHz]	Copper ϕ [mm]	Weight [g]	Housing	Packing unit [pcs.]	Order Number
4	30	96	3	0.2	0.8	145 g	29-2W	12	DKLP-0229-0430
6	14	46	3.3	0.3	1	145 g	29-2W	12	DKLP-0229-0614
4	60	250	8	0.1	0.71	477 g	31-2W	2	DKLP-0231-0460
5	40	126	6.3	0.048	0.9	505 g	31-2W	2	DKLP-0231-0540
7	20	62	6	0.18	1.12	512 g	31-2W	2	DKLP-0231-0720
20	12	19	15.2	0.16	1.8	180 g	33-2W	1	DKLP-0233-2012

Availability for all products can be searched real-time:<http://www.schurter.com/en/Stock-Check/Stock-Check-SCHURTER>

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com