




SEC:A-A



SEC:B-B

TECHNICAL CHARACTERISTICS

MATERIAL

CONTACT MATERIAL: COPPER ALLOY
CONTACT TYPE: STAMPED
CONTACT PLATING: TIN
QUALITY CLASS: 25 MATING CYCLES
PITCH: FOR 3.00MM

ENVIRONMENTAL

OPERATING TEMPERATURE: -25 UP TO 105°C
COMPLIANCE: LEAD FREE AND ROHS

ELECTRICAL

CURRENT RATING: 5A
WORKING VOLTAGE: 250V AC
INSULATOR RESISTANCE: >1000 MOHM
DIELECTRIC WITHSTANDING VOLTAGE: 1500V AC/MN
CONTACT RESISTANCE: 10 MOHM MAX

WIRE DIMENSION:

AWG: AWG 20 - 24


PACKAGING

REEL OF 15KPCS

RoHS Compliant

G			
F	18-FEB-09	DRAW	JP
E	09-AUG-08	T&R DESCRIPTION	RB
D	01-MAR-07	UPDATE	EC
C	19-DEC-06	DRAW	EC
B	29-MAR-04	LEAD FREE	JP
A	31-JAN-01	PDF	JP
REV	DATE	FILE	BY

PROJECTION:



APPROVAL: RJ

GENERAL TOLERANCE

.X = ± 0.2

.XX = ± 0.15



UNIT: MM

SCALE:

SHEET: 1/2


DRAW: MIKE

DESCRIPTION: 3.00MM MALE CRIMP TERMINAL

WERI PART NO: 66200213722

SIZE

A4



RoHS Compliant									
G				PROJECTION: 	GENERAL TOLERANCE .X = +/- 0.2 .XX = +/- 0.15				
F									
E									
D									
C				APPROVAL:	UNIT: MM	DESCRIPTION: 3.00MM FEMALE CRIMP TERMINAL		SIZE A4	
B					SCALE:				
A					SHEET: 2/2	WERI PART NO: 6620 02 13722			
REV	DATE	FILE	BY		DRAW: MIKE				

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com