Stacked Coin Type

Series: RF

■ Features

Endurance: 85 °C 2000 hCan be discharged mA current

RoHS directive compliant





■ Recommended Applications


- Backup of data/RTC of base station, electronic meter, and industrial equipment
- For assist of rapid load change

■ Specifications

Category temp. range		−25 °C to +85 °C					
Maximum operating voltage		5.5 V DC					
Nominal capacitance		0.1 F		0.68 F, 1.0 F			
Characteristics at Low Temperature		Capacitance change	±30 % of initial measured value at +20 °C (at -25 °C)				
		Internal resistance	≤5 times of initial mea	5 times of initial measured value at +20 °C (at -25 °C)			
		After 2000 hours application of maximum operating voltage at +85 °C					
Endurance	Capacitance change	±30 % of initial mea	sured value at 20 °C	±30 % of initial measured value at 20 °C			
	Internal resistance	150 Ω	or less	40 Ω or less			
		After 2000 hours storage at +85 °C without load (voltage)					
Shelf life	Capacitance change	Capacitance change shall meet the specified limits for Endurance					
	Internal resistance	Internal resistance shall meet the specified limits for Endurance					

■ Dimensions in mm(not to scale)

(Unit: mm)



■ Standard Products

Maximum operating voltage	Capacitance	Capacitance tolerance	Internal resistance (Initial specified value)	Recommended discharge current	Parts number	Mass (Reference value)	Min. packaging Q'ty
(V.DC)	(F)	(F)	(Ω) at 1 kHz	(mA)		(g)	(pcs)
5.5	0.1	0.080 to 0.180	≦75	3 or less	EECRF0H104	3.3	200
	0.68	0.544 to 1.224	≦20	20 or less	EECRF0H684	10.0	100
	1.0	0.8 to 1.8	≦20	20 or less	EECRF0H105	10.0	100

Do not use reflow soldering. (IR, Atmospherheating methods, etc.) Please refer to the page of "Application Guidelines". The recommended discharge current is a reference value. Please design your equipment(circuit) in consideration of IR dorop.

AMEYA360 Components Supply Platform

Authorized Distribution Brand:

























Website:

Welcome to visit www.ameya360.com

Contact Us:

> Address:

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd Minhang District, Shanghai , China

> Sales:

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

Customer Service :

Email service@ameya360.com

Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com