




DESCRIPTION: .085" RIBBON R/A BOARD MOUNT



	A	B	C	D	E
14	1.720	1.008	.984	.618	1.417
	43.70	25.60	25.00	15.70	35.99
24	2.146	1.436	.984	.618	1.843
	54.50	36.47	25.00	15.70	46.79
36	2.662	1.943	.984	.618	2.352
	67.60	49.35	25.00	15.70	59.74
50	3.260	2.539	.984	.618	2.947
	82.80	64.47	25.00	15.70	74.85



112-YYY-113R001

SERIES _____
POSITIONS _____
014
024
036
050

GENDER _____
1 = MALE

TERMINATION _____
1 = DIP SOLDER

SHELL PLATING _____
3 = NICKEL

HARDWARE OPTIONS _____
00 = 4-40 THREAD (PCB)

PLATING OPTIONS _____
01 = GOLD FLASH

MATERIALS:

INSULATOR: PA9T, UL94V-0, BLUE

CONTACTS: COPPER ALLOY

CONTACT PLATING: GOLD FLASH IN THE MATING AREA
MATTE TIN IN THE SOLDER AREA

ELECTRICALS:

CONTACT CURRENT RATING: 1 AMP

DIELECTRIC WITHSTANDING VOLTAGE: 1000 VAC

VOLTAGE: 250 VAC Max.

INSULATION RESISTANCE: 1000 MOhms Min.

CONTACT RESISTANCE: 30 MilliOhms MAXIMUM

OPERATING TEMPERATURE: -55°C TO +105°C

CONTACT INSERTION FORCE: 25 Lbs. Max.

CONTACT SEPARATION FORCE: 2 Lbs. Min.

RoHS COMPLIANT

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OF SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

DRAWN:
WAYNE ROBBINS

CHECKED:

SCALE:
1:1

DWG NO.

DATE:
7-12-05





DATE:

SHEET
1 OF 2

REV
5

112-YYY-113R001

	014	024	036	050
C	1.417	1.843	2.352	2.947
	36.00	46.80	59.74	74.85



NOTEDIMENSION "C" =
CENTER TO CENTER OF MOUNTING HOLES
CENTER OF RADI
OVERALL LENGTH OF CUTOUT

DO NOT SCALE FROM DRAWING

	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF NorComp AND SHALL NOT BE REPRODUCED, COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OF SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	DRAWN: M. SIGMON		DATE: 01-14-11	
		CHECKED:		DATE:	
NorComp		SCALE: NONE	SHEET 2 OF 2		REV 5
		DWG NO. 112-YYY-113R001			

RoHS COMPLIANT

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com