

USB 2.0 Hi-Speed A to Mini-B Cable (A to 4Pin Round Mini-B M/M), 6-ft.

MODEL NUMBER: **U029-006**



Description

Tripp Lite's 6-ft. gold USB 2.0 A /"Round" Mini-B 4-pin device cable Meets or Exceeds USB 2.0 Specifications. Connects a digital camera, PDA, cell phone, etc to a USB port on a computer or hub. Backward compatible - can be used with older USB 1.1 applications as well. All Tripp Lite USB 2.0 cabling include superior foil shielding for reliable, error-free data communications. The significantly faster data transfer rates of USB 2.0 (up to 480 Mbps) make them perfect for multimedia applications. Features gold-plated connectors and gold-plated copper contacts for superior conductivity. The cable is manufactured with molded connectors and integral strain relief for extra durability and long life.

Features

- Meets or Exceeds USB 2.0 Specifications
- Connects to Cameras, Cell Phones, PDA's, etc with 4-Pin "Round" Mini-B USB connectors
- Supports faster data transfer rate (1.5 to 480 Mbps) for low speed and high speed devices including multimedia applications
- Premium double-shielded cables with tinned copper braid and aluminum Mylar foil
- Gold plated connectors and gold plated copper contacts for superior conductivity.
- Molded connectors and integral strain relief for extra durability and long life.

Specifications

SELECTOR	
Selector Type	CABLES
General Info	

Highlights

- Meets or Exceeds USB 2.0 Specifications
- Connects to Cameras, PDA's, etc with "Round" Mini-B 4-Pin connectors

Applications

- This cable is compatible with the following digital camera models:
- **Kodak** C300, EasyShare Camera Dock, Camera Dock II, Camera Dock 6000, CX4200, CX4210, CX4230, CX4300, CX4310, CX6200, CX6230, CX6330, CX6445, CX7220, CX7300, CX7310, CX7330, CX7430, CX7525, CX7530, DC4800, DX3215, DX3500, DX3600, DX3700, DX3900, DX4330, DX4530, DX4900, DX6340, DX6440, DX6490, DX7440, DX7590, DX7630, LS420, LS443, LS633, LS743, LS753, Printer Dock 4000, Printer Dock 6000, Printer Dock Plus, Printer Dock, Z7590
- **Minolta** DiIMAGE 5, DiIMAGE 7, DiIMAGE 7A, DiIMAGE 7i
- **HP** 315, 315xi --**Olympus** E-10, E-20, C-2100UZ, C-3040Z, C-3030Z, C-700 UZ -- **Sony** DSC-S70, DSC-S30
- **Epson** PhotoPC 3000Z and 3100Z --**HP** 315, 315xi

System Requirements

- Any USB device requiring a USB cable with Round Mini-B 4-Pin connector
- USB2.0 performance only when used with USB2.0 device and USB2.0 controller

Package Includes



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

Product Group	USB & FIREWIRE CABLES
TAA Compliant	No
OVERVIEW	
Intended Application	Connecting Peripherals
Style	USB
Cable Types	USB
Cable Type	USB
INPUT	
Cable Length (ft.)	6
Cable Length (m)	1.83
Cable Length (ft)	3 - 6
UPC ASSIGNMENT	
Unit Carton UPC#	037332138941
PHYSICAL	
Color	Black
CONNECTIONS	
Connector A	USB A (MALE)
Connector B	USB MINI-B 4-PIN (MALE)
Number of Connectors	2
SPECIAL FEATURES	
KVM Demo Flag	0
Console Server Demo Flag	0
US & Canada Only Flag	0
CERTIFICATIONS	
Certifications	USB-if 2.0 Approved
WARRANTY	
Product Warranty Period (Worldwide)	Lifetime limited warranty

- 6ft USB 2.0 A to "Round" 4-pin Mini-B Gold Cable



Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

Specifications are subject to change without notice. Photos may differ slightly from final products.

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692
Email amall@ameya360.com
QQ 800077892
Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333
Email mkt@ameya360.com