

High Frequency Ceramic Solutions

450 MHz Directional Coupler

P/N 0450CP14A0040

Detail Specification: 11/30/06

Page 1 of 2

General Specifications


Part Number	0450CP14A0040
Frequency (MHz)	450
Insertion Loss	0.2 dB max.
Return Loss	20.8 dB min.
Coupling	27.5 ± 2.0 dB
Isolation	45.0 dB min.

Impedance	50 Ω
Input Power	3 Watt max.
Operating Temperature	-40 to +85°C
Storage Temperature	-40 to +85°C
Reel Quantity	4,000

P/N Suffix	Packaging	Bulk	Suffix = S	Eg. 0450CP14A0040S
	Style	T & R	Suffix = E	Eg. 0450CP14A0040E
	Termination	100% Tin	Suffix = None	Eg. 0450CP14A0040(E or S)
	Style	Tin / Lead	Suffix = /Pb	Eg. 0450CP14A0040(E or S)/Pb


Mechanical Dimensions

	In	mm
L	0.063 ± 0.004	1.60 ± 0.10
W	0.033 ± 0.004	0.84 ± 0.10
T	0.024 ± 0.004	0.60 ± 0.10
A	0.010 ± 0.002	0.25 ± 0.05
B	0.008 ± 0.002	0.20 ± 0.05
S	0.002 ± 0.002	0.05 ± 0.05



Terminal Configuration

No.	Function
1	IN
2	Main Out
3	Termination
4	Coupled Out




Mounting Considerations

Mount these devices with brown mark facing up.

* Line width should be designed to provide 50 ohm impedance, depending on PCB material and thickness

Units: mm



Johanson Technology, Inc. reserves the right to make design changes without notice.

All sales are subject to Johanson Technology, Inc. terms and conditions.



www.johansontechology.com

931 Via Alondra • Camarillo, CA 93012 • TEL 805.389.1166 FAX 805.389.1821

2003 Johanson Technology, Inc. All Rights Reserved

High Frequency Ceramic Solutions


450 MHz Directional Coupler

P/N 0450CP14A0040

Detail Specification: 11/30/06

Page 2 of 2

Typical Electrical Performance (T=25°C)



Johanson Technology, Inc. reserves the right to make design changes without notice.

All sales are subject to Johanson Technology, Inc. terms and conditions.



www.johansontechnology.com

931 Via Alondra • Camarillo, CA 93012 • TEL 805.389.1166 FAX 805.389.1821

2003 Johanson Technology, Inc. All Rights Reserved

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692
Email amall@ameya360.com
QQ 800077892
Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333
Email mkt@ameya360.com