



Copyright FCI.

A

B

C

D

A

B

C

D

# PRODUCT NUMBER

ICD056GVPI63X-XX

## PRODUCT NUMBER DESCRIPTION:

ICD056GVPI63 X - XX

LENGTH


XX= METERS

EXAMPLE : 05 = 05 METERS (DIM "L")

C0 = 100 METERS (DIM "L")



DIGITAL DIAGNOSTIC MONITORING


D : WITH DDM SUPPORT



VIEW A


VIEW A



|               |  |                                                                                       |  |        |  |               |  |             |  |                                                                                       |  |                                                                                       |  |                                |  |    |  |       |  |           |  |  |  |              |  |               |  |          |  |  |  |  |  |  |  |     |  |   |  |
|---------------|--|---------------------------------------------------------------------------------------|--|--------|--|---------------|--|-------------|--|---------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|--|--------------------------------|--|----|--|-------|--|-----------|--|--|--|--------------|--|---------------|--|----------|--|--|--|--|--|--|--|-----|--|---|--|
| spec ref      |  | -                                                                                     |  | dr     |  | M Srinivasan  |  | 2012/05/02  |  | projection                                                                            |  |  |  | size                           |  | A3 |  | scale |  | 1:1       |  |  |  |              |  |               |  |          |  |  |  |  |  |  |  |     |  |   |  |
| tolerance std |  | TOLERANCES UNLESS OTHERWISE SPECIFIED                                                 |  | eng    |  | Andreas Krink |  | 2012/05/08  |  |  |  |  |  | ecn no                         |  | -  |  |       |  |           |  |  |  |              |  |               |  |          |  |  |  |  |  |  |  |     |  |   |  |
| ASME Y14.5    |  |                                                                                       |  | chr    |  | -             |  | -           |  |                                                                                       |  |                                                                                       |  |                                |  |    |  |       |  |           |  |  |  |              |  |               |  |          |  |  |  |  |  |  |  |     |  |   |  |
| -             |  |                                                                                       |  | appr   |  | Sven Otte     |  | 2012/05/08  |  |                                                                                       |  |                                                                                       |  | product family                 |  |    |  |       |  | QSFP+ AOC |  |  |  |              |  | rel level     |  | Released |  |  |  |  |  |  |  |     |  |   |  |
| surface       |  |  |  | linear |  | 0.X           |  | ±0.3        |  |  |  | title                                                                                 |  | STRAIGHT BOOT PRODUCT ASSEMBLY |  |    |  |       |  |           |  |  |  | dwg no       |  | ICD056GVPI63X |  |          |  |  |  |  |  |  |  | rev |  | A |  |
| ASME Y14.5    |  |                                                                                       |  | 0.XX   |  | ±0.10         |  |             |  |                                                                                       |  |                                                                                       |  |                                |  |    |  |       |  |           |  |  |  |              |  |               |  |          |  |  |  |  |  |  |  |     |  |   |  |
|               |  |                                                                                       |  | 0.XXX  |  | ±0.05         |  |             |  |                                                                                       |  |                                                                                       |  |                                |  |    |  |       |  |           |  |  |  |              |  |               |  |          |  |  |  |  |  |  |  |     |  |   |  |
| ASME Y14.5    |  | angular                                                                               |  | 0°     |  | ±2°           |  | www.fci.com |  | cat. no.                                                                              |  | -                                                                                     |  | Product - Customer Drw         |  |    |  |       |  |           |  |  |  | sheet 1 of 2 |  |               |  |          |  |  |  |  |  |  |  |     |  |   |  |

FCI  
Copyright FCI.

PRODUCT NUMBER  
ICD056GVP163X-XX





NOTES:

1. MATERIAL:  
COVERS : ZINC ALLOY/ COPPER UNDERPLATE/ NICKEL OVERPLATE  
PULL TAB : THERMOPLASTIC POLYMER  
LATCH RELEASE: ZINC ALLOY/ COPPER UNDERPLATE/ NICKEL OVERPLATE  
DRIVE SCREWS: STAINLESS STEEL  
STRAIN RELIEF BOOT : THERMOPLASTIC  
SPRING : STAINLESS STEEL  
PADDLE CARD: PRINTED CIRCUIT SUBSTRATE-FR4.  
DUST COVER : POLY ETHYLENE  
TOP & BOTTOM BLISTER (NOT SHOWN) : PET  
PACKAGING: FOR CABLE-LENGTH >30M ONE BOX-SET IS USED INSTEAD OF TOP/BOTTOM BLISTER  
BOX-SET MATERIAL: PAPERBOARD AND ANTISTATIC PLASTIC
2. REFERENCE PRODUCT SPECIFICATION GS-12-1059  
FOR DETAILED SPECIFICATIONS.
3. THIS PRODUCT MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN  
ELECTRICAL AND ELECTRONIC EQUIPMENT (RoHS).DIRECTIVE 2002/95/EC.
4. THIS DIMENSION IS A FINISHED PRODUCT LENGTH.
5. A "△" SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED  
WITH THE CURRENT DRAWING REVISION. THE CURRENT REVISION WILL BE SHOWN IN THE SYMBOL.

EDGE CONNECTOR PAD DESCRIPTION

| POSITION | SYMBOL  | POSITION | SYMBOL  |
|----------|---------|----------|---------|
| 19       | GND     | 20       | GND     |
| 18       | RX1n    | 21       | RX2n    |
| 17       | RX1p    | 22       | RX2p    |
| 16       | GND     | 23       | GND     |
| 15       | RX3n    | 24       | RX4n    |
| 14       | RX3p    | 25       | RX4p    |
| 13       | GND     | 26       | GND     |
| 12       | SDA     | 27       | ModPrsL |
| 11       | SCL     | 28       | In+L    |
| 10       | VccRx   | 29       | VccTx   |
| 9        | ResetL  | 30       | VccI    |
| 8        | ModSelL | 31       | LPMode  |
| 7        | GND     | 32       | GND     |
| 6        | TX4p    | 33       | TX3p    |
| 5        | TX4n    | 34       | TX3n    |
| 4        | GND     | 35       | GND     |
| 3        | TX2p    | 36       | TX1p    |
| 2        | TX2n    | 37       | TX1n    |
| 1        | GND     | 38       | GND     |

|               |  |                                                                                       |  |        |  |                                                                                       |  |             |  |                                                                                       |  |                                                                                       |  |                        |  |              |  |           |  |          |  |                |  |
|---------------|--|---------------------------------------------------------------------------------------|--|--------|--|---------------------------------------------------------------------------------------|--|-------------|--|---------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|--|------------------------|--|--------------|--|-----------|--|----------|--|----------------|--|
| spec ref      |  | -                                                                                     |  | dr     |  | M Srinivasan                                                                          |  | 2012/05/02  |  | projection                                                                            |  | MM                                                                                    |  | size                   |  | A3           |  | scale     |  | 2:1      |  |                |  |
| tolerance std |  | TOLERANCES UNLESS OTHERWISE SPECIFIED                                                 |  | eng    |  | Andreas Krink                                                                         |  | 2012/05/08  |  |  |  |  |  | ecn no                 |  | -            |  | rel level |  | Released |  |                |  |
| ASME Y14.5    |  |                                                                                       |  | chr    |  | -                                                                                     |  | -           |  |                                                                                       |  |                                                                                       |  |                        |  |              |  |           |  |          |  |                |  |
| -             |  |                                                                                       |  | appr   |  | Sven Otte                                                                             |  | 2012/05/08  |  |                                                                                       |  |                                                                                       |  |                        |  |              |  |           |  |          |  | product family |  |
| surface       |  |  |  | linear |  |  |  | title       |  | STRAIGHT BOOT PRODUCT ASSEMBLY                                                        |  | dwg no                                                                                |  | ICD056GVP163X          |  | rev          |  | A         |  |          |  |                |  |
|               |  |                                                                                       |  |        |  |                                                                                       |  |             |  |                                                                                       |  |                                                                                       |  |                        |  |              |  |           |  | 0.X      |  | ±0.3           |  |
|               |  |                                                                                       |  |        |  |                                                                                       |  |             |  |                                                                                       |  |                                                                                       |  |                        |  |              |  |           |  | 0.XX     |  | ±0.10          |  |
| ASME Y14.5    |  | angular                                                                               |  | 0°     |  | ±2°                                                                                   |  | www.fci.com |  | cat. no.                                                                              |  | -                                                                                     |  | Product - Customer Drw |  | sheet 2 of 2 |  |           |  |          |  |                |  |

## Authorized Distribution Brand :



## Website :

Welcome to visit [www.ameya360.com](http://www.ameya360.com)

## Contact Us :

### ➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd  
Minhang District, Shanghai , China

### ➤ Sales :

Direct +86 (21) 6401-6692  
Email [amall@ameya360.com](mailto:amall@ameya360.com)  
QQ 800077892  
Skype ameyasales1 ameyasales2

### ➤ Customer Service :

Email [service@ameya360.com](mailto:service@ameya360.com)

### ➤ Partnership :

Tel +86 (21) 64016692-8333  
Email [mkt@ameya360.com](mailto:mkt@ameya360.com)