




Scotchlok™ Terminals

MC2BC thru MC250BC

Butt Connector, Non-Insulated, Seamless



Data Sheet

Product Number	Color Code	Wire Range	L (in.)	Barrel I.D. (in.)
MC2BC	Brown	2 AWG	1.35	0.341
MC1BC	Green	1 AWG	1.35	0.365
MC1/0BC	Pink	1/0 AWG	1.55	0.412
MC1/0BC	Black	2/0 AWG	1.80	0.466
MC3/0BC	Orange	3/0 AWG	1.90	0.516
MC4/0BC	Purple	4/0 AWG	2.00	0.564
MC250BC	Yellow	250 kcmil	2.00	0.595



UNDERWRITERS
LABORATORIES
STANDARD NO. UL 486C
3M FILE NO. E23438



CANADIAN STANDARDS
ASSOCIATION
STANDARD NO. 22.2
NO. 0, 65
3M FILE NO. LR22190

Installation Information

WARNING

Turn power off before installing or removing terminal. All electrical work should be done according to appropriate electrical codes.

UL Listed and CSA Certified for use on stranded copper (AWG) wire only.

One crimp with the proper tool and dies, centered between stripes on the barrel, secures the inserted stripped conductor.



■ Barrel Crimp (Required)

Specifications

Wire Size:
Barrel Seam:
Maximum Current:
Terminal Material:
Terminal Plating:

See Table Above
Seamless
Same as Wire
ETP Copper
Tin

Wire Size AWG or MCM	Wire Insulation Strip Length Inches	Crimp Tool & Dies		
		Burndy MY29-3	T&B TBM5	AET 406
		Scale Setting	Die Color	Die Insert
2	9/16	2	Brown	C
1	5/8	1	Green	C
1/0	3/4	1/0	Pink	B
2/0	7/8	2/0	Black	B
3/0	15/16	3/0	Orange	none
4/0	1	4/0	Purple	none
250	1	250	Purple	----

Engineering Specification

Crimp-type connectors shall, electrically and mechanically, connect permanently to the pre-stripped ends of two stranded copper wires.

The connector line shall offer barrel variations in wire (AWG or MCM) size (#2 to 250 MCM). The connector line shall have regulatory agency coverage (UL Listing). The connectors shall be marked with the wire range and manufacturer's symbol (↑) and catalog number.

The non-insulated, seamless butt connector shall be tin-plated, annealed copper, having a double-length, round seamless barrel, with a center stop, sized for specified (AWG or MCM) wire range (2 AWG thru 250 MCM).

3M and Scotchlok are trademarks of 3M.



is a trademark of Underwriters Laboratories.



is a trademark of Canadian Standards Association.

IMPORTANT NOTICE

Before using this product, you must evaluate it and determine if it is suitable for your intended application. You assume all risks and liability associated with such use.

Warranty; Limited Remedy; Limited Liability. This product will be free from defects in material and manufacture as of the date of purchase. **3M MAKES NO OTHER WARRANTIES INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.** If this product is defective within the warranty period stated above, your exclusive remedy shall be, at 3M's option, to replace or repair the 3M product or refund the purchase price of the 3M product. **Except where prohibited by law, 3M will not be liable for any loss or damage arising from this 3M product, whether direct, indirect, special, incidental or consequential regardless of the legal theory asserted.**



Electrical Products Division

6801 River Place Blvd.
Austin, TX 78726-9000
<http://www.3M.com/elpd>

Litho in USA.
© 3M 2002 78-8125-9663-9-A

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692
Email amall@ameya360.com
QQ 800077892
Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333
Email mkt@ameya360.com