

# Spezifikation für Freigabe / specification for release

Kunde / customer :  
 Artikelnummer / part number : **7488940245**


LF



Bezeichnung : **SMD Antenne WE-MCA**  
 description : **Chip-Antenna WE-MCA**

DATUM / DATE : 2004-10-11

## A Mechanische Abmessungen / dimensions:



| size | 7 x 2 |  |
|------|-------|--|
|------|-------|--|

|   |               |    |
|---|---------------|----|
| A | 7,0 ± 0,2     | mm |
| B | 2,0 ± 0,2     | mm |
| C | 1,2 +0,1/-0,2 | mm |
| D | 0,5 ± 0,3     | mm |

|   |               |  |
|---|---------------|--|
| ① | Feeding Point |  |
| ② | NC            |  |

## B Elektrische Eigenschaften / electrical properties:

| Eigenschaften / properties        | Testbedingungen / test conditions |   | Wert / value  | Einheit / unit | tol. |
|-----------------------------------|-----------------------------------|---|---------------|----------------|------|
| Frequenzbereich / frequency range |                                   | f | 2400 ... 2500 | MHz            |      |
| VSWR                              |                                   |   | 2,0           |                | max. |
| Impedanz / impedance              |                                   | Z | 50            | Ω              |      |
| Antennengewinn / peak gain        | (XZ-V)                            | A | 2,0           | dBi            | typ. |
| Antennengewinn / average gain     | (XZ-V)                            | A | 0,5           | dBi            | typ. |

## C Abbildung/ appearance:



## D Prüfgeräte / test equipment:

Agilent E5071A

## E Testbedingungen / test conditions:

Luftfeuchtigkeit / humidity: 50 ~ 70%  
 Umgebungstemperatur / temperature: 20°C ~ 25°C

## F Werkstoffe & Zulassungen / material & approvals

Basismaterial / base material: Keramik / ceramic  
 Kontakt Material / contact plating: Ag + Ni + Sn

## G Eigenschaften / general specifications:

Betriebstemp. / operating temperature: -40°C ~ +85°C  
 Lagerbedingung / storage conditions: 15°C ~ 35°C  
 45 ~ 75% RH  
 Leistung/ power capacity : 3 W max.

|                                     |                          |      |                         |              |
|-------------------------------------|--------------------------|------|-------------------------|--------------|
| Freigabe erteilt / general release: | Kunde / customer         |      |                         |              |
|                                     |                          |      |                         |              |
| Datum / date                        | Unterschrift / signature |      |                         |              |
|                                     | Würth Elektronik         |      |                         |              |
|                                     |                          |      |                         |              |
| Geprüft / checked                   | Kontrolliert / approved  | AWe  | Version 1               | 04-10-11     |
|                                     |                          | Name | Änderung / modification | Datum / date |

## Würth Elektronik eiSos GmbH & Co.KG

D-74638 Waldenburg · Max-Eyth-Str. 1 · Germany · Telefon (+49) (0) 7942 - 945 - 0 · Telefax (+49) (0) 7942 - 945 - 400  
<http://www.we-online.de>

# Spezifikation für Freigabe / specification for release

Kunde / customer :

Artikelnummer / part number : **7488940245**

LF




Bezeichnung : **SMD Antenne WE-MCA**

description : **Chip-Antenna WE-MCA**

DATUM / DATE : 2004-10-11

## H Lötadempfehlung / solder pads:


Without Matching Circuit:




\*Line width should be designed to match 50  $\Omega$  characteristic impedance, depending on PCB material and thickness.

## K Messdiagramme/ measuring diagrams:

Without Matching Circuit:



1: 2.3125 GHz -9.942 dB  
2: 2.44 GHz -17.656 dB  
3: 2.62 GHz -9.959 dB



## Würth Elektronik eiSos GmbH & Co.KG

D-74638 Waldenburg · Max-Eyth-Str. 1 · Germany (+49) (0) 7942 - 945 - 0 · Telefax (+49) (0) 7942 - 945 - 400  
<http://www.we-online.de>

# Spezifikation für Freigabe / specification for release

Kunde / customer :

Artikelnummer / part number : **7488940245**

LF




Bezeichnung : **SMD Antenne WE-MCA**

description : **Chip-Antenna WE-MCA**



DATUM / DATE : 2004-10-11

## L Richtdiagramme / radiation patterns:





XY-cut scanning direction

XY cut @ 2.45 GHz  
— Vertical  
- - - Horizontal




XZ-cut scanning direction

XZ cut @ 2.45 GHz  
— Vertical  
- - - Horizontal



YZ-cut scanning direction

YZ cut @ 2.45 GHz  
— Vertical  
- - - Horizontal



**Würth Elektronik eiSos GmbH & Co.KG**

D-74638 Waldenburg · Max-Eyth-Str. 1 · Germany · Telefon (+49) (0) 7942 - 945 - 0 · Telefax (+49) (0) 7942 - 945 - 400  
<http://www.we-online.de>

## Spezifikation für Freigabe / specification for release

Kunde / customer :

Artikelnummer / part number : **7488940245**

LF




Bezeichnung : **SMD Antenne WE-MCA**

description : **Chip-Antenna WE-MCA**

DATUM / DATE : 2004-10-11

### M Testboard / evaluation board:



This electronic component is designed and developed with the intention for use in general electronics equipments. Before incorporating the components into any equipments in the field such as aerospace, aviation, nuclear control, submarine, transportation, (automotive control, train control, ship control), transportation signal, disaster prevention, medical, public information network etc. where higher safety and reliability are especially required or if there is possibility of direct damage or injury to human body. In addition, even electronic component in general electronic equipments, when used in electrical circuits that require high safety, reliability functions or performance, the sufficient reliability evaluation-check for the safety must be performed before use. It is essential to give consideration when to install a protective circuit at the design stage.

### Würth Elektronik eiSos GmbH & Co.KG

D-74638 Waldenburg · Max-Eyth-Str. 1 · Germany · Telefon (+49) (0) 7942 - 945 - 0 · Telefax (+49) (0) 7942 - 945 - 400  
<http://www.we-online.de>

# AMEYA360

## Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit [www.ameya360.com](http://www.ameya360.com)

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd  
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email [amall@ameya360.com](mailto:amall@ameya360.com)

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email [service@ameya360.com](mailto:service@ameya360.com)

➤ Partnership :

Tel +86 (21) 64016692-8333

Email [mkt@ameya360.com](mailto:mkt@ameya360.com)