


THE INFORMATION CONTAINED HEREIN IS CONSIDERED "PROPRIETARY" TO BEL FUSE INC. AND SHALL NOT BE COPIED, REPRODUCED OR DISCLOSED WITHOUT THE WRITTEN APPROVAL OF BEL FUSE INC.

ELECTRICAL CHARACTERISTICS @25°C



SCHEMATIC



URNS RATIO

PIN 1-2-3 : 16-15-14

PIN 6-7-8 : 11-10-9

1CT : 1CT

1CT : 1CT

QCL

PIN 16-14

11-9

350μH MIN.

@ 100kHz, 100mVrms

W/8mA DC BIAS

LEAKAGE INDUCTANCE, Le

PIN 16-14 (SHORT 1-3)

PIN 11-9 (SHORT 6-8)

300nH MAX.

@ 1MHz, 20mVrms

INTERWINDING CAPACITANCE, Cw/w

PIN 1-3 TO 16-14

PIN 6-8 TO 11-9

30pF MAX.

@ 1MHz, 20mVrms

WINDING RESISTANCE, DCR

PIN 1-3 ; 6-8

PIN 16-14 ; 11-9

2.0 ΩHM MAX.

1.0 ΩHM MAX.

INSERTION LOSS

@ 100kHz-100MHz

1.0dB MAX.

RETURN LOSS

@ 1MHz-30MHz

@ 30-60MHz

@ 60-80MHz

18dB MIN.

18-20 LOG (F/30MHz) MIN.

10dB MIN.

CROSSTALK

@ 100kHz-100MHz

35dB MIN.

CM TO CM MODE REJ.

@ 100kHz-100MHz

30dB MIN.

CM TO DM MODE REJ.

@ 100kHz-100MHz

40dB MIN.

HIPOT





1500Vrms

ORIGINATED BY	DATE	TITLE	PART NO. / DRAWING NO.	STANDARD DIM.	[] METRIC DIM. AS REFERENCE	 COMPONENTS ON A CONNECTED PLANET
HO	05-23-06	10/100BT MAGNETICS MODULE	X5585999J1-F	TOL. IN INCH	UNIT : INCH [mm]	
DRAWN BY	DATE		FILE NAME	.X	SCALE : N/A	
DQ Chen	05-23-06		X5585999J1FA.DWG	.XX	SIZE : A4	
				.XXX	PAGE : 2	

THE INFORMATION CONTAINED HEREIN IS CONSIDERED "PROPRIETARY" TO BEL FUSE INC. AND SHALL NOT BE COPIED, REPRODUCED OR DISCLOSED WITHOUT THE WRITTEN APPROVAL OF BEL FUSE INC.



SUGGESTED PCB PAD LAYOUT



NOTES:

1. STANDARD MARKING REFER TO DOC. HAND-WORK-04.
2. PACKAGE CODE: "QBS001".

ORIGINATED BY	DATE	TITLE	PART NO. / DRAWING NO.	STANDARD DIM.	[] METRIC DIM. AS REFERENCE	
HQ	05-23-06	MECHANICAL DRAWING S558-5999-J1-F	X5585999J1-F	TOL. IN INCH	UNIT : INCH [mm]	REV. : A
DRAWN BY	DATE		FILE NAME	.X	SCALE : N/A	SIZE : A4
DQ Chen	05-23-06		X5585999J1FA.DWG	.XX ±0.01 .XXX ±0.005	SCALE : N/A	PAGE : 3



AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com