





Pin Out		
P1	Red	P2
1	White	1
2	Green	2
3	Black	3
4	Blue	4
5	Yellow	5
6	Drain Wire	6
7	Purple	7
8	Orange	8
9	Braid	9
Shell		Shell

RoHS Compliant							
G				PROJECTION: 	GENERAL TOLERANCE .X = +/- 0.2 .XX = +/- 0.15	 WÜRTH ELEKTRONIK	
F							
E							
D							
C				APPROVAL: RJ	UNIT: MM	DESCRIPTION: CABLE ASSEMBLY USB 3.0 TYPE A MALE TO TYPE B MALE	SIZE A4
B					SCALE:		
A	04-AUG-10	PDF	JP		SHEET: 1/2		
REV	DATE	FILE	BY		DRAW: JOE		
				WERI PART NO: 692 903 100 000			




457 x 299 x 229 mm



432 x 280 mm

NOTE:
1. INDIVIDUAL PACKING.
2. 150PCS PER CARTON.

RoHS Compliant								
G				PROJECTION: 	GENERAL TOLERANCE .X = $\pm$ 0.2 .XX = $\pm$ 0.15			
F								
E								
D								
C				APPROVAL: RJ	UNIT: MM	DESCRIPTION: CABLE ASSEMBLY USB 3.0 TYPE A MALE TO TYPE B MALE		SIZE A4
B					SCALE:			
A					SHEET: 2/2			
REV	DATE	FILE	BY		DRAW: JOE	WERI PART NO: 692 903 100 000		

A

B

C

D

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com