




PRODUCT NUMBER	DESCRIPTION	NOTES
10117949-XXXXLF	NON-HF	SEE SHT. 3
10117949-XXXXHLF	HALOGEN FREE (H)	SEE SHT. 3




dr	David Lord	2011/09/07	projection	mm	size	A3	scale	1:2
eng	Tom Feng	2016/09/22			ecn no	ELX-N-24287-1		
chr	-	-			rel level	Released		
appr	Michael Zhou	2016/09/22	product family	C&A				
Amphenol FCI			FINAL ASSEMBLY (PASSIVE)			dwg no	10117949	rev
www.fci.com			MSAS HD 4X ASSEMBLY (12 Gb/s)					M
cat. no.			-			Product - Customer Drw		
						sheet 1 of 4		

PRODUCT NUMBER	DESCRIPTION	NOTES
10117949-XXXXLF	NON-HF	SEE SHT. 3
10117949-XXXXHLF	HALOGEN FREE (H)	SEE SHT. 3




P1
VIEW A
SCALE 4:1

LEGEND:



HIGH-SPEED SERIAL
DIFFERENTIAL PAIRS



SIGNAL RETURN




POWER AND MANAGEMENT
INTERFACE

MINIMUM CABLE BEND TABLE

CABLE	A	B	C	D (nominal)	("DIM Y") NON-HF
24 AWG	29.5	13.0	50.28	Ø 8.38	92.78
26 AWG			42.6	Ø 7.1	85.1
28 AWG			36.6	Ø 6.1	79.1
30 AWG			31.8	Ø 5.3	74.3

MINIMUM CABLE BEND TABLE

CABLE	A	B	C	D (nominal)	("DIM Y") HF
24 AWG	29.5	13.0	50.28	Ø 8.38	92.78
26 AWG			45	Ø 7.5	87.5
28 AWG			39	Ø 6.5	81.5
30 AWG			35.4	Ø 5.9	77.9



BEND RADIUS
TOP VIEW OF CONNECTOR

WIRING LIST (SEE NOTE 6)

END P1			END P2		
POSITION	SYMBOL		POSITION	SYMBOL	
D9	GROUND	-----	B9	GROUND	
D8	Tx2-	⊖----->	B8	Rx2-	
D7	Tx2+	⊕----->	B7	Rx2+	
D6	GROUND	-----	B6	GROUND	
D5	Tx0-	⊖----->	B5	Rx0-	
D4	Tx0+	⊕----->	B4	Rx0+	
D3	GROUND	-----	B3	GROUND	
D2	Vman	←>	B2	ModPrsL	
D1	Vact	←>	B1	Vact	
C1	SCL	←>	A1	Reserved	
C2	SDA	←>	A2	IntI	
C3	GROUND	-----	A3	GROUND	
C4	Tx1+	⊕----->	A4	Rx1+	
C5	Tx1-	⊖----->	A5	Rx1-	
C6	GROUND	-----	A6	GROUND	
C7	Tx3+	⊕----->	A7	Rx3+	
C8	Tx3-	⊖----->	A8	Rx3-	
C9	GROUND	-----	A9	GROUND	
B9	GROUND	-----	D9	GROUND	
B8	Rx2-	⊖-----	D8	Tx2-	
B7	Rx2+	⊕-----	D7	Tx2+	
B6	GROUND	-----	D6	GROUND	
B5	Rx0-	⊖-----	D5	Tx0-	
B4	Rx0+	⊕-----	D4	Tx0+	
B3	GROUND	-----	D3	GROUND	
B2	ModPrsL	←>	D2	Vman	
B1	Vact	←>	D1	Vact	
A1	Reserved	←>	C1	SCL	
A2	IntL	←>	C2	SDA	
A3	GROUND	-----	C3	GROUND	
A4	Rx1+	⊕-----	C4	Tx1+	
A5	Rx1-	⊖-----	C5	Tx1-	
A6	GROUND	-----	C6	GROUND	
A7	Rx3+	⊕-----	C7	Tx3+	
A8	Rx3-	⊖-----	C8	Tx3-	
A9	GROUND	-----	C9	GROUND	

SHIELD----->SHIELD


dr	David Lord	2011/09/07	projection	mm	size	A3	scale	1:2
eng	Tom Feng	2016/09/22			ecn no	ELX-N-24287-1		
chr	-	-			rel level	Released		
appr	Michael Zhou	2016/09/22	product family		C&A			
Amphenol FCi	title	FINAL ASSEMBLY (PASSIVE)			dwg no	10117949		rev
		MSAS HD 4X ASSEMBLY (12 Gb/s)						
www.fci.com	cat. no.	-	Product - Customer Drw				sheet 2 of 4	

Amphenol
FCi

© 2016 AFci

PART NUMBER (NON-HALOGEN FREE) SEE NOTE 12 AND 16	"DIM L" LENGTH (Meters)	"DIM M" (mm)	AWG
10117949-2003LF	0.3	17.3	30
10117949-2004LF	0.4	17.3	30
10117949-2005LF	0.5	17.3	30
10117949-2006LF	0.6	17.3	30
10117949-2007LF	0.7	17.3	30
10117949-2008LF	0.75	17.3	30
10117949-2009LF	0.9	17.3	30
10117949-2010LF	1.0	17.3	30
10117949-2015LF	1.5	17.3	30
10117949-2020LF	2.0	17.3	30
10117949-3005LF	0.5	17.3	28
10117949-3006LF	0.6	17.3	28
10117949-3007LF	0.7	17.3	28
10117949-3008LF	0.8	17.3	28
10117949-3009LF	0.9	17.3	28
10117949-3010LF	1.0	17.3	28
10117949-3015LF	1.5	17.3	28
10117949-3020LF	2.0	17.3	28
10117949-3025LF	2.5	17.3	28
10117949-3030LF	3.0	17.3	28
10117949-4010LF	1.0	20.1	26
10117949-4015LF	1.5	20.1	26
10117949-4020LF	2.0	20.1	26
10117949-4025LF	2.5	20.1	26
10117949-4030LF	3.0	20.1	26
10117949-4035LF	3.5	20.1	26
10117949-4040LF	4.0	20.1	26
10117949-4045LF	4.5	20.1	26
10117949-4050LF	5.0	20.1	26
10117949-4055LF	5.5	20.1	26
10117949-4060LF	6.0	20.1	26
10117949-5010LF	1.0	20.1	24
10117949-5015LF	1.5	20.1	24
10117949-5020LF	2.0	20.1	24
10117949-5025LF	2.5	20.1	24
10117949-5030LF	3.0	20.1	24
10117949-5035LF	3.5	20.1	24
10117949-5040LF	4.0	20.1	24
10117949-5045LF	4.5	20.1	24
10117949-5050LF	5.0	20.1	24
10117949-5055LF	5.5	20.1	24
10117949-5060LF	6.0	20.1	24
10117949-5065LF	6.5	20.1	24
10117949-5070LF	7.0	20.1	24
10117949-5075LF	7.5	20.1	24
10117949-5080LF	8.0	20.1	24

PART NUMBER (HALOGEN FREE) SEE NOTE 11 AND 16	"DIM L" LENGTH (Meters)	"DIM M" (mm)	AWG
10117949-2003HLF	0.3	17.3	30
10117949-2004HLF	0.4	17.3	30
10117949-2005HLF	0.5	17.3	30
10117949-2006HLF	0.6	17.3	30
10117949-2007HLF	0.7	17.3	30
10117949-2008HLF	0.75	17.3	30
10117949-2009HLF	0.9	17.3	30
10117949-2010HLF	1.0	17.3	30
10117949-2015HLF	1.5	17.3	30
10117949-2020HLF	2.0	17.3	30
10117949-3005HLF	0.5	17.3	28
10117949-3006HLF	0.6	17.3	28
10117949-3007HLF	0.7	17.3	28
10117949-3008HLF	0.8	17.3	28
10117949-3009HLF	0.9	17.3	28
10117949-3010HLF	1.0	17.3	28
10117949-3015HLF	1.5	17.3	28
10117949-3020HLF	2.0	17.3	28
10117949-3025HLF	2.5	17.3	28
10117949-3030HLF	3.0	17.3	28
10117949-4010HLF	1.0	20.1	26
10117949-4015HLF	1.5	20.1	26
10117949-4020HLF	2.0	20.1	26
10117949-4025HLF	2.5	20.1	26
10117949-4030HLF	3.0	20.1	26
10117949-4035HLF	3.5	20.1	26
10117949-4040HLF	4.0	20.1	26
10117949-4045HLF	4.5	20.1	26
10117949-4050HLF	5.0	20.1	26
10117949-4055HLF	5.5	20.1	26
10117949-4060HLF	6.0	20.1	26
10117949-5010HLF	1.0	20.1	24
10117949-5015HLF	1.5	20.1	24
10117949-5020HLF	2.0	20.1	24
10117949-5025HLF	2.5	20.1	24
10117949-5030HLF	3.0	20.1	24
10117949-5035HLF	3.5	20.1	24
10117949-5040HLF	4.0	20.1	24
10117949-5045HLF	4.5	20.1	24
10117949-5050HLF	5.0	20.1	24
10117949-5055HLF	5.5	20.1	24
10117949-5060HLF	6.0	20.1	24
10117949-5065HLF	6.5	20.1	24
10117949-5070HLF	7.0	20.1	24
10117949-5075HLF	7.5	20.1	24
10117949-5080HLF	8.0	20.1	24
10117949-5090HLF ONLY USE EXT MSHD INTERFACE DON'T MEET SAS3.0 APPLICATION	9.0	20.1	24
10117949-5100HLF ONLY USE EXT MSHD INTERFACE DON'T MEET SAS3.0 APPLICATION	10.0	20.1	24

dr	David Lord	2011/09/07	projection 	mm 	size	scale				
eng	Tom Feng	2016/09/22			A3	1:2				
chr	-	-			ecn no ELX-N-24287-1					
appr	Michael Zhou	2016/09/22	product family		C&A	rel level	Released			
Amphenol FCI		title			FINAL ASSEMBLY (PASSIVE)		dwg no	10117949	rev	
		MSAS HD 4X ASSEMBLY (12 Gb/s)								
www.fci.com		cat. no.		-	Product - Customer Drw			sheet 3 of 4		

Amphenol
FCi

© 2016 AFCI

PRODUCT NUMBER

DESCRIPTION

NOTES

10117949-XXXXLF

NON-HF

SEE SHT. 3

10117949-XXXXHLF

HALOGEN FREE (H)

SEE SHT. 3

NOTES:

1. MATERIAL:
BACK SHELLS: ZINC ALLOY/ COPPER UNDERPLATE/ NICKEL OVERPLATE
PULL TAB: THERMOPLASTIC POLYMER
LATCH : STAINLESS STEEL
FERRULE: BRASS
EMI SKIRT: STAINLESS STEEL
LOCTITE
PADDLE CARD: PRINTED CIRCUIT SUBSTRATE
HEAT SHRINK TUBE: POLYOLEFIN

2. THIS PRODUCT MEETS THE RESTRICTION OF HAZARDOUS SUBSTANCES IN ELECTRICAL AND ELECTRONIC EQUIPMENT (RoHS) DIRECTIVE (2011/65/EU)

3. THIS DIMENSION IS A FINISHED PRODUCT LENGTH.

4. UNLESS OTHERWISE SPECIFIED ASSEMBLED LENGTH TOLERANCE IS TO BE:
"DIM L" < 1 METER = ±25mm
"DIM L" 1 METER TO 4 METERS = ± 2% OF "DIM L"
"DIM L" > 4 METERS = +0.00/-4% OF "DIM L"

5. LABEL DETAILS:

L

MANUFACTURER CODE OR NAME
FCI P/N
FCI CUSTOMER DRAWING REVISION
FCI SERIAL NUMBER
BAR CODE OF SERIAL NUMBER

COUNTRY ORIGIN
CE MARK

FONT SHALL BE CLEARLY VISIBLE AND BLACK IN COLOR.
CE MARK VERTICAL DIMENSION MAY NOT BE LESS THAN 5mm.
SERIAL NUMBER IS ONLY USED FOR TRACKING PRODUCT,DETAIL IS AS BELOW :

CN1321HB052L0001

CN PRESENT MADE IN CHINA
YYWW(YEAR AND WEEK)
PRESENT PRODUCT BASE NUMBER(USE "HB")

SEQUENCE NUMBER(0001~9999)
PRESENT NON-HF OR HF TYPE(L IS NON-HALOGEN FREE,H IS HALOGEN FREE)
CABLE AWG(2 IS 30AWG,3 IS 28AWG,4 IS 26AWG,5 IS 24AWG)
LENGTH(03 IS 0.3METER,05 IS 0.5METER,0A IS 0.75METER,10 IS 1METER,15 IS 1.5METER,20 IS 2METER,0B IS 10METER ETC)

CABLE LABEL EXAMPLE:

M

FCI CHINA
10117949-2005LF
REV.M
CN1321HB052L0001
||| ||| |||

CE

←CE MARK VERTICAL DIMENSION MAY NOT BE LESS THAN 5mm,

6. ALL CABLE ASSEMBLIES 100% TESTED FOR CONTINUITY AS DEFINED IN WIRING LIST.

7. PLACE A CABLE TIE EVERY 0.5 METER ON ALL ASSEMBLIES, UNLESS OTHERWISE SPECIFIED.
IN CASE OF 0.5 METER CABLE ASSEMBLY, CABLE TIE IS TO BE APPLIED AT THE MIDWAY POINT.

8. OTHER TESTING PERFORMED AS REQUIRED BY PRODUCT SPECIFICATION: GS-12-651.

9. PACKAGING OF LEAD FREE PRODUCTS MEETS LABELING AND PACKAGING PER SPECIFICATION GS-14-920.
PACKAGE CABLE ASSEMBLIES PER GS-14-1272.
DUST COVERS ARE TO BE ASSEMBLED PRIOR TO PACKAGING.
FCI PACKAGE TRACKING BAG LABEL IS ONLY FOR REFERENCE.
CE MARK SHOULD BE ADDED ON FCI STANDARD PACKAGE LABEL(GI LABEL),
CE MARK VERTICAL DIM. MAY NOT BE LESS THAN 5mm.

NOTES CONTINUED:

10. A "△" SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION. THE CURRENT REVISION WILL BE SHOWN IN THE SYMBOL.

11. "H" PRODUCT NUMBERS DESIGNATE THE USE OF HALOGEN FREE RAW CABLE.

12. HALOGEN FREE RAW CABLE CAN BE USED AS A SUBSTITUTE ON NON-HF PRODUCT NUMBERS.

13. CABLE ASSEMBLY CAN MEET SAS 3.0 SPECIFICATION.

14. MATES TO SERIES: 10112626 or 10112627 Or 10112628

15. EEPROM INFORMATION REFER TO FCI LATEST PRODUCT SPEC. GS-12-651.

16. CABLE IS OPTIONAL,WHICH HAD BEEN QUALIFIED BY FCI AND MEET FCI PRODUCT SPEC. GS-12-651.

drDavid Lord2011/09/07projectionmmsizeA3scale1:2

engTom Feng2016/09/22

chr-

apprMichael Zhou2016/09/22product familyC&Arel levelReleased

Amphenol
FCi

FINAL ASSEMBLY (PASSIVE)
MSAS HD 4X ASSEMBLY (12 Gb/s)

dwg no10117949revM

www.fci.comcat. no.-Product - Customer Drwsheet 4 of 4

Creo File - REV E - 2016-02-12

PDS: Rev :M

STATUS:Released

Printed: Sep 22, 2016

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692
Email amall@ameya360.com
QQ 800077892
Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333
Email mkt@ameya360.com