NLP40CJ SeriesCover accessory kit

Rev.05.18.11 NLP40CJ 1 of 2

Special Features

- NLP40 cover
- Mounting bracket kit available
- Available ROHS compliant
- 2 year warranty



Installation Instructions and Notes

- 1. Before assembly, ensure unit has been turned off for at least ten minutes.
- 2. Place the power supply on the customer chassis.
- 3. Cover the cable exit area with the provided grommet strip.
- 4. Put the cover on the PCB.
- 5. Secure 4 screws through the holes as shown.
- 6. When a cover or other sheetmetal option is added by a person or persons outside the factory, it is the user's responsibility to ensure that the requirements of the relevant safety agency, or agencies, are complied with.
- 7. Overall dimensions: 4.70 x 2.80 x 1.43 inches



Rev.05.18.11 NLP40CJ 2 of 2

Americas

5810 Van Allen Way Carlsbad, CA 92008

Telephone: +1 760 930 4600 Facsimile: +1 760 930 0698

Europe (UK)

Waterfront Business Park Merry Hill, Dudley West Midlands, DY5 1LX United Kingdom

Telephone: +44 (0) 1384 842 211 Facsimile: +44 (0) 1384 843 355

Asia (HK)

14/F, Lu Plaza 2 Wing Yip Street Kwun Tong, Kowloon Hong Kong

Telephone: +852 2176 3333 Facsimile: +852 2176 3888

For global contact, visit:

www.Emerson.com/EmbeddedPower techsupport.embeddedpower@ emerson.com

While every precaution has been taken to ensure accuracy and completeness in this literature, Emerson Network Power assumes no responsibility, and disclaims all liability for damages resulting from use of this information or for any errors or omissions.

Emerson Network Power.

The global leader in enabling business-critical continuity.

AC Power

Connectivity

DC Power

Embedded Computing

Embedded Power

Monitoring

Outside Plant

Power Switching & Controls

Precision Cooling


Racks & Integrated Cabinets

Services

Surge Protection


EmersonNetworkPower.com

Emerson Network Power and the Emerson Network Power logo are trademarks and service marks of Emerson Electric Co. ©2011 Emerson Electric Co.



DINIENSING HIGHES (IV

DERATING CURVE Output Power (Watts)



AMEYA360 Components Supply Platform

Authorized Distribution Brand:

























Website:

Welcome to visit www.ameya360.com

Contact Us:

Address:

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd Minhang District, Shanghai , China

> Sales:

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

Customer Service :

Email service@ameya360.com

Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com