





IQS128 on AZP242A02 Connection Guide

1 IQS128 on AZP242A02



2 PCboard (AZP242A02)



3 PCB Layout




Figure 1.1 Top layer component placement





Figure 1.2 Bottom layer component placement

4 CT-Tool Connections

IQS128 pins	CT200 / CT220 pins	
	Programming	Streaming
GND	1	1
VDDHI	3	3
CTRL/ND	5	
CX	6	
OUT		10



The IQS128 ProxSense® IC is a fully integrated capacitive sensor with Dynamic Calibration technology to compensate for sensor drift during proximity and touch detection.

Features

- ☐ Features DYCAL™ Intelligent Hysteresis
- ☐ Internal Capacitor Implementation (ICI)
- ☐ Automatic Antenna Tuning Implementation (Auto-ATI)
- ☐ Supply voltage: 2.95V to 5.5V
- ☐ Minimal external components
- ☐ 1-Wire open drain data streaming
- ☐ Advanced on-chip digital signal processing
- ☐ User selectable (OTP):
 - External synchronization control or
 - External control over filter operation
 - I/O Sink or Source selection
 - Time-out for stuck key



- Proximity and Touch sensitivity selections
 - ☐ 6 pin TSOT23-6
 - ☐ IQS128LP offered in DFN(2x3)-8
 - ☐ Touch: 6 mm plastic, 10 mm glass
 - ☐ Proximity: 15cm

IQS128EV01 Kit includes:

- 3 x Module PCB with IQS128 (TSOT23-6)

Contact Information

Please visit www.azoteq.com for comprehensive datasheets, application notes, reference designs and a list of distributors for your region.

AMEYA360

Components Supply Platform

Authorized Distribution Brand :



Website :

Welcome to visit www.ameya360.com

Contact Us :

➤ Address :

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd
Minhang District, Shanghai , China

➤ Sales :

Direct +86 (21) 6401-6692
Email amall@ameya360.com
QQ 800077892
Skype ameyasales1 ameyasales2

➤ Customer Service :

Email service@ameya360.com

➤ Partnership :

Tel +86 (21) 64016692-8333
Email mkt@ameya360.com