



Anaren Integrated Radio **EZ4x Module Series**

The A1101R09C-EZ4x is a high-performance demonstration platform, designed to showcase Anaren's family of FCC & IC certified AIR Modules. It features an A1101R09C AIR 900 MHz connectorized Module, and is designed to quickly connect to the Texas Instruments eZ430 Development Kit battery board or USB debugging interface

Product Overview

The A1101R09C-EZ4x is a target board assembly with the Anaren A1101R09C radio module in the industry's smallest package (9 x 12 x 2.5mm) mounted on it.


This module is fully compliant with Texas Instruments eZ430-RF2500 Development Kit, and plugs directly into either the battery board or USB debugging interface via the 6 pin header. It is designed to be a direct-replacement for the access point and end point target board modules included with the Texas Instrument eZ430-RF2500 Development Kit. Each Anaren A1101R09C Radio Module is FCC & IC certified and incorporates the Texas Instruments CC1101 transceiver chip.

As a stand-alone module for your final design implementation, Anaren's A1101R09C has an LGA pad footprint with an industry-standard U.FL

button connector receptacle. This module is designed to effortlessly integrate into a wide range of applications, including: industrial control, building automation, low-power wireless sensor networks, lighting control, and automated meter reading.



Layout














Anaren Integrated Radio

Pin Diagram

EZ4x Connections



Battery / USB:

P3.4 / UCA0TXD / UCA0SIMO ST1

ST2 **GND**

ST3 RST / SBWTDIO ST4 TEST / SBWTCK ST5 VCC (3.6V)

ST6 P3.5 / UCA0RXD / UCA0SOMI

Interface:

P1 **GND** P2 VCC

P3 P2.0 / ACLK / A0 / OA0I0

P4 P2.1 / TAINCLK / SMCLK / A1 /A0O

P5 P2.2 / TA0 / A2 / OA0I1

P6 P2.3 / TA1 / A3 / VREF- / VeREF-/ OA1I1 / OA1O

P7 P2.4 / TA2 / A4 / VREF+ / VeREF+/ OA1I0

P8 P4.3 / TB0 / A12 / OA0O P9 P4.4 / TB1 / A13 / OA1O P10 P4.5 / TB2 / A14 / OA0I3 P4.6 / TBOUTH / A15 / OA1I3 P11

P12

P13 P2.6 / XIN (GDO0)

P14 P2.7 / XOUT (GDO2)

P15 P3.2 / UCB0SOMI / UCB0SCL P16 P3.3 / UCB0CLK / UCA0STE P17 P3.0 / UCB0STE / UCA0CLK / A5 P18 P3.1 / UCB0SIMO / UCB0SDA



This product is not to be used in any implantable medical device or external medical device intended to regulate or monitor biological functions, including but not limited to devices such as pacemakers, defibrillators, cardiac resynchronization devices, pressure sensors, biochemical stimulators and neurostimulators. ANAREN MAKES NO WARRANTY OF FITNESS OR MERCHANTABILITY OF THIS PRODUCT FOR ANY USE OF THIS TYPE. Anaren shall not be responsible for any consequential damages arising from the sale or use of this product for any use of this type. The ultimate user of the product assumes all risk of personal injury or death arising from a prohibited use.

Nomenclature

A1101R09C-EZ4

Chip series

Function Frequency band

Form factor

5 Module Type

(Anaren)

(CC1101, CC110L, CC2500)

(R = radio only)

(x100MHz)

(A = Internal Antenna, C = Connector) (EM1 = Eval Module, EZ4x = EZ-430)

Module)

(A = Access Point, E = End Point, 6 Firmware (EZ4 only)

X = Custom (or no firmware)

To view the entire available family of AIR Modules & Development options, please visit our website at:

http://www.anaren_com/air



PLEASE NOTE: Additional information on the Texas Instruments CC1101 Development Kit can be found in the company's latest datasheet release at http://www.ti.com



Caution! ESD sensitive device. Precautions should be used when handling the device in order to prevent permanent damage.







AMEYA360 Components Supply Platform

Authorized Distribution Brand:

























Website:

Welcome to visit www.ameya360.com

Contact Us:

Address:

401 Building No.5, JiuGe Business Center, Lane 2301, Yishan Rd Minhang District, Shanghai , China

> Sales:

Direct +86 (21) 6401-6692

Email amall@ameya360.com

QQ 800077892

Skype ameyasales1 ameyasales2

Customer Service :

Email service@ameya360.com

Partnership :

Tel +86 (21) 64016692-8333

Email mkt@ameya360.com